

1. Tonooka I, Meguro M, Takeishi Y, Masakane I, Yamaguchi Y, Hoshi H, Kanaya T, Komatani A, Tsuiki K, Yasui S: Relationship of thallium-201 defect and left ventricular function after dipyridamole infusion. *Jpn Circ J* 53: 707-715, 1989
2. Takeishi Y, Tonooka I, Ikeda K, Komatani A, Tsuiki K, Yasui S: Dilatation of the left ventricular cavity on dipyridamole thallium-201 imaging: A new marker of triple vessel disease. *Am Heart J* 121: 466-475, 1991
3. Takeishi Y, Tonooka I, Meguro M, Hoshi H, Masakane I, Ikeda K, Tsuiki K, Yasui S: The relationship between chest pain during thallium-201 scintigraphy with dipyridamole and myocardial ischemia. *Jpn Circ J* 55: 465-472, 1991
4. Takeishi Y, Tonooka I, Kubota I, Ikeda K, Masakane I, Chiba J, Abe S, Tsuiki K, Komatani A, Yamaguchi I, Washio M: Functional recovery of hibernating myocardium after coronary bypass surgery: Does it coincide with improvement in perfusion? *Am Heart J* 122: 665-670, 1991
5. Takeishi Y, Tonooka I, Chiba J, Abe S, Tsuiki K, Tomoike H: Simultaneous assessment of left ventricular wall motion and myocardial perfusion at rest and during exercise by technetium-99m methoxy isobutyl isonitrile. *Jpn Circ J* 55: 1192-1199, 1991
6. Takeishi Y, Tonooka I, Kubota I, Ikeda K, Masakane I, Abe S, Tsuiki K, Tomoike H: Intravenous aminophylline affect myocardial washout of thallium-201 after dipyridamole infusion. *Am J Noninvas Cardiol* 6: 116-121, 1992
7. Takeishi Y, Chiba J, Abe S, Tonooka I, Komatani A, Tomoike H: Heterogeneous myocardial distribution of iodine-123 15-(p-iodophenyl)-3-R, S-methyl- pentadecanoic acid (BMIPP) in patients with hypertrophic cardiomyopathy. *Eur J Nucl Med* 19: 775-782, 1992
8. Takeishi Y, Chiba J, Abe S, Tomoike H: Clinical implications of lung thallium-201 uptake in coronary artery disease during emission computed tomography: Comparison of exercise and dipyridamole stress imaging. *Jpn Circ J* 57: 379-387, 1993
9. Abe S, Takeishi Y, Chiba J, Ikeda K, Komatani A, Tomoike H: Comparison of thallium-201 stress test in adenosine and treadmill exercise for the detection of coronary artery disease. *Jpn Circ J* 57: 1111-1119, 1993

10. Takeishi Y, Chiba J, Abe S, Komatani A, Takahashi K, Tomoike H: Noninvasive identification of left main and three vessel coronary artery disease by thallium-201 single photon emission computed tomography during adenosine infusion. *Ann Nucl Med* 8: 1-7, 1994
11. Takeishi Y, Chiba J, Abe S, Ikeda K, Tomoike H: Adenosine-echocardiography test in the detection coronary artery disease. *J Cardiol* 24: 1-7, 1994
12. Takeishi Y, Chiba J, Abe S, Yamaki M, Tomoike H: Adenosine-induced heterogeneous perfusion accompanies myocardial ischemia in the presence of advanced coronary artery disease. *Am Heart J* 127: 1262-1268, 1994
13. Takeishi Y, Abe S, Chiba J, Komatani A, Nakagawa Y, Tomoike H: The organ distribution of thallium-201 during intravenous adenosine infusion: Comparison with exercise. *Am Heart J* 127: 1268-1274, 1994
14. Takeishi Y, Sukekawa H, Sakurai T, Saito H, Nishimura S, Shibu T, Sasaki Y, Tomoike H: Noninvasive identification of anthracycline cardiotoxicity: Comparison of ^{123}I -MIBG and ^{123}I -BMIPP imaging. *Ann Nucl Med* 8: 177-182, 1994
15. Takeishi Y, Sukekawa H, Saito H, Nishimura S, Shibu T, Sasaki Y, Tomoike H: Left ventricular function and myocardial perfusion during dipyridamole infusion assessed by a single injection of $^{99\text{m}}\text{Tc}$ -sestamibi in patients unable to exercise. *Nucl Med Commun* 15: 697-703, 1994
16. Takeishi Y, Sukekawa H, Saito H, Nishimura S, Shibu T, Sasaki Y, Tomoike H: Impaired myocardial fatty acid metabolism detected by ^{123}I -BMIPP in patients with unstable angina pectoris: Comparison with perfusion imaging by $^{99\text{m}}\text{Tc}$ -sestamibi. *Ann Nucl Med* 9: 125-130, 1995
17. Takeishi Y, Sukekawa H, Saito H, Nishimura S, Shibu T, Sasaki Y, Tomoike H: Clinical significance of decreased myocardial uptake of iodine-123 β -methyl-iodophenyl-pentadecanoic acid (BMIPP) in patients with stable effort angina pectoris. *Nucl Med Commun* 16: 1002-1008, 1995
18. Takeishi Y, Atsumi H, Fujiwara S, Tomoike H: Delayed metabolic recovery of hibernating myocardium after percutaneous transluminal coronary angioplasty: Assessment with iodine-123-

betamethyl-p-iodophenyl-pentadecanoic acid imaging. *J Cardiol* 28: 17-25, 1996

19. Takeishi Y, Sukekawa S, Fujiwara S, Ikeno E, Sasaki Y, Tomoike H: Reverse redistribution of Technetium-99m-Sestamibi following direct PTCA in acute myocardial infarction. *J Nucl Med* 37: 1289-1294, 1996
20. Takeishi Y, Atsumi H, Fujiwara S, Takahashi K, Tomoike H: Fatty acid metabolic imaging with ¹²³I-BMIPP for the diagnosis of coronary artery disease: Application to patients with diabetes mellitus and hyperlipidemia. *Nucl Med Commun* 17: 675-680, 1996
21. Fujiwara S, Takeishi Y, Atsumi H, Takahashi K, Tomoike H: Fatty acid metabolic imaging with iodine-123-BMIPP for the diagnosis of coronary artery disease. *J Nucl Med* 38: 175-180, 1997
22. Chiba J, Takeishi Y, Abe S, Tomoike H: Visualisation of exercise-induced ischaemia of the right ventricle by thallium-201 single photon emission computed tomography. *Heart* 77: 40-45, 1997
23. Takeishi Y, Atsumi H, Fujiwara S, Takahashi K, Tomoike H: ACE inhibition reduces cardiac iodine-123-MIBG release in heart failure. *J Nucl Med* 38: 1085-1089, 1997
24. Takeishi Y, Fujiwara S, Atsumi H, Takahashi K, Sukekawa K, Tomoike H: Iodine-123-BMIPP imaging in unstable angina: A guide for interventional strategy. *J Nucl Med* 38:1407-1411, 1997
25. Fujiwara S, Takeishi Y, Atsumi H, Yamaki M, Takahashi N, Yamaoka M, Tojo T, Tomoike H: Prediction of functional recovery in acute myocardial infarction: Comparison between sestamibi reverse redistribution and sestamibi / BMIPP mismatch. *J Nucl Cardiol* 5: 119-127, 1998
26. Takeishi Y, Takahashi N, Fujiwara S, Atsumi H, Takahashi K, Tomoike H: Myocardial tomography with technetium-99m-tetrofosmin during intravenous infusion of adenosine triphosphate. *J Nucl Med* 39: 582-586, 1998
27. Atsumi H, Takeishi Y, Fujiwara S, Tomoike H: Cardiac sympathetic nervous disintegrity is related to exercise intolerance in patients with chronic heart failure. *Nucl Med Commun* 19: 451-456, 1998
28. Fujiwara S, Takeishi Y, Atsumi H, Chiba J, Takahashi K, Tomoike H: Quantitative assessment of myocardial ^{99m}Tc-sestamibi uptake during exercise. -Usefulness of response rate for assessing

severity of coronary artery disease-. Jpn Circ J 62: 592-598, 1998

29. Takeishi Y, Chu G, Kirkpatrick DL, Wakasaki H, Li Z, Kranias EG, King GL, Walsh RA: In vivo phosphorylation of cardiac troponin I by PKC β 2 decreases cardiomyocyte calcium responsiveness and contractility in transgenic mouse heart. J Clin Invest 102: 72-78, 1998
30. Fujiwara S, Takeishi Y, Tojo T, Yamaoka M, Nitobe J, Takahashi K, Tomoike H: Fatty acid imaging with ^{123}I -15-(p-iodophenyl)-9-R, S-methylpentadecanoic acid in acute coronary syndrome. J Nucl Med 40: 1999-2006, 1999
31. Takeishi Y, Bhagwat A, Ball NA, Kirkpatrick DL, Periasamy M, Walsh RA: Effect of angiotensin-converting enzyme inhibition on protein kinase C and SR proteins in heart failure. Am J Physiol 276: H53-H62, 1999
32. Takeishi Y, Jalili T, Ball NA, Walsh RA: Responses of cardiac protein kinase C isoforms to distinct pathologic stimuli are differentially regulated. Circ Res 85: 264-271, 1999
33. Jalili T, Takeishi Y, Song G, Howel G, Nancy BA, Walsh RA: Protein kinase C translocation without changes in G α q and PLC β protein abundance in cardiac hypertrophy and failure. Am J Physiol 277: H2298-H2304, 1999
34. Takeishi Y, Abe Ji, Lee JD, Kawakatsu H, Walsh RA, Berk BC: Differential regulation of p90RSK and BMK1 by ischemia/reperfusion and oxidative stress in perfused guinea pig hearts. Circ Res 85: 1164-1172, 1999
35. Takeishi Y, Jalili T, Kirkpatrick DL, Hoit BD, Wagoner LE, Abraham WT, Walsh RA: Differential alterations in Ca $^{2+}$ cycling and G α q signaling proteins after left ventricular assist device support in failing human hearts. Cardiovasc Res 45: 883-888, 2000
36. Takeishi Y, Ping P, Bolli R, Kirkpatrick DL, Hoit BD, Walsh RA: Transgenic overexpression of constitutively active protein kinase C ϵ causes concentric cardiac hypertrophy. Circ Res 86: 1218-1223, 2000
37. Takahashi N, Atsumi H, Nakada S, Takeishi Y, Tomoike H: Alterations in inotropic responses to forskolin and Ca $^{2+}$ and reduced gene expressions of Ca $^{2+}$ -signaling proteins induced by volume overload in rabbits. Jpn Circ J 64: 861-867, 2000

38. Takeishi Y, Huang Q, Abe J, Glassman M, Che W, Lee JD, Kawakatsu H, Lawrence EG, Hoit BD, Berk BC, Walsh RA: Src and multiple MAP kinase activation in cardiac hypertrophy and congestive heart failure under chronic pressure-overload: Comparison with acute mechanical stretch. *J Moll Cell Cardiol* 33: 1637-1648, 2001
39. Miyashita T, Takeishi Y, Kubota I, Takahashi H, Kato S, Kubota I, Tomoike H: Calcineurin is involved in insulin-like growth factor-1-induced hypertrophy of cultured adult rat ventricular myocytes. *Jpn Circ J* 65: 815-819, 2001
40. Takeishi Y, Huang Q, Wang T, Glassman M, Yoshizumi M, Baines CP, Lee JD, Kawakatsu H, Che W, Lerner-Marmarosh N, Zhang C, Yan C, Ohta S, Walsh RA, Berk BC, Abe J: Src family kinase and adenosine differentially regulate multiple MAP kinases in ischemic myocardium: Modulation by ischemic preconditioning. *J Moll Cell Cardiol* 33: 1989-2005, 2001
41. Fujiwara S, Takeishi Y, Hirono O, Fukui A, Okuyama M, Yamaguchi S, Ito M, Kaneko K, Shishido T, Miyamoto T, Yuki K, Miyashita T, Takahashi K, Minamihaba O, Tomoike H, Yamauchi S, Fatema K: Reverse redistribution of technetium-99m-sestamibi after direct PTCA in acute myocardial infarction: Relationship with wall motion and functional response to dobutamine stimulation. *Nucl Med Commun* 22: 1223-1230, 2001
42. Takeishi Y, Huang Q, Abe J, Che W, Lee JD, Kawakatsu H, Hoit BD, Berk BC, Walsh RA: Activation of multiple mitogen-activated protein kinases and p90 ribosomal S6 kinase in failing human hearts with dilated cardiomyopathy. *Cardiovasc Res* 53: 131-137, 2002
43. Hirono O, Fatema K, Nitobe J, Takeishi Y, Kaneko K, Shiga R, Kubota I: Long-term effects of benidipine hydrochloride on severe left ventricular hypertrophy and collagen metabolism in patients with essential hypertension. *J Cardiol* 39: 195- 204, 2002
44. Miyashita T, Takeishi Y, Takahashi H, Fujii S, Yoshimura T, Tomoike H, Kato S, Kubota I: Comparison of nitric oxide production in response to carbachol between macrovascular and microvascular cardiac endothelial cells. *Circ J* 66: 511-515, 2002
45. Hoit BD, Takeishi Y, Gable M, Cox MJ, Kirkpatrick D, Walsh RA, Tyagi SC: Remodeling of the left atrium in pacing-induced atrial cardiomyopathy. *Mol Cell Biochem* 238: 145-50, 2002

46. Fatema K, Hirono O, Takeishi Y, Nitobe J, Kaneko K, Ito M, Masakane I, Kubota I: Hemodialysis improves myocardial interstitial edema and left ventricular diastolic function in patients with end-stage renal disease: Non-invasive assessment by ultrasonic tissue characterization. *Heart Vessels* 16: 227-231, 2002
47. Itoh M, Takeishi Y, Nakada S, Miyamoto T, Tsunoda Y, Takahashi H, Kubota I, Tomoike H: Long-term treatment with angiotensin II type 1 receptor antagonist, CV-11974, restores β -catenin mRNA expression in volume-overloaded rabbit hearts. *Heart Vessels* 17: 36-41, 2002
48. Minamihaba O, Takeishi Y, Hirono O, Yamauchi S, Fukui A, Okuyama M, Nozaki N, Akiyama H, Fatema K, Miyamoto T, Shishido T, Takahashi H, Fujiwara S, Takahashi K, Okada A, Kubota I: Pulsed Doppler tissue imaging for the assessment of myocardial viability: comparison with ^{99m}Tc -MIBI perfusion imaging. *Nucl Med Commun* 23: 1197-1204, 2002
49. Miyamoto T, Takeishi Y, Takahashi H, Shishido T, Itoh M, Kubota I, Tomoike H: Role of nitric oxide in cardiovascular remodeling induced by carotid arterio-venous shunt in rabbits. *Jpn Heart J* 44: 127-137, 2003
50. Nitobe J, Yamaguchi S, Okuyama M, Nozaki N, Sata M, Miyamoto T, Takeishi Y, Kubota I, Tomoike H: Reactive oxygen species regulate FLICE inhibitory protein (FLIP) and susceptibility to Fas-mediated apoptosis in cardiac myocytes. *Cardiovasc Res* 57: 119-128, 2003
51. Yamauchi S, Takeishi Y, Minamihaba O, Arimoto T, Hirono O, Takahashi H, Miyamoto T, Nitobe J, Nozaki N, Tachibana H, Okuyama M, Fukui A, Kubota I: Angiotensin-converting enzyme inhibition improves cardiac fatty acid metabolism in patients with congestive heart failure. *Nucl Med Commun* 24: 901-906, 2003
52. Nagai S, Takeishi Y, Kubota I: Low dose flecainide infusion followed by oral pilsicainide is highly effective and safe for paroxysmal atrial fibrillation. *Cardiovascular Drugs and Therapy* 17: 95-97, 2003
53. Chu L, Takahashi R, Norota I, Miyamoto T, Takeishi Y, Ishii K, Kubota I, Endoh M: Signal transduction and Ca^{2+} signaling in contractile regulation induced by crosstalk between endothelin-1 and norepinephrine in dog ventricular myocardium. *Circ Res* 92: 1024-1032, 2003
54. Ono S, Takeishi Y, Yamaguchi H, Abe S, Tachibana H, Sato T, Kubota I: Reverse redistribution

of technetium-99m-sestamibi in patients with coronary spastic angina. *Ann Nucl Med* 17: 393-398, 2003

55. Arao T, Takabatake N, Honma T, Sata M, Shibata Y, Okada A, Takahashi K, Takeishi Y, Kubota I: In vivo evidence of endothelial injury in chronic obstructive pulmonary disease by lung scintigraphic assessment with ¹²³I-MIBG. *J Nucl Med* 44: 1747-1754, 2003
56. Kaneko K, Hirono O, Fatema K, Zhang X, Takeishi Y, Kayama T, Kubota I: Direct evidence that sustained dysfunction of left atrial appendage contributes to the occurrence of cardiogenic brain embolism in patients with paroxysmal atrial fibrillation. *Int Med* 42: 1077-1083, 2003
57. Shishido T, Nozaki N, Yamaguchi S, Nitobe J, Miyamoto T, Takahashi H, Arimoto T, Maeda K, Yamakawa M, Takeuchi O, Akira S, Takeishi Y, Kubota I: Toll-like receptor-2 modulates ventricular remodeling after myocardial infarction. *Circulation* 108: 2905-2910, 2003
58. Tsunoda Y, Takeishi Y, Nozaki N, Kitahara T, Kubota I: Prominent J wave in the anterior leads in the Brugada syndrome. *J Electrocardiol* 37: 311-314, 2004
59. Shishido T, Tasaki K, Takeishi Y, Takasaki S, Miyamoto T, Itoh M, Takahashi H, Kubota I, Ito T, Katano Y, Wakabayashi I, Tomoike H: Chronic hypertriglyceridemia in young Watanabe heritable hyperlipidemic rabbits accelerates endothelial and medial smooth muscle dysfunction. *Life Sci* 74: 1487-1501, 2004
60. Takahashi H, Takeishi Y, Miyamoto T, Shishido T, Arimoto T, Konta T, Miyashita T, Ito M, Kubota I: Protein kinase C and extracellular signal regulated kinase are involved in cardiac hypertrophy of rats with progressive renal injury. *Eur J Clin Invest* 34: 85-93, 2004
61. Miyamoto T, Takeishi Y, Tazawa S, Inoue M, Aoyama T, Takahashi H, Arimoto T, Itoh M, Kubota I, Tomoike H: Fatty acid metabolism assessed by ¹²⁵I-iodophenyl 9-methylpentadecanoic acid and expression of fatty acid utilization enzymes in volume-overloaded hearts. *Eur J Clin Invest* 34: 176-81, 2004
62. Fatema K, Hirono O, Kaneko K, Takeishi Y, Kubota I: Assessment of myocardial involvement in patients with chronic renal failure by ultrasonic tissue characterization and serum markers of collagen metabolism. *Clin Cardiol* 27: 228-234, 2004

63. Takeishi Y, Minamihaba O, Yamauchi S, Arimoto T, Hirono O, Takahashi H, Akiyama H, Miyamoto T, Nitobe J, Nozaki N, Tachibana H, Okuyama M, Fukui A, Kubota I: Dynamic ¹²³I-BMIPP single photon emission computed tomography in patients with congestive heart failure: effect of angiotensin II type-1 receptor blockade. *Clin Cardiol* 27: 204-210, 2004
64. Arimoto T, Takeishi Y, Fukui A, Tachibana H, Nozaki N, Hirono O, Yamaguchi H, Itoh M, Miyamoto T, Tsunoda Y, Takahashi H, Kubota I, Okada A, Takahashi K: Dynamic ¹²³I-MIBG SPECT reflects sympathetic nervous integrity and predicts clinical outcome in patients with chronic heart failure. *Ann Nucl Med* 18: 145-150, 2004
65. Miyamoto T, Takeishi Y, Takahashi H, Shishido T, Arimoto T, Tomoike H, Kubota I: Activation of distinct signal transduction pathways in hypertrophied hearts by pressure and volume overload. *Basic Res Cardiol* 99: 328-337, 2004
66. Nozaki N, Shishido T, Takeishi Y, Kubota I: Modulation of doxorubicin-induced cardiac dysfunction in Toll-like receptor 2 knockout mice. *Circulation* 110: 2869-2874, 2004
67. Takabatake N, Arao T, Sata M, Abe S, Inoue S, Shibata Y, Takeishi Y, Kubota I: Involvement of pulmonary endothelial cell injury in the pathogenesis of pulmonary fibrosis: clinical assessment by ¹²³I-MIBG lung scintigraphy. *Eur J Nucl Med Mol Imaging* 32: 221-228, 2005
68. Arimoto T, Takeishi Y, Shiga R, Fukui A, Tachibana H, Nozaki N, Hirono O, Watanabe T, Nitobe J, Miyamoto T, Kubota I: Prognostic value of elevated circulating heart-type fatty acid binding protein in patients with congestive heart failure. *J Card Fail* 11: 56-60, 2005
69. Takahashi H, Takeishi Y, Seidler T, Arimoto T, Akiyama H, Koyama Y, Shishido T, Tsunoda Y, Niizeki T, Hozumi Y, Abe J, Hasenfuss G, Goto K, Kubota I: Adenovirus-mediated overexpression of diacylglycerol kinase ζ inhibits endothelin-1-induced cardiomyocyte hypertrophy. *Circulation* 111: 1510-1516, 2005
70. Watanabe T, Takeishi Y, Itoh M, Matsui M, Nakamura K, Tamada Y, Kubota I: C-reactive protein elevation predicts occurrence of atrial structural remodeling in patients with paroxysmal atrial fibrillation. *Heart Vessels* 20: 45-49, 2005
71. Hirose M, Takeishi Y, Miyamoto T, Kubota I, Laurita KR, Chiba S: Importance of pulmonary veins region for atrial tachycardia induction and maintenance in chronic volume overload-

induced dilated atria. *J Cardiovasc Electrophysiol* 16: 760-769, 2005

72. Niizeki T, Takeishi Y, Arimoto T, Okuyama H, Takabatake N, Fukui A, Tachibana H, Nozaki N, Hirono O, Tsunoda Y, Miyashita T, Takahashi H, Koyama Y, Shishido T, Kubota I: Serum heart-type fatty acid binding protein predicts cardiac events in the elderly chronic heart failure patients. *J Cardiol* 46: 9-15, 2005
73. Itoh S, Ding B, Bains CP, Maekawa N, Wei H, Takeishi Y, Jalili T, King GL, Walsh RA, Yan C, Abe J: Role of p90 ribosomal S6 kinase (p90RSK) in reactive oxygen species and PKC β -mediated cardiac troponin I phosphorylation. *J Biol Chem* 280: 24135-24142, 2005
74. Niizeki T, Takeishi Y, Arimoto T, Takahashi T, Okuyama H, Takabatake N, Nozaki N, Hirono O, Tsunoda Y, Shishido T, Takahashi H, Koyama Y, Fukao A, Kubota I: A combination of heart-type fatty acid binding protein and brain natriuretic peptide can reliably risk stratify patients hospitalized for chronic heart failure. *Circ J* 69: 922-927, 2005
75. Tasaki K, Wakabayashi I, Shishido T, Takasaki S, Takeishi Y, Kubota I, Ito T, Katano Y, Tomoike H: Diminution of angiotensin II-induced contraction of the abdominal aorta isolated from Watanabe heritable hyperlipidemic rabbits. *J Smooth Muscle Res* 41:87-97, 2005
76. Takabatake N, Sata M, Inoue S, Shibata Y, Abe S, Wada T, Machiya JI, Ji G, Matsuura T, Takeishi Y, Muramatsu M, Kubota I: A novel polymorphism in secretory phospholipase A2-IIID is associated with body weight loss in COPD. *Am J Respir Crit Care Med* 172: 1097-1104, 2005
77. Takahashi H, Takeishi Y, Arimoto T, Konta T, Koyama Y, Niizeki T, Kubota I: Pitavastatin inhibits cardiac hypertrophy in a rat model of progressive renal injury. *J Cardiovasc Pharmacol* 46: 487-493, 2005
78. Arimoto T, Takeishi Y, Niizeki T, Takabatake N, Okuyama H, Fukui A, Tachibana H, Nozaki N, Hirono H, Tsunoda Y, Miyashita T, Shishido T, Takahashi H, Koyama Y, Kubota I: Cystatin C is a novel predictor of cardiac events in patients with chronic heart failure. *J Card Fail* 11: 595-601, 2005
79. Arimoto T, Takeishi Y, Niizeki T, Koyama Y, Okuyama H, Nozaki N, Hirono O, Tsunoda Y, Miyashita T, Shishido T, Okada A, Takahashi K, Kubota I: Ongoing myocardial damage relates to cardiac sympathetic nervous disintegrity in patients with heart failure. *Ann Nucl Med* 19: 535-

540, 2005

80. Arimoto T, Takeishi Y, Takahashi H, Shishido T, Tsunoda Y, Niizeki T, Koyama Y, Shiga R, Nakajima O, Nishimaru K, Endoh M, Walsh RA, Goto K, Kubota I: Cardiac-specific overexpression of diacylglycerol kinase ζ prevents Gq protein coupled receptor agonists-induced cardiac hypertrophy in transgenic mice. *Circulation* 113: 60-66, 2006
81. Itoh S, Ding B, Shishido T, Lerner-Marmarosh N, Wang N, Maekawa N, Berk BC, Takeishi Y, Yan C, Blaxall BC, Abe J: Role of p90 ribosomal S6 kinase-mediated prorenin-converting enzyme in ischemic and diabetic myocardium. *Circulation* 113: 1787-1798, 2006
82. Itoh S, Ding B, Shishido T, Lerner-Marmarosh N, Wang N, Maekawa N, Berk BC, Yan C, Blaxall BC, Abe J, Takeishi Y: Response to letter regarding article, "Role of p90 ribosomal S6 kinase-mediated prorenin-converting enzyme in ischemic and diabetic myocardium". *Circulation* 114, e557, 2006
83. Shishido T, Nozaki N, Takahashi H, Arimoto T, Niizeki T, Koyama Y, Abe JI, Takeishi Y, Kubota I: Central role of endogenous Toll-like receptor-2 activation in regulating inflammation, reactive oxygen species production, and subsequent neointimal formation after vascular injury. *Biochem Biophys Res Commun* 345: 1446-1453, 2006
84. Niizeki T, Takeishi Y, Arimoto T, Okuyama H, Nozaki N, Hirono O, Tsunoda Y, Miyashita T, Takahashi H, Koyama Y, Shishido T, Kubota I: Hyperuricemia is associated with high cardiac event rates in the elderly person with chronic heart failure. *J Cardiol* 47: 219-228, 2006
85. Ling L, Hirono O, Okuyama H, Takeishi Y, Kayama T, Kubota I: Ratio of peak early to late diastolic filling velocity of the left ventricular inflow is associated with left atrial appendage thrombus formation in elderly patients with acute ischemic stroke and sinus rhythm. *J Cardiol* 48: 75-84, 2006
86. Haugan K, Miyamoto T, Takeishi Y, Kubota I, Nakayama J, Shimojo H, Hirose M: Rotigaptide (ZP123) improves atrial conduction slowing in chronic volume overload-induced dilated atria. *Basic Clin Pharmacol Toxicol* 99: 71-79, 2006

87. Okuyama H, Hirono O, Liu L, Takeishi Y, Kayama T, Kubota I: Higher levels of serum fibrin-monomer reflect hypercoagulable state and thrombus formation in the left atrial appendage in patients with acute ischemic stroke. *Circ J* 70:971-976, 2006
88. Takabatake N, Shibata Y, Abe S, Wada T, Machiya J, Igarashi A, Tokairin Y, Ji G, Sato H, Sata M, Takeishi Y, Emi M, Muramatsu M, Kubota I: A single nucleotide polymorphism in the CCL1 gene predicts acute exacerbations in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 174: 875-885, 2006
89. Nakano A, Lee JD, Takeishi Y, Hirai T, Kato M, Kinugawa T, Fujita M: Comparative effects of valsartan and amlodipine on cardiac autonomic nervous activity in hypertensive patients. *Int J Angiol* 15:179-182, 2006
90. Harada M, Takeishi Y, Arimoto T, Niizeki T, Goto K, Walsh RA, Kubota I: Diacylglycerol kinase ζ attenuates pressure overload-induced cardiac hypertrophy. *Circ J* 71:276-282, 2007
91. Niizeki T, Takeishi Y, Arimoto T, Takahashi H, Shishido T, Koyama Y, Walsh RA, Goto K, Kubota I: Cardiac-specific overexpression of diacylglycerol kinase ζ attenuates left ventricular remodeling and improves survival after myocardial infarction. *Am J Physiol Heart Circ Physiol* 292: H1105-H1112, 2007
92. Arimoto T, Takeishi Y, Niizeki T, Okuyama H, Nozaki N, Hirono O, Watanabe T, Nitobe J, Tsunoda Y, Miyashita T, Takahashi H, Suzuki S, Koyama Y, Kitahara T, Okada A, Takahashi K, Kubota I: Cardiac sympathetic denervation and ongoing myocardial damage for prognosis in heart failure. *J Card Fail* 13: 34-41, 2007
93. Takeishi Y, Niizeki T, Arimoto T, Nozaki N, Hirono O, Nitobe J, Watanabe T, Takabatake N, Kubota I: Serum resistin is associated with high risk in patients with congestive heart failure: A novel link between metabolic signals and heart failure. *Circ J* 71: 460-464, 2007
94. Niizeki T, Takeishi Y, Arimoto T, Takabatake N, Nozaki N, Hirono O, Watanabe T, Nitobe J, Suzuki S, Koyama Y, Kitahara T, Sasaki T, Kubota I: Heart-type fatty acid-binding protein is more sensitive than troponin T to detect the ongoing myocardial damage in chronic heart failure patients. *J Card Fail* 13: 120-127, 2007
95. Koyama Y, Takeishi Y, Arimoto T, Niizeki T, Shishido T, Takahashi H, Nozaki N, Hirono O,

- Tsunoda Y, Nitobe J, Watanabe T, Takabatake N, Kubota I: High serum level of pentosidine, an advanced glycation end product (AGE), is a risk factor of patients with heart failure. *J Card Fail* 13: 199-206, 2007
96. Koyama Y, Takeishi Y, Takahashi H, Shishido T, Arimoto T, Niizeki T, Harada M, Suzuki S, Kitahara T, Sasaki T, Kubota I: Azelnidipine inhibits H₂O₂-induced cell death in neonatal rat cardiomyocytes. *Cardiovasc Drugs Ther* 21: 69-72, 2007
97. Kitahara T, Takeishi Y, Arimoto T, Niizeki T, Koyama Y, Sasaki T, Suzuki S, Nozaki N, Hirono O, Nitobe J, Watanabe T, Kubota I: Serum carboxy-terminal telopeptide of type I collagen (ICTP) predicts cardiac events in chronic heart failure patients with preserved left ventricular systolic function. *Circ J* 71: 929-935, 2007
98. Niizeki T, Takeishi Y, Takabatake N, Shibata Y, Konta T, Kato T, Kawata S, Kubota I: Circulating levels of heart-type fatty acid-binding protein in a general Japanese population: Effects of age, sex, and physiologic characteristics. *Circ J* 71: 1452-1457, 2007
99. Takeishi Y, Toriyama S, Takabatake N, Shibata Y, Konta T, Emi M, Kato T, Kawata S, Kubota I: Linkage disequilibrium analyses of natriuretic peptide precursor B locus reveal risk haplotype conferring high plasma BNP levels. *Biochem Biophys Res Commun* 362: 480-484, 2007
100. Takahashi T, Konta T, Takasaki S, Ichikawa K, Takeishi Y, Kubota I: An angiotensin II type-I receptor blocker, olmesartan medoxomil, attenuates lipid peroxidation in renal injury induced by subtotal nephrectomy. *Clin Exp Nephrol* 11: 202-208, 2007
101. Tamura H, Hirono O, Okuyama H, Liu L, Nishiyama S, Takeishi Y, Kayama T, Kubota I: Elevated serum fibrin-monomer levels are associated with high long-term cerebrovascular event rates in acute ischemic stroke patients. *Circ J* 71: 1573-1579, 2007
102. Fujiwara S, Takeishi Y, Isoyama S, Aono G, Takizawa K, Honda H, Otomo T, Mitsuoka M, Itoh Y, Terashima M, Kubota I, Meguro T: Responsiveness to dobutamine stimulation in patients with left ventricular apical ballooning syndrome. *Am J Cardiol* 100: 1600-1603, 2007
103. Takabatake N, Toriyama S, Takeishi Y, Shibata Y, Konta T, Inoue S, Abe S, Igarashi A, Toukairin Y, Ishii M, Kayano S, Emi M, Kaato T, Kawata S, Kubota I: A non-functioning single nucleotide polymorphism in olfactory receptor gene family is associated with the forced expiratory volume

in the first second / the forced vital capacity values of pulmonary function test in a Japanese population. *Biochem Biophys Res Commun* 364: 662-667, 2007

104. Suzuki S, Takeishi Y, Niizeki T, Koyama Y, Kitahara T, Sasaki T, Arimoto T, Nozaki N, Hirono O, Nitobe J, Watanabe T, Kubota I: Pentraxin 3, a new marker for vascular inflammation, predicts adverse clinical outcomes in patients with heart failure. *Am Heart J* 155: 75-81, 2008
105. Niizeki T, Takeishi Y, Arimoto T, Nozaki N, Hirono O, Watanabe T, Nitobe J, Miyashita T, Miyamoto T, Koyama Y, Kitahara T, Suzuki S, Sasaki T, Kubota I: Persistently increased serum concentration of heart-type fatty acid-binding protein predicts adverse clinical outcomes in patients with chronic heart failure. *Circ J* 72: 109-114, 2008
106. Niizeki T, Takeishi Y, Kitahara T, Arimoto T, Koyama Y, Goto K, Mende U, Kubota I: Diacylglycerol kinase ζ rescues G α q-induced heart failure in transgenic mice. *Circ J* 72: 309-317, 2008
107. Souri M, Koseki-Kuno S, Takeda N, Yamakawa M, Takeishi Y, Degen JL, Ichinose A: Male-specific cardiac pathologies in mice lacking either the A or B subunit of factor XIII. *Thromb Haemostasis* 99: 401-408, 2008
108. Arimoto T, Sukekawa H, Takayama S, Ikeno E, Takeishi Y, Kubota I: Electroanatomical mapping in partial atrial standstill for visualization of atrial viability and determination of a suitable pacing site. *Pacing Clin Electrophysiol* 31: 509-512, 2008
109. Koyama Y, Takeishi Y, Niizeki T, Suzuki S, Kitahara T, Sasaki T, Kubota I: Soluble receptor for advanced glycation end products (RAGE) is a prognostic factor for heart failure. *J Card Fail* 14: 133-139, 2008
110. Nishimaru K, Arimoto T, Takeishi Y, Kubota I, Ishii K, Endoh M: Overexpression of diacylglycerol kinase ζ inhibits the endothelin-1-induced decrease in Ca²⁺ transients and cell shortening in mouse ventricular myocytes. *J Moll Cell Cardiol* 44: 520-526, 2008
111. Takase B, Takeishi Y, Hirai T, Lee JD, Uzui H, Senda S, Miwa K, Hiraoka Y, Kinugawa T, Hosokawa R, Fujita M: Comparative effects of amlodipine monotherapy and combination therapy with betaxolol on cardiac autonomic nervous activity and health-related quality of life in patients with poorly controlled hypertension. *Circ J* 72: 764-769, 2008

112. Konta T, Emi M, Toriyama S, Ariumi H, Ishii M, Takasaki S, Ikeda A, Ichikawa K, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I: Association of CC chemokine ligand 5 genotype with urinary albumin excretion in non-diabetic Japanese general population: The Takahata Study. *J Hum Genet* 53: 267-274, 2008
113. Bilim O, Takeishi Y, Kitahara T, Arimoto T, Niizeki T, Sasaki T, Goto K, Kubota I: Diacylglycerol kinase ζ inhibits myocardial atrophy and restores cardiac dysfunction in streptozotocin-induced diabetes mellitus. *Cardiovasc Diabetol* 7: 2-12, 2008
114. Ishikawa M, Konta T, Hao Z, Takasaki S, Abiko H, Takahashi T, Ikeda A, Ichikawa K, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I: Relationship between antinuclear antibody and microalbuminuria in the general population: the Takahata study. *Clin Exp Nephrol* 12: 200-206, 2008
115. Okuyama H, Hirono O, Tamura H, Nishiyama S, Takeishi Y, Kayama T, Kubota I: Usefulness of intensity variation in the left atrial appendage with contrast echocardiography to predict ischemic stroke recurrence in patients with atrial fibrillation. *Am J Cardiol* 101: 1630-1637, 2008
116. Niizeki T, Takeishi Y, Ishino M, Kitahara T, Arimoto T, Koyama Y, Bilim O, Suzuki S, Sasaki T, Nakajima O, Walsh RA, Goto K, Kubota I: Diacylglycerol kinase- ϵ preserves cardiac function under chronic pressure overload: A new specific regulator of G α_q signaling cascade. *Am J Physiol Heart Circ Physiol* 295: H245-255, 2008
117. Arimoto T, Sukekawa H, Harada M, Takayama S, Ikeno E, Nisugi K, Takeishi Y, Kubota I: Short cardiac Iodine-123-metaiodobenzylguanidine imaging protocol and B-type natriuretic peptide for prognosis in early stage of heart failure. *Circ J* 72: 1106-1111, 2008
118. Niizeki T, Takeishi Y, Watanabe T, Nitobe J, Miyashita T, Miyamoto T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Ishino M, Kubota I: Relation of serum heat shock protein 60 level to severity and prognosis in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. *Am J Cardiol* 102: 606-610, 2008
119. Kitahara T, Takeishi Y, Harada M, Niizeki T, Suzuki S, Sasaki T, Ishino M, Bilim O, Nakajima O, Kubota I: High-mobility group box 1 restores cardiac dysfunction after myocardial infarction in transgenic mice. *Cardiovasc Res* 80: 40-46, 2008

120. Ishino M, Takeishi Y, Niizeki T, Watanabe T, Nitobe J, Miyamoto T, Miyashita T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Kubota I: Risk stratification of chronic heart failure patients by multiple biomarkers: Implications of BNP, H-FABP, and PTX3. *Circ J* 72: 1800-1805, 2008
121. Takeishi Y, Koyama Y: Pentosidine and soluble receptor for advanced glycation end-product (RAGE) are important prognostic factors independent of renal function in heart failure. *J Card Fail* 14: 627-628, 2008
122. Shibata Y, Abe S, Inoue S, Takabatake N, Hiramata N, Machiya J, Wada T, Igarashi A, Ishikawa T, Yamauchi K, Osaka D, Kishi H, Sata M, Aida Y, Takeishi Y, Sata M, Kubota I: Altered expression of antimicrobial molecules in cigarette smoke-exposed emphysematous mice lungs. *Respirology* 3: 1061-1065, 2008
123. Hirose M, Takeishi Y, Niizeki T, Shimojo H, Nakada T, Kubota I, Nakayama J, Mende U, Yamada M: Diacylglycerol kinase ζ inhibits *Gaq*-induced atrial remodeling in transgenic mice. *Heart Rhythm* 6: 78-84, 2009
124. Yamaguchi O, Kaneshiro T, Saitoh S, Ishibashi T, Maruyama Y, Takeishi Y: Regulation of coronary vascular tone via redox modulation in the $\alpha 1$ -adrenergic-angiotensin-endothelin axis of the myocardium. *Am J Physiol Heart Circ Physiol* 296: H226-H232, 2009
125. Ikeda A, Konta T, Takasaki S, Hao Z, Suzuki K, Sato H, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I: In a non-diabetic Japanese population, the combination of macroalbuminuria and increased urine $\beta 2$ -microglobulin predicts a decline of renal function: the Takahata study. *Nephrol Dial Transplant* 24: 841-847, 2009
126. Niizeki T, Takeishi Y, Watanabe T, Nitobe J, Miyamoto T, Miyashita T, Kitahara T, Suzuki S, Bilim O, Sasaki T, Ishino M, Kubota I: Combination of conventional biomarkers for risk stratification in chronic heart failure. *J Cardiol* 53: 179-187, 2009
127. Tajima H, Iwai-Takano M, Yaoita H, Ogawa K, Yamaki T, Takeishi Y, Maruyama Y: Mast cells contribute to flow restoration by bone marrow cell transplantation in rats with ischemic limbs. *Int Heart J* 50: 247-257, 2009
128. Takabatake N, Toriyama S, Igarashi A, Tokairin Y, Takeishi Y, Konta T, Inoue S, Abe S, Shibata

- Y, Kubota I: A novel polymorphism in CDC6 is associated with the decline in lung function of ex-smokers in COPD. *Biochem Biophys Res Commun* 381: 554-559, 2009
129. Abiko H, Konta T, Hao Z, Takasaki S, Suzuki K, Ichikawa K, Ikeda A, Shibata Y, Takeishi Y, Kawata S, Kato T, Kubota I: Factors correlated with plasma renin activity in general Japanese population. *Clin Exp Nephrol* 13: 130-137, 2009
130. Ichikawa K, Konta T, Emi M, Toriyama S, Takasaki S, Ikeda A, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I: Genetic polymorphisms of paraoxonase-1 are associated with chronic kidney disease in Japanese women. *Kidney Int* 76: 183-189, 2009
131. Sakamoto N, Ishibashi T, Sugimoto K, Sawamura T, Sakamoto T, Inoue N, Saitoh S, Kamioka M, Uekita H, Ohkawara H, Suzuki K, Teramoto T, Maruyama Y, Takeishi Y: Role of LOX-1 in monocyte adhesion-triggered redox, Akt/eNOS and Ca²⁺ signaling pathways in endothelial cells. *J Cell Physiol* 220: 706-715, 2009
132. Sugimoto K, Ishibashi T, Sawamura T, Inoue N, Kamioka M, Uekita H, Ohkawara H, Sakamoto T, Sakamoto N, Okamoto Y, Takuwa Y, Kakino A, Fujita Y, Tanaka T, Teramoto T, Maruyama Y, Takeishi Y: LOX-1-MT1-MMP axis is crucial for RhoA and Rac1 activation induced by oxidized low-density lipoprotein in endothelial cells. *Cardiovasc Res* 84: 127-136, 2009
133. Yamaki T, Iwai-Takano M, Yaoita H, Ogawa K, Tajima H, Takeishi Y, Maruyama Y: Participation of mast cells in angiogenesis in border zone of myocardial infarction in rats. *J Med Ultrasonics* 36: 119-127, 2009
134. Ohkawara H, Ishibashi T, Shiomi M, Uekita H, Kamioka M, Takuwa Y, Teramoto T, Maruyama Y, Takeishi Y: RhoA and Rac1 changes in the atherosclerotic lesions of WHHLMI rabbits. *J Atheroscler Thromb* 16: 846-856, 2009
135. Otake A, Saitoh S, Takeishi Y: Hydrogen peroxide generated from cardiac myocytes impacts metabolic dilation in coronary arterioles. *Int Heart J* 51: 125-128, 2010
136. Kitahara T, Shishido T, Suzuki S, Katoh S, Sasaki T, Ishino M, Nitobe J, Miyamoto T, Miyashita T, Watanabe T, Takeishi Y, Kubota I: Serum midkine as a predictor of cardiac events in patients with chronic heart failure. *J Card Fail* 16: 308-313, 2010

137. Ishibashi T, Kawaguchi M, Sugimoto K, Uekita H, Sakamoto N, Yokoyama K, Maruyama Y, Takeishi Y: Advanced glycation end products-mediated matrix metalloproteinase-9 and apoptosis via renin-angiotensin system in type 2 diabetes. *J Atheroscler Thromb* 17: 578-589, 2010
138. Kamioka M, Ishibashi T, Sugimoto K, Uekita H, Nagai R, Sakamoto N, Ando K, Ohkawara H, Teramoto T, Maruyama Y, Takeishi Y: Blockade of renin-angiotensin system attenuates advanced glycation end products-mediated signaling pathways. *J Atheroscler Thromb* 17: 590-600, 2010
139. Shichishima T, Ikeda K, Takahashi N, Kameoka J, Tajima K, Murai K, Tamai Y, Shichishima-Nakamura A, Akutsu K, Noji H, Okamoto M, Kimura H, Harigae H, Oyamada T, Kamesaki T, Takeishi Y, Sawada K: Low concentration of serum haptoglobin has impact on understanding complex pathophysiology in patients with acquired bone marrow failure syndromes. *Int J Hematol* 91: 602-610, 2010
140. Nakamura S, Kawano Y, Hase H, Hatta T, Nishimura S, Morio M, Nakagawa S, Kasai T, Kusuoka H, Takeishi Y, Nakajima K, Momose M, Takehana K, Nanasato M, Yoda S, Nishina H, Matsumoto N, Nishimura T: Prognostic study of cardiac and renal events in Japanese patients with chronic kidney disease and cardiovascular risk using ECG-gated myocardial perfusion SPECT: J-ACCESS 3 study design. *Ther Apher Dial* 14: 379-385, 2010
141. Kaneshiro T, Saitoh S, Machii H, Yamaguchi O, Ishibashi T, Maruyama Y, Takeishi Y: Metabolic regulation of coronary vascular tone: Role of hydrogen peroxide, purinergic components, and angiotensin. *Eur J Pharmacol* 645: 127-134, 2010
142. Takeishi Y: The nitric oxide synthase family and left ventricular diastolic function. *Circ J* 74: 2556-2557, 2010
143. Bilim O, Takeishi Y, Kitahara T, Ishino M, Sasaki T, Suzuki S, Shishido T, Kubota I: Serum YKL-40 predicts adverse clinical outcomes in patients with chronic heart failure. *J Card Fail* 16: 873-879, 2010
144. Iwai-Takano M, Watanabe M, Otake H, Kobayashi A, Oikawa M, Machii H, Misaka T, Watanabe T, Takeishi Y: Tricuspid valvular dysplasia and its differentiation from Ebstein's anomaly. *J Echocardiogr* 8, 137-139, 2010
145. Sasaki T, Takeishi Y, Suzuki S, Niizeki T, Kitahara T, Katoh S, Ishino M, Shishido T, Kubota I:

- High serum level of neopterin is a risk factor of patients with heart failure. *Int J Cardiol* 145: 318, 2010
146. Ohkawara H, Ishibashi T, Maruyama Y, Takeishi Y: Preventive effects of pravastatin on thrombin-triggered vascular responses via Akt/eNOS and RhoA/Rac1 pathways in vivo. *Cardiovasc Res* 88: 492-501, 2010
147. Machii H, Saitoh S, Kaneshiro T, Takeishi Y: Aging impairs myocardium-induced dilation in coronary arterioles: role of hydrogen peroxide and angiotensin. *Mech Ageing Dev* 131: 710-717, 2010
148. Ogawa K, Noji H, Furukawa M, Harada-Shirado K, Mashimo Y, Takahashi H, Matsumoto H, Kimura S, Shichishima-Nakamura A, Ohkawara H, Ikeda K, Ohto H, Takeishi Y: Hematopoietic stem cell transplantation in the Department of Hematology, Fukushima Medical University. *Fukushima J Med Sci* 56, 107-114, 2010
149. Ogawa K, Ikeda K, Furukawa M, Harada-Shirado K, Mashimo Y, Takahashi H, Matsumoto H, Kimura S, Shichishima-Nakamura A, Ohkawara H, Hashimoto Y, Asahi K, Noji H, Ohto H, Takeishi Y: A long-term remission of renal amyloidosis with nephrotic syndrome after autologous peripheral blood stem-cell transplantation. *Fukushima J Med Sci* 56, 151-156, 2010
150. Yoshihisa A, Owada T, Miyata M, Misaka T, Sato T, Suzuki S, Sakamoto N, Sugimoto K, Suzuki H, Saitoh S, Ishibashi T, Takeishi Y: Sleep apnea syndrome deteriorates vascular endothelial function. *Fukushima J Med Sci* 56, 115-120, 2010
151. Tase C, Ohno Y, Hasegawa A, Tsukada Y, Shimada J, Ikegami Y, Sakamoto N, Takeishi Y: Survival of a refractory ventricular fibrillation by cooperative treatments. *Fukushima J Med Sci* 56, 139-143, 2010
152. Shishido T, Nishiyama S, Miyashita T, Miyamoto T, Takasaki S, Nitobe J, Watanabe T, Konta T, Takeishi Y, Kubota I: Suppressive effects of valsartan on microalbuminuria and CRP in patients with metabolic syndrome (Val-Mets). *Clin Exp Hypertension* 33: 117-123, 2011
153. Bilim O, Shishido T, Toyama S, Suzuki S, Sasaki T, Kitahara T, Sadahiro M, Takeishi Y, Kubota I: Differential regulation of diacylglycerol kinase isoform in human failing hearts. *J Cardiothorac Surg* 6: 65, 2011

154. Kamioka M, Ishibashi T, Ohkawara H, Nagai R, Sugimoto K, Uekita H, Matsui T, Yamagishi S, Ando K, Sakamoto T, Sakamoto N, Takuwa Y, Wada I, Shiomi M, Maruyama Y, Takeishi Y: Involvement of membrane type 1-matrix metalloproteinase (MT1-MMP) in RAGE activation signaling pathway. *J Cell Physiol* 226: 1554-1563, 2011
155. Yoshihisa A, Owada T, Ando K, Sato T, Suzuki S, Sugimoto K, Suzuki H, Saitoh S, Takeishi Y: Adaptive servo ventilation improves cardiac dysfunction and prognosis in heart failure patients with Cheyne-Stokes respiration. *Int Heart J* 52: 218-223, 2011
156. Misaka T, Kunii H, Mizukami H, Sakamoto N, Nakazato K, Takeishi Y: Long-term clinical outcomes after deferral of percutaneous coronary intervention of intermediate coronary stenoses based on coronary pressure-derived fractional flow reserve. *J Cardiol* 58: 32-37, 2011
157. Suzuki S, Shishido T, Ishino M, Katoh S, Sasaki T, Nishiyama S, Miyashita T, Miyamoto T, Nitobe J, Watanabe T, Takeishi Y, Kubota I: 8-Hydroxy-2'-deoxyguanosine is a prognostic mediator for cardiac event. *Eur J Clin Invest* 41:759-766, 2011
158. Shikama Y, Feng X, Shichishima T, Ono T, Noji H, Ikeda K, Ogawa K, Takeishi Y, Kimura J: Impairment of *FOS* mRNA induction by a translation inhibitor puromycin in granulocytes from myelodysplastic syndrome patients. *Br J Haematol* 54: 525-527, 2011
159. Hirose M, Takeishi Y, Niizeki T, Horiuchi-Hirose M, Nakada T, Kubota I, Mende U, Yamada M: Diacylglycerol Kinase ζ inhibits ventricular tachyarrhythmias in a mouse model of heart failure. *Circ J* 75: 2233-2242, 2011
160. Ando K, Ishibashi T, Ohkawara H, Inoue N, Sugimoto K, Uekita H, Hu C, Okamoto Y, Takuwa Y, Takeishi Y: Crucial role of membrane type 1 matrix metalloproteinase (MT1-MMP) in RhoA/Rac1-dependent signaling pathways in thrombin-stimulated endothelial cells. *J Atheroscler Thromb* 18: 762-773, 2011
161. Sakamoto N, Nakazato K, Misaka T, Mizukami H, Kunii H, Suzuki S, Saitoh S, Takeishi Y: Very late stent thrombosis and neointimal plaque rupture after implantation of sirolimus-eluting stents: observations with angiography, IVUS and OCT. *Cardiovasc Intervent Ther* 26: 263-268, 2011
162. Kutsuzawa D, Arimoto T, Watanabe T, Shishido T, Miyamoto T, Miyashita T, Takahashi H,

- Niizeki T, Takeishi Y, Kubota I: Ongoing myocardial damage in patients with heart failure and preserved ejection fraction. *J Cardiol* 60: 454-461, 2012
163. Tamaki N, Kumita S, Kusakabe K, Matsuzaki M, Nishimura T, Senda S, Shimamoto K, Yamashina A, Yamazaki J, Chikamori T, Ishida Y, Iwado Y, Kiriyama T, Kiso K, Kondo C, Matsumoto N, Nakajima K, Nakata T, Yamamoto T, Yamashina S, Yoshinaga K, Doi Y, Fujita M, Nishimura S, Ohsuzu F, Takeishi Y: Guidelines for clinical use of cardiac nuclear medicine (JCS 2010) –Digest Version–. *Circ J* 76: 761-767, 2012
164. Hu H, Shikama Y, Shichishima T, Ikeda K, Akutsu K, Ono T, Kimura H, Ogawa K, Noji H, Takeishi Y, Kimura J: Maturity-dependent fractionation of neutrophil progenitors: A new method to examine in vivo expression profiles of differentiation-regulating genes. *Exp Hematol* 40: 675-681, 2012
165. Suzuki H, Takeishi Y: Inducibility of atrial fibrillation caused by acute increase of atrial pressure in rat diseased heart with chronic atrial dilation. *Int Heart J* 53: 257-260, 2012
166. Kaneshiro T, Suzuki H, Yamada S, Kamiyam Y, Saitoh S, Takeishi Y: Intrathoracic impedance changes reflect reverse left ventricular remodeling in response to cardiac resynchronization therapy in chronic heart failure. *Int Heart J* 53: 249-252, 2012
167. Miyata M, Yoshihisa A, Suzuki S, Yamada S, Kamioka M, Kamiyama Y, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Adaptive servo ventilation improves Cheyne-Stokes respiration, cardiac function, and prognosis in chronic heart failure patients with cardiac resynchronization therapy. *J Cardiol* 60: 222-227, 2012
168. Yokokawa T, Watanabe K, Sakamoto T, Ohwada T, Takeishi Y: Importance of multi-detector computed tomography for percutaneous coronary intervention in a patient with type V dual left anterior descending artery. *JC Cases* 6: e100–e102, 2012
169. Yoshihisa A, Suzuki S, Miyata M, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: 'A single night' beneficial effects of adaptive servo-ventilation on cardiac overload, sympathetic nervous activity, and myocardial damage in patients with chronic heart failure and sleep-disordered breathing. *Circ J* 76: 2153-2158, 2012
170. Sato A, Sakamoto N, Ando K, Kaneshiro T, Uekita H, Sugimoto K, Yamaki T, Kunii H, Nakazato

- K, Suzuki H, Satoh S, [Takeishi Y](#): Dilated phase of hypertrophic cardiomyopathy caused by two different sarcomere mutations, treated with surgical left ventricular reconstruction and cardiac resynchronization therapy with a defibrillator. *Intern Med* 51: 2559-2564, 2012
171. Kamioka M, Suzuki H, Yamada S, Kamiyama Y, Saitoh S, [Takeishi Y](#): High sensitive C-reactive protein predicts non-responder and cardiac deaths in severe heart failure patients after CRT implantation. *Int Heart J* 53: 306-312, 2012
172. Kitazume S, Yoshihisa A, Yamaki T, Oikawa M, Tachida Y, Ogawa K, Imamaki R, Hagiwara Y, Kinoshita N, [Takeishi Y](#), Furukawa K, Tomita N, Arai H, Iwata N, Saido T, Yamamoto N, Taniguchi N: Soluble amyloid precursor protein 770 is released from inflamed endothelial cells and activated platelets: a novel biomarker for acute coronary syndrome. *J Biol Chem* 287: 40817-40825, 2012
173. Harada K, Ikeda K, Matsumoto H, Furukawa M, Takahashi H, Ohkawara H, Noji H, Tasaki K, Abe M, Ogawa K, [Takeishi Y](#): A Japanese case of chronic lymphocytic leukemia with t(1;6). *Exp Hematol Oncol* 1: 28, 2012
174. Sakamoto N, Iwaya S, Owada T, Nakamura Y, Yamauchi H, Hoshino Y, Mizukami H, Sugimoto K, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, [Takeishi Y](#): A reduction of coronary flow reserve is associated with chronic kidney disease and long-term cardio-cerebrovascular events in patients with non-obstructive coronary artery disease and vasospasm. *Fukushima J Med Sci* 58: 136-143, 2012
175. Yamada S, Suzuki H, Kamioka M, Kamiyama Y, Saitoh S, [Takeishi Y](#): Uric acid increases the incidence of ventricular arrhythmia in patients with left ventricular hypertrophy. *Fukushima J Med Sci* 58: 101-106, 2012
176. Hirose M, [Takeishi Y](#), Nakada T, Shimojo H, Kashihara T, Nishio A, Suzuki S, Mende U, Matsumoto K, Taira E, Yamada M: Nicorandil prevents Gαq-induced progressive heart failure and ventricular arrhythmias in transgenic mice. *PLoS One* 7: e52667, 2012
177. Suzuki S, Shishido T, Kitahara T, Sasaki T, Katoh S, Ishino M, Watanabe T, Shibata Y, Mantovani A, [Takeishi Y](#), Kubota I: The long pentraxin PTX3 exacerbates pressure overload-induced left ventricular dysfunction. *PLoS One* 8: e53133, 2013

178. Hoshino Y, Saitoh S, Yamada S, Mizukami H, Takeishi Y: Age-related oxidant stress with senescence marker protein-30 deficiency plays a pivotal role in coronary artery spasm. *Coronary Artery Dis* 24: 110-118, 2013
179. Hoshino Y, Kunii H, Misaka T, Mizukami H, Kaneshiro T, Yoshihisa A, Sakamoto N, Sugimoto K, Nakazato K, Takeishi Y: Deep seating of 5 Fr. guiding catheter across the stenosis with 5 in 7 method was effective for severely calcified lesion. *Cardiovasc Interv Ther* 28: 87-90, 2013
180. Miyata M, Nakazato K, Sakamoto N, Satoshi S, Kamiyama Y, Suzuki H, Takeishi Y: Left ventricular plasty improved cardiac function in a case of takotsubo cardiomyopathy with persistent aneurysm. *JC Cases* 7: e133-e136, 2013
181. Nakajima K, Takeishi Y, Matsuo S, Yamasaki Y, Nishimura T: Metabolic syndrome is not a predictor for cardiovascular events in Japanese patients with diabetes mellitus asymptomatic for coronary artery disease: A retrospective analysis of the J-ACCESS-2 study. *J Nucl Cardiol* 20: 234-241, 2013
182. Yoshihisa A, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki S, Saitoh S, Takeishi Y: Impact of adaptive servo-ventilation on cardiovascular function and prognosis in heart failure patients with preserved left ventricular ejection fraction and sleep-disordered breathing. *Eur J Heart Fail* 15: 543-550, 2013
183. Owada T, Yoshihisa A, Yamauchi H, Iwaya S, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Adaptive servo ventilation improves cardio-renal function and prognosis in heart failure patients with chronic kidney disease and sleep-disordered breathing. *J Card Fail* 19: 225-232, 2013
184. Niizeki T, Takeishi Y, Sasaki T, Kaneko K, Sugawara S, Watanabe T, Kubota I: Usefulness of albuminuria as a prognostic indicator in patients with chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. *Am J Cardiol* 111: 1180-1186, 2013
185. Mizukami H, Saitoh S, Machii H, Yamada S, Hoshino Y, Misaka T, Ishigami A, Takeishi Y: Senescence marker protein-30 deficiency impairs myocardium-induced dilation in coronary arterioles associated with reactive oxygen species in aging. *Int J Mol Med* 14: 9408-9423, 2013

186. Feng X, Shikama Y, Shichishima T, Noji H, Ikeda K, Ogawa K, Kimura H, [Takeishi Y](#), Kimura J: Impairment of Fos mRNA stabilization following translation arrest in granulocytes from myelodysplastic syndrome patients. *PLoS One* 8: e61107, 2013
187. Yokokawa T, Nakazato K, Kanno Y, Mizukami H, Kobayashi A, Yoshihisa A, Takahashi H, Shichishima-Nakamura S, Ohkawara H, Noji H, Suzuki H, Saitoh S, Ogawa K, Hisa S, [Takeishi Y](#): Pulmonary hypertension and refractory heart failure in a patient with Crow-Fukase (POEMS) syndrome. *Intern Med* 52: 1061-1065, 2013
188. Yamada S, Suzuki H, Kamioka M, Suzuki S, Kamiyama Y, Yoshihisa A, Saitoh S, [Takeishi Y](#): Sleep-disordered breathing increases risk for fatal ventricular arrhythmias in patients with chronic heart failure. *Circ J* 77: 1466-1473, 2013
189. Yamauchi H, Yoshihisa A, Iwaya S, Owada T, Sato T, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, [Takeishi Y](#): Clinical features of patients with decompensated heart failure after the Great East Japan Earthquake. *Am J Cardiol* 112: 94-99, 2013
190. Nakazato K, Yamaki T, Kijima M, Komatsu N, Sugi M, Seita H, Kanke M, Saito T, Owada T, Ono M, Kanazawa M, Abe Y, Sato M, Watanabe M, Suzuki S, Tsuda A, Tiba K, Honda T, Tamagawa T, Watanabe T, Abe W, Maeyama T, Sagawa K, Takahira H, Sodenaga Y, Ohara N, Kobayashi T, Hisa S, Suzuki S, Saito Y, Shineha R, Suzuki F, Matsui J, Tsuboi M, Yui T, Abe S, Nagasawa S, Takaya Y, Maehara K, Maruyama Y, [Takeishi Y](#): Start and initial results of the Fukushima prefecture acute myocardial infarction registration survey. *Fukushima J Med Sci* 59: 27-34, 2013
191. Misaka T, Suzuki S, Miyata M, Kobayashi A, Ishigami A, Shishido T, Saitoh S, Kubota I, [Takeishi Y](#): Deficiency of senescence marker protein 30 exacerbates angiotensin II-induced cardiac remodeling. *Cardiovasc Res* 99: 461-470, 2013
192. Nakamura Y, Suzuki S, Saitoh S, [Takeishi Y](#): New angiotensin II type 1 receptor blocker, azilsartan, attenuates cardiac remodeling after myocardial infarction. *Biol Pharm Bull* 36: 1326-1331, 2013
193. Funayama A, Shishido T, Netsu S, Narumi T, Kadowaki S, Takahashi H, Miyamoto T, Watanabe T, Woo CH, Abe J, Kuwahara K, Nakao K, [Takeishi Y](#), Kubota I: Cardiac nuclear high mobility group box 1 prevents the development of cardiac hypertrophy and heart failure. *Cardiovasc Res*

99: 657-664, 2013

194. Nakamura Y, Suzuki H, Takeda H, Takeishi Y: DDTA mode pacing in the treatment of complete conduction block from the right atrium to ventricles and interatrial electrical dissociation after surgical procedures. *J Arrhythm* 29: 235-237, 2013
195. Misaka T, Suzuki S, Miyata M, Kobayashi A, Ishigami A, Shishido T, Saitoh S, Kubota I, Takeishi Y: Senescence marker protein 30 inhibits angiotensin II-induced cardiac hypertrophy and diastolic dysfunction. *Biochem Biophys Res Comm* 439: 142-147, 2013
196. Yamada S, Saitoh S, Machii H, Mizukami H, Hoshino Y, Misaka T, Ishigami A, Takeishi Y: Coronary artery spasm related to thiol oxidation and senescence marker protein-30 in aging. *Antioxid Redox Signal* 19: 1063-1073, 2013
197. Sato T, Yamauchi H, Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Distinct prognostic factors in patients with chronic heart failure and chronic kidney disease. *Int Heart J* 54: 311-317, 2013
198. Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Abe Y, Saito T, Ohwada T, Suzuki H, Saitoh S, Kubota I, Takeishi Y: Acute heart failure volume control multicenter randomized (AVCMA) trial: Comparison of tolvaptan and carperitide. *J Clin Pharmacol* 53: 1277-1285, 2013
199. Oikawa M, Wu M, Lim S, Knight WE, Miller CL, Cai Y, Lu Y, Blaxall BC, Takeishi Y, Abe J, Yan C: Cyclic nucleotide phosphodiesterase 3A1 protects the heart against ischemia-reperfusion injury. *J Moll Cell Cardiol* 64: 11-19, 2013
200. Kitazume S, Yoshihisa A, Yamaki T, Oikawa M, Tachida Y, Ogawa K, Imamaki R, Takeishi Y, Yamamoto N, Taniguchi N: Soluble amyloid precursor protein 770 is a novel biomarker candidate for acute coronary syndrome. *Proteomics Clin Appl* 7: 657-663, 2013
201. Yoshihisa A, Suzuki S, Shimizu T, Owada T, Iwaya S, Yamauchi H, Nakamura Y, Miyata M, Hoshino Y, Sato T, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saito S, Takeishi Y: Short-term use of adaptive servo ventilation improves renal function in heart failure patients with sleep disordered breathing. *Heart Vessels* 28: 728-734, 2013

202. Miyata M, Suzuki S, Misaka T, Shishido T, Saitoh S, Ishigami A, Kubota I, [Takeishi Y](#): Senescence marker protein 30 has a cardio-protective role in doxorubicin-induced cardiac dysfunction. *PLoS One* 8: e79093, 2013
203. Netsu S, Kitahara T, Honda Y, Funayama A, Narumi T, Kadowaki S, Takahashi H, Miyamoto T, Arimoto T, Nishiyama S, Woo CH, Watanabe T, [Takeishi Y](#), Kubota I: Midkine exacerbates pressure overload-induced cardiac remodeling. *Biochem Biophys Res Comm* 443: 205–210, 2014
204. Hu H, Shikama Y, Shichishima T, Ikeda K, Akutsu K, Ono T, Kimura H, Ogawa K, Noji H, [Takeishi Y](#), Kumura J: A new method for maturity-dependent fractionation of neutrophil progenitors applicable for the study of myelodysplastic syndromes. *Biomark Res* 2: 2, 2014
205. Sasaki T, Shishido T, Kitahara T, Suzuki S, Katoh S, Ishino M, Watanabe T, Goto K, [Takeishi Y](#), Kubota I: Diacylglycerol kinase α exacerbates cardiac injury after ischemia/reperfusion. *Heart Vessels* 29: 110-118, 2014
206. Suzuki H, Yamada S, Kamiyama Y, [Takeishi Y](#): Efficacy of intrathoracic impedance and remote monitoring in patients with an implantable device after the 2011 Great East Japan Earthquake. *Int Heart J* 55: 53-57, 2014
207. Suzuki T, Nemoto C, Ikegami Y, Yokokawa T, Tsukada Y, Abe Y, Shimada J, [Takeishi Y](#), Tase C: Development of takotsubo cardiomyopathy with severe pulmonary edema before a cesarean section. *J Anesth* 28: 121-124, 2014
208. Nakamura Y, Yoshihisa A, Takiguchi M, Shimizu T, Yamauchi H, Iwaya S, Owada T, Miyata M, Abe S, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, [Takeishi Y](#): High-sensitivity cardiac troponin T predicts non-cardiac mortality in heart failure. *Circ J* 78: 890-895, 2014
209. Iwaya S, Oikawa M, Chen Y, [Takeishi Y](#): Phosphodiesterase 3A1 protects the heart against angiotensin II-induced cardiac remodeling through downregulating transforming growth factor- β expression. *Int Heart J* 55: 165-168, 2014
210. Niizeki T, Kaneko K, Sugawara S, Sasaki T, Tsunoda Y, [Takeishi Y](#), Kubota I: Successful revascularization to right coronary artery by percutaneous coronary intervention after

endovascular therapy for Leriche syndrome. Clin Med Insights Case Rep 7, 33-36, 2014

211. Sakamoto N, Kunii H, Nakazato K, Takeishi Y: Serum tenascin-C level is associated with coronary plaque rupture in patients with acute coronary syndrome. Heart Vessels 29: 165-170, 2014
212. Harada-Shirado K, Ikeda K, Matsumoto H, Shiga Y, Furukawa M, Takahashi H, Ohkawara H, Noji H, Hashimoto Y, Abe M, Waguri S, Watanabe S, Ogawa K, Takeishi Y: Somatic 15q break after long-term stable disease in acute myeloid leukaemia. Clin Lymphoma Myeloma Leuk 14: e69-e72, 2014
213. Yokokawa T, Sugimoto K, Iwaya S, Suzuki S, Sakamoto N, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: A case of acute myocardial infarction during perioperative period of non-cardiac surgery in a patient with antiphospholipid syndrome and a history of coronary artery bypass surgery. JC Cases 9: 189-191, 2014
214. Ikeda K, Ohto H, Kanno T, Gonda K, Suzuki Y, Ono T, Saito S, Takahashi H, Kimura S, Harada-Shirado K, Yamauchi H, Hoshino Y, Mashimo Y, Nollet KE, Kikuta A, Ogawa K, Takeishi Y: Peripheral blood progenitor cell collection by two programs for autologous and allogeneic transplantation. Transfusion 54: 1235-1242, 2014
215. Misaka T, Suzuki S, Sakamoto N, Yamaki T, Sugimoto K, Hiroyuki K, Nakazato K, Saitoh S, Sawamura T, Ishibashi T, Takeishi Y: Significance of soluble lectin-like oxidized LDL receptor-1 (LOX-1) levels in systemic and coronary circulation in acute coronary syndrome. Biomed Res Int 2014: 649185, 2014
216. Kobayashi A, Nakazato K, Jin Y, Yamauchi H, Kaneshiro T, Oikawa M, Suzuki H, Saitoh S, Takeishi Y: The ascending aorta pseudoaneurysm with myocardium rupture complicated with prosthetic valve infective endocarditis after aortic valve replacement. J Gen Pract 2: DOI: 10.4172/2329-9126.1000155, 2014
217. Sato T, Yamauchi H, Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: The prognostic significance of serial renal function measurements in chronic heart failure. J Gen Pract 2: DOI: 10.4172/2329-9126.1000156, 2014
218. Yamaki T, Nakazato K, Kijima M, Maruyama Y, Takeishi Y: Impact of the Great East Japan

Earthquake on acute myocardial infarction in Fukushima Prefecture. *Disaster Med Public Health Prep* 8: 212-219, 2014

219. Nakamura Y, Kunii H, Yoshihisa A, Sato A, Kamioka M, Nakazato K, Suzuki H, Saitoh S, Hisa S, Takeishi Y: Tuberculous endocarditis followed by acute respiratory distress syndrome. *J Gen Pract* 2: DOI: 10.4172/2329-9126.1000160, 2014
220. Abe S, Yoshihisa A, Takiguchi M, Shimizu T, Nakamura Y, Yamauchi H, Iwaya S, Owada T, Miyata M, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Liver dysfunction assessed by model for end-stage liver disease excluding INR (MELD-XI) scoring system predicts adverse prognosis in heart failure. *PLoS One* 9: e100618, 2014
221. Yoshihisa A, Suzuki S, Takiguchi M, Shimizu T, Abe S, Sato T, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Impact of sleep-disordered breathing on heart rate turbulence in heart failure patients. *PLoS One* 9: e101307, 2014
222. Iwaya S, Yoshihisa A, Nodera M, Owada T, Yamada S, Sato T, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Suppressive effects of adaptive servo ventilation on ventricular premature complexes with attenuation of sympathetic nervous activity in heart failure patients with sleep-disordered breathing. *Heart Vessels* 29: 470-477, 2014
223. Takahashi H, Ohkawara H, Ikeda K, Harada-Shirado K, Furukawa M, Sukegawa M, Shichishima- Nakamura A, Noji H, Wakamatsu S, Tasaki K, Suzuki H, Ogawa K, Takeishi Y: Pleural solitary fibrous tumor complicated with autoimmune hemolytic anemia. *Intern Med* 53: 1549-1552, 2014
224. Takeishi Y: Pivotal roles of regulating the proline-rich tyrosine kinase 2 (PYK2) signaling in cardiac function and remodeling. *J Moll Cell Cardiol* 74: 295-296, 2014
225. Yokokawa T, Sakamoto K, Mizuno H, Shimizu Y, Matsui Y, Kaneko H, Ujiie Y, Miura E, Seino Y, Kijima M, Maruyama Y, Takeishi Y: A case of massive pericardial effusion associated with hypocalcemic cardiomyopathy. *JC Cases* 10: 58-61, 2014

226. Nakamura Y, Komatsu N, Masuda A, Takeda H, [Takeishi Y](#): Successful endovascular treatment for chronic total occlusion of superficial femoral artery using retrograde approach. *Fukushima J Med Sci* 60: 43-46, 2014
227. Ohkawara H, Ishibashi T, Sugimoto K, Ikeda K, Ogawa K, [Takeishi Y](#): Membrane type 1-matrix metalloproteinase/Akt signaling axis modulates TNF- α -induced procoagulant activity and apoptosis in endothelial cells. *PLoS One* 9: e105697, 2014
228. Matsushita N, Kashihara T, Shimojo H, Suzuki S, Nakada T, [Takeishi Y](#), Mende U, Taira E, Yamada M, Sanbe A, Hirose M: Cardiac overexpression of constitutively active G α_q causes angiotensin II type1 receptor activation, leading to progressive heart failure and ventricular arrhythmias in transgenic mice. *PLoS One* 9: e106354, 2014
229. Harada-Shirado K, Ikeda K, Furukawa M, Sukegawa M, Takahashi H, Shichishima-Nakamura A, Ohkawara H, Noji H, Kawabata K, Saito S, Ohto H, Ogawa K, [Takeishi Y](#): A case of severe immune thrombocytopenia possibly elicited by the anti-influenza viral agent peramivir. *Intern Med* 53: 2369-2371, 2014
230. Johnson NP, Tóth GG, Lai D, Zhu H, Açar G, Agostoni P, Appelman Y, Arslan F, Barbato E, Chen SL, Serafino L, Domínguez-Franco AJ, Dupouy P, Esen A, Esen ÖB, Hamilos M, Iwasaki K, Jensen LO, Jiménez-Navarro MF, Katritsis DG, Kocaman SA, Koo BK, López-Palop R, Lorin JD, Miller LH, Muller O, Nam CW, Oud N, Puymirat E, Rieber J, Rioufol G, Rodés-Cabau J, Sedlis SP, [Takeishi Y](#), Tonino PAL, Belle EV, Verna E, Werner GS, Fearon WF, Pijls NHJ, Bruyne BD, Gould KL: Prognostic value of fractional flow reserve (FFR): linking physiologic severity to clinical outcomes. *J Am Coll Cardiol* 64: 1641–1654, 2014
231. Yokokawa T, Ujiie Y, Kaneko H, Seino Y, Kijima M, [Takeishi Y](#): Lone aspiration thrombectomy without stenting for a patient with ST-segment elevation myocardial infarction associated with coronary ectasia. *Cardiovasc Intervent Ther* 29: 339-343, 2014
232. Kunii H, Yokokawa T, Sato A, Kamioka M, Yoshihisa A, Yamaki T, Nakazawa G, [Takeishi Y](#): Acute coronary syndrome secondary to in-stent plaque rupture occurred at 9 years after deployment of bare metal stent. *JC Cases* 10: 171-175, 2014
233. Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Abe Y, Saito T, Ohwada T, Suzuki H, Saitoh S, Kubota I, [Takeishi Y](#): Long-term effects and prognosis in acute heart failure

treated with tolvaptan: The AVCMA trial. *Biomed Res Int* 2014; 704289, 2014

234. Yamada S, Suzuki H, Kaneshiro T, Kamiyama Y, Saitoh S, Takeishi Y: Predictive impact of the decreasing rate of intrathoracic impedance in worsening chronic heart failure. *J Interv Card Electrophysiol* 40: 87-91, 2014
235. Suzuki S, Yoshihisa A, Miyata M, Sato T, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Adaptive servo-ventilation therapy improves prognosis in heart failure patients with anemia and sleep-disordered breathing. *Int Heart J* 55: 342-349, 2014
236. Yoshihisa A, Takiguchi M, Shimizu T, Nakamura Y, Yamauchi H, Iwaya S, Owada T, Abe S, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Cardiovascular function and prognosis of patients with heart failure coexistent with chronic obstructive pulmonary disease. *J Cardiol* 64: 256–264, 2014
237. Shimizu T, Iwaya S, Suzuki S, Sakamoto N, Sugimoto K, Nakazato K, Suzuki H, Nishimura T, Takahashi Y, Saitoh S, Takeishi Y: Sudden cardiac arrest associated with anomalous aortic origin of the left coronary artery from the opposite sinus of Valsalva. *Intern Med* 53: 2601-2604, 2014
238. Joki N, Hase H, Kawano Y, Nakamura S, Nakajima K, Hatta T, Nishimura S, Moroi M, Nakagawa S, Kasai T, Kusuoka H, Takeishi Y, Momose M, Takehana K, Nanasato M, Yoda S, Nishina H, Matsumoto N, Nishimura T. Myocardial perfusion imaging for predicting cardiac events in Japanese patients with advanced chronic kidney disease: 1-year interim report of the J-ACCESS 3 investigation. *Eur J Nucl Med Mol I* 41: 1701-1709, 2014
239. Takiguchi M, Yoshihisa A, Miura S, Shimizu T, Nakamura Y, Yamauchi H, Iwaya S, Owada T, Miyata M, Abe S, Sato T, Suzuki S, Suzuki H, Saitoh S, Takeishi Y: Impact of body mass index on mortality in heart failure patients. *Eur J Clin Invest* 44: 1197–1205, 2014
240. Yamada S, Suzuki H, Kamiyama Y, Saitoh S, Takeishi Y: Predictive impact of T-wave alternans by Holter monitoring for recurrent ventricular tachyarrhythmias after implantable cardioverter defibrillator implantation. *J Arrhythm* 30: 485-490, 2014
241. Sugimoto K, Ohkawara H, Nakamura Y, Takuwa Y, Ishibashi T, Takeishi Y: Receptor for advanced glycation end products - membrane type1 matrix metalloproteinase axis regulates tissue factor expression via RhoA and Rac1 activation in high-mobility group box-1 stimulated

endothelial cells. PLoS One 9: e114429, 2014

242. Shimizu T, Yoshihisa A, Iwaya S, Abe S, Sato T, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, [Takeishi Y](#): Cyclic variation in heart rate score by holter electrocardiogram as screening for sleep-disordered breathing in subjects with heart failure. *Respiratory Care* 60: 72-80, 2015
243. Minemura H, Ikeda K, Tanino Y, Hashimoto Y, Nikaïdo T, Fukuhara A, Yokouchi H, Sato S, Tanino M, Oka T, Hebisawa A, Suzuki H, Ogawa K, [Takeishi Y](#), Munakata M: Multicentric Castleman's disease with impaired lymphocytic apoptosis. *Allergol Int* 64: 112-114, 2015
244. Nakazato K, Misaka T, Sakamoto N, Kunii H, Saitoh S, [Takeishi Y](#): Worsening late-acquired incomplete stent apposition after sirolimus-eluting stent implantation for a chronic total occlusion lesion. *Cardiovasc Interv Ther* 30: 85-91, 2015
245. Oikawa M, Owada T, Yamauchi H, Misaka T, Machii H, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, [Takeishi Y](#): Epicardial adipose tissue reflects the presence of coronary artery disease: comparison with abdominal visceral adipose tissue. *Biomed Res Int*: 483982, 2015
246. Harada-Shirado K, Ikeda K, Ogawa K, Ohkawara H, Kimura H, Kai T, Noji H, Morishita S, Komatsu N, [Takeishi Y](#): Dysregulation of the let-7/HMGA2 axis with methylation of the p16 promoter in myeloproliferative neoplasms. *Br J Haematol* 68: 338-349, 2015
247. Kamiyama Y, Suzuki H, Yamada S, Kaneshiro T, [Takeishi Y](#): Serum phosphate levels reflect responses to cardiac resynchronization therapy in chronic heart failure patients. *J Arrhythm* 31: 38-42, 2015
248. Narumi T, Shishido T, Otaki Y, Kadowaki S, Honda Y, Funayama A, Honda S, Hasegawa H, Kinoshita D, Nishiyama S, Takahashi H, Arimoto T, Miyamoto T, Watanabe T, Woo CH, Abe JI, [Takeishi Y](#), Kubota I: High-mobility group box 1-mediated heat shock protein beta 1 expression attenuates mitochondrial dysfunction and apoptosis. *J Moll Cell Cardiol* 82: 1-12, 2015
249. Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Abe Y, Saito T, Ohwada T, Suzuki H, Saitoh S, Kubota I, [Takeishi Y](#): Vasopressin V₂ receptor antagonist tolvaptan is effective in heart failure patients with reduced left ventricular systolic function and low blood

pressure. *Int Heart J* 56: 213-218, 2015

250. Nakamura Y, Kunii H, Yoshihisa A, Takiguchi M, Shimizu T, Yamauchi H, Iwaya S, Owada T, Abe S, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Impact of peripheral artery disease on prognosis in hospitalized heart failure patients. *Circ J* 79: 785-793, 2015
251. Sato T, Yamauchi H, Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Serum cholinesterase is an important prognostic factor in chronic heart failure. *Heart Vessels* 30: 204-210, 2015
252. Takegami M, Miyamoto Y, Yasuda S, Nakai M, Nishimura K, Ogawa H, Hirata K, Toh R, Morino Y, Nakamura M, Takeishi Y, Shimokawa H, Naito H: Comparison of cardiovascular mortality in the Great East Japan and the Great Hanshin-Awaji Earthquakes –A large-scale data analysis of death certificates–. *Circ J* 79: 1000-1008, 2015
253. Sato T, Yamauchi H, Kannno Y, Suzuki S, Yoshihisa A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Comparisons of prognostic factors between young and elderly patients with chronic heart failure. *Geriatr Gerontol Int* 5: 435-442, 2015
254. Ishino M, Shishido T, Suzuki S, Katoh S, Sasaki T, Funayama A, Netsu S, Hasegawa H, Honda S, Takahashi H, Arimoto T, Miyashita T, Miyamoto T, Watanabe T, Takeishi Y, Kubota I: Deficiency of the long pentraxin PTX3 promoted neointimal hyperplasia after vascular injury. *J Atheroscler Thromb* 22: 372-378, 2015
255. Miyata M, Yoshihisa A, Iwaya S, Owada T, Suzuki S, Sugimoto K, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Impact of sleep-disordered breathing on myocardial damage and metabolism in patients with chronic heart failure. *Heart Vessels* 30: 318-324, 2015
256. Ishikawa S, Motoya R, Sasagawa S, Takahashi T, Okajima I, Takeishi Y, Essau CA. Mental health problems of Japanese young people after the March 11 Tohoku earthquake. *Tohoku J Exp Med* 236: 155-122, 2015
257. Nakamura Y, Suzuki S, Shimizu T, Miyata M, Shishido T, Ikeda K, Saitoh S, Kubota I, Takeishi Y: High mobility group box 1 promotes angiogenesis from bone marrow-derived endothelial progenitor cells after myocardial infarction. *J Atheroscler Thromb* 22: 570-581, 2015

258. Suzuki H, Ohira T, Takeishi Y, Hosoya M, Yasumura S, Satoh H, Kawasaki Y, Takahashi A, Sakai A, Ohtsuru A, Kobashi G, Ozasa K, Yamashita S, Kamiya K, Abe M: Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey. *Int J Cardiol* 198: 102-105, 2015
259. Yoshihisa A, Suzuki S, Yamauchi H, Sato T, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Beneficial effects of positive airway pressure therapy for sleep-disordered breathing in heart failure patients with preserved left ventricular ejection fraction. *Clin Cardiol* 38: 413-421, 2015
260. Kobayashi A, Mizukami H, Sakamoto N, Yamaki T, Kunii H, Nakazato K, Takeishi Y: Endogenous carbon monoxide concentration in blood elevates in acute coronary syndrome of nonsmoker population. *Fukushima J Med Sci* 61: 72-78, 2015
261. Nakazato K, Mizukami H, Ohtake H, Sakamoto N, Yamaki T, Yamaguchi O, Kunii H, Owada T, Takeishi Y: Stenting strategy and follow-up results of multi-center registry in Fukushima city for left main coronary artery disease: bare metal stent versus drug-eluting stent. *Fukushima J Med Sci* 61: 79-85, 2015
262. Takahashi H, Ikeda K, Ogawa K, Saito S, Ngoma AM, Mashimo Y, Ueda K, Furukawa M, Shichishima-Nakamura A, Ohkawara H, Nollet KE, Ohto H, Takeishi Y: CD4⁺ T cells in aged or thymectomized recipients of allogenic stem cell transplantations. *Biol Res* 48: 41, 2015
263. Miura S, Yoshihisa A, Takiguchi M, Shimizu T, Nakamura Y, Yamauchi H, Iwaya S, Owada T, Miyata M, Abe S, Sato T, Suzuki S, Oikawa M, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Association of hypocalcemia with mortality in hospitalized patients with heart failure and chronic kidney disease. *J Card Fail* 21: 621-627, 2015
264. Furukawa M, Ikeda K, Ohkawara H, Saito S, Takahashi H, Ueda K, Matsumoto H, Hashimoto Y, Ohto H, Ogawa K, Takeishi Y: Persistent complete remission of acute leukemic-phase CCR4-positive gamma-delta peripheral T-cell lymphoma by autologous stem cell transplantation with mogamulizumab. *Int J Hematol* 102: 498-505, 2015
265. Shimizu T, Yoshihisa A, Kanno Y, Takiguchi M, Sato A, Miura S, Nakamura Y, Yamauchi H, Owada T, Abe S, Sato T, Suzuki S, Oikawa M, Yamaki T, Sugimoto K, Kunii H, Nakazato K,

- Suzuki H, Saitoh S, Takeishi Y: Relationship of hyperuricemia with mortality in heart failure patients with preserved ejection fraction. *Am J Physiol Heart Circ Physiol* 309: H1123–H1129, 2015
266. Shimizu T, Suzuki S, Sato A, Nakamura Y, Ikeda K, Saitoh S, Misaka S, Shishido T, Kubota I, Takeishi Y: Cardio-protective effects of pentraxin 3 produced from bone marrow-derived cells against ischemia/reperfusion injury. *J Mol Cell Cardiol* 89: 306-313, 2015
267. Nodera M, Suzuki H, Yamada S, Kamioka M, Kaneshiro T, Kamiyama Y, Takeishi Y: Association of serum n-3/n-6 polyunsaturated fatty acid ratio with T-wave alternans in patients with ischemic heart disease. *Int Heart J* 56: 613-617, 2015
268. Mashimo Y, Ikeda K, Ohkawara H, Takahashi H, Shichishima-Nakamura A, Furukawa M, Kimura S, Ueda K, Noji H, Ogawa K, Nollet K, Ohto H, Takeishi Y: Post-engraftment blood transfusion and outcomes of bone marrow transplantation. *ISBT Sci Ser* 10: 93-99, 2015
269. Higashi Y, Azuma N, Takeishi Y, Minamino T, Kihara Y, Node K, Sata M, Fukumoto Y, Origasa H, Matsuo H, Naritomi H, Fujita M, Shimizu W: Effect of a low-intensity pulsed ultrasound device, SX-1001, on clinical symptoms in buerger disease with limb ischemia: A Multicenter, Double-Blind, Parallel Randomized Clinical Trial. *Int Heart J* 56: 632-638, 2015
270. Oikawa M, Owada T, Yamauchi H, Misaka T, Machii H, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Predominance of abdominal visceral adipose tissue reflects the presence of aortic valve calcification. *Biomed Res Int* 2016: 2174657, 2016
271. Sakamoto N, Hoshino Y, Mizukami H, Sugimoto K, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Intravascular ultrasound predictors of acute side branch occlusion in coronary artery bifurcation lesions just after single stent crossover. *Catheter Cardiovasc Interv* 87: 243-250, 2016
272. Masuda A, Yamaki T, Sakamoto N, Kunii H, Ito H, Kubo H, Hara T, Takenoshita S, Takeishi Y: Vulnerable plaque on the common iliac artery detected by ¹⁸F-fluorodeoxyglucose PET/MRI. *Eur J Nucl Med Mol Imaging* 43: 793-794, 2016
273. Sato A, Yokokawa T, Shimizu T, Nakamura Y, Misaka T, Kamioka M, Kaneshiro T, Suzuki S, Kunii H, Saitoh S, Takeishi Y: The association between circulating anti-angiogenic isoform of

vascular endothelial growth factor and clinical profiles in patients with peripheral artery disease. *Int J Cardiol* 207: 368-369, 2016

274. Suzuki S, Nakazato K, Sugimoto K, Yoshihisa A, Yamaki T, Kunii H, Suzuki H, Saitoh S, Takeishi Y: Plasma levels of receptor for advanced glycation end-products and high-mobility group box 1 in patients with pulmonary hypertension. *Int Heart J* 57: 230-240, 2016
275. Yoshihisa A, Suzuki S, Kanno Y, Takiguchi M, Sato A, Miura S, Masuda A, Yokokawa T, Shimizu T, Nakamura Y, Yamauchi H, Owada T, Abe S, Sato T, Oikawa M, Saitoh S, Takeishi Y: Prognostic significance of periodic leg movements during sleep in heart failure patients. *Int J Cardiol* 212: 11-13, 2016
276. Kadowaki S, Shishido T, Sasaki T, Sugai T, Narumi T, Honda Y, Otaki Y, Kinoshita D, Takahashi T, Nishiyama S, Takahashi H, Arimoto T, Miyamoto T, Watanabe T, Ishigami A, Takeishi Y, Kubota I: Deficiency of senescence marker protein 30 exacerbates cardiac injury after ischemia/reperfusion. *Int J Mol Sci* 17: 542, 2016
277. Hijioka N, Kamioka M, Suzuki H, Takeishi Y: A case of atrial tachycardia circulating around a left atrial roof scar with diabetes mellitus and renal failure on hemodialysis. *Case Rep Med* 6485939, 2016
278. Ikeda K, Harada-Shirado K, Matsumoto H, Noji H, Ogawa K, Takeishi Y: Molecular response of e19a2 BCR-ABL1 chronic myeloid leukemia with double Philadelphia chromosome by dasatinib. *J Clin Oncol* 34: e130-e133, 2016
279. Sato A, Yoshihisa A, Kanno Y, Takiguchi M, Miura S, Shimizu T, Nakamura Y, Yamauchi H, Owada T, Sato T, Suzuki S, Oikawa M, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Associations of dipeptidyl peptidase-4 inhibitors with mortality in hospitalized heart failure patients with diabetes mellitus. *ESC Heart Failure* 3: 77-85, 2016
280. Yokokawa T, Sugano Y, Nakayama T, Nagai T, Mastuyama T, Ohta-Ogo K, Ikeda Y, Ishibashi-Ueda H, Nakatani T, Yasuda S, Takeishi Y, Ogawa H, Anzai T: Significance of myocardial tenascin-C expression in left ventricular remodeling and long-term outcome in patients with dilated cardiomyopathy. *Eur J Heart Fail* 8: 375-385, 2016
281. Kaneshiro T, Suzuki H, Nodera M, Yamada S, Kamioka M, Kamiyama Y, Takeishi Y: Mapping

strategy associated with QRS morphology for catheter ablation in patients with idiopathic ventricular outflow tract tachyarrhythmia. *Pacing Clin Electrophysiol* 39: 338-344, 2016

282. Yamauchi H, Saitoh S, Owada T, Miura S, Machii H, Yamada S, Ishigami A, Takeishi Y: Senescence marker protein-30 deficiency impairs angiogenesis under ischemia. *Free Radic Biol Med* 94: 66-73, 2016
283. Tei C, Imamura T, Kinugawa K, Inoue T, Masuyama T, Inoue H, Noike H, Muramatsu T, Takeishi Y, Saku K, Harada K, Daida H, Kobayashi Y, Hagiwara N, Nagayama M, Momomura S, Yonezawa K, Ito H, Gojo S, Akaishi M, Miyata M, Ohishi M, Waon-CHF Study Investigators, Waon-CHF Study Investigators: Waon therapy for managing chronic heart failure - Results from a multicenter prospective randomized WAON-CHF Study. *Circ J* 80: 827-834, 2016
284. Honda Y, Shishido T, Netsu S, Kadowaki S, Narumi T, Takahashi T, Kinoshita D, Nishiyama S, Takahashi H, Arimoto T, Watanabe T, Kishida S, Kadomastu K, Takeishi Y, Kubota I: Midkine deteriorates cardiac remodeling via epidermal growth factor receptor signaling in chronic kidney disease. *Hypertension* 67: 857-865, 2016
285. Ohwada T, Yokokawa T, Kanno Y, Hotsuki Y, Sakamoto T, KenichiWatanabe K, Nakazato K, Takeishi Y: Vascular composition data supporting the role of N-3 polyunsaturated fatty acids in the prevention of cardiovascular disease events. *Data Brief* 7: 1237–1247, 2016
286. Masuda A, Yoshinaga K, Naya M, Manabe O, Yamada S, Iwano H, Okada T, Katoh C, Takeishi Y, Tsutsui H, Tamaki N: Accelerated ^{99m}Tc-sestamibi clearance associated with mitochondrial dysfunction and regional left ventricular dysfunction in reperfused myocardium in patients with acute coronary syndrome. *EJNMMI Res* 6: 41, 2016
287. Oikawa M, Sakamoto N, Kobayashi A, Suzuki S, Yoshihisa A, Yamaki T, Nakazato K, Suzuki H, Saitoh S, Kiko Y, Nakano H, Hayashi T, Kimura A, Takeishi Y: Familial hypertrophic obstructive cardiomyopathy with the GLA E66Q mutation and zebra body. *BMC Cardiovasc Disord* 16: 83, 2016
288. Yokokawa T, Sugano Y, Shimouchi A, Shibata A, Jinno N, Nagai T, Kanzaki H, Aiba T, Kusano K, Shirai M, Takeishi Y, Yasuda S, Ogawa H, Anzai T: Exhaled acetone concentration is related to hemodynamic severity in patients with non-ischemic chronic heart failure. *Circ J* 80: 1178-1186, 2016

289. Ohkawara H, Shichishima-Nakamura A, Ikeda K, Sukegawa M, Furukawa M, Sano T, Ueda K, Kimura S, Yoshihisa A, Noji H, Ogawa K, Takeishi Y: Infected pancreatic pseudocyst ruptured into stomach and colon associated with splenic artery pseudoaneurysm. *JOP* 17: 324-327, 2016
290. Shimokawa H, Kario K, Daida H, Aonuma K, Uchiyama M, Sato T, Takayama M, Takeishi Y, Naito H, Nakamura M, Nakamura M, Nishizawa M, Hanzawa K, Hirata K, Fukumoto Y, Hoshide S, Masuyama T, Miyamoto Y, Munakata M, Morisawa Y, Yasuda S, Yamashina A, Watanabe T, Aihara K, Asami Y, Ito K, Goda A, Kobayashi A, Koyama F, Shinke T, Sekiguchi Y, Takahashi J, Hashimoto T, Yoshihisa A, Akaishi M, Itoh S, Ito H, Imai Y, Umemura S, Ohta S, Ogawa H, Kimura K, Kimura G, Kurabayashi M, Shimada K, Nonogi H, Hiro T, JCS, JSH and JCC Joint Working Group JCS, JSH and JCC Joint Working Group: Guidelines for disaster medicine for patients with cardiovascular diseases (JCS 2014/JSH 2014/JCC 2014) -Digest Version-. *Circ J* 80: 261-284, 2016
291. Kamioka M, Nodera M, Suzuki H, Takeishi Y: The utility of shock coil and left ventricular tip-right ventricular coil impedance as a predictor of pneumothorax in cardiac resynchronization therapy implantation. *JC Cases* 13: 193-195, 2016
292. Kanno Y, Yoshihisa A, Takiguchi M, Sato A, Miura S, Shimizu T, Nakamura Y, Yamauchi H, Iwaya S, Owada T, Miyata M, Abe S, Sato T, Suzuki S, Oikawa M, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Prognostic significance of insomnia in hospitalized heart failure patients. *Circ J* 80: 1571-1577, 2016
293. Suzuki S, Yoshihisa A, Yokokawa T, Misaka T, Sakamoto N, Sugimoto K, Yamaki T, Kunii H, Nakazato K, Saitoh S, Takeishi Y: Association between levels of anti-angiogenic isoform of vascular endothelial growth factor A and pulmonary hypertension. *Int J Cardiol* 222: 416-420, 2016
294. Shikama Y, Cao M, Ono T, Feng X, Noji H, Kimura H, Ogawa K, Suzuki Y, Ikeda K, Takeishi Y, Kimura J: Reduction of c-Fos via overexpression of miR-34a results in enhancement of TNF- α production by LPS in neutrophils from myelodysplastic syndrome patients. *PLoS One* 11: e0158527, 2016
295. Ueda K, Ikeda K, Ogawa K, Sukegawa M, Sano T, Kimura S, Suzuki O, Hashimoto Y, Takeishi Y: Favorable outcome of Epstein-Barr virus-associated B-cell lymphoproliferative disorder

complicated by immunoglobulin G4-related disease treated with rituximab-based therapy: a case report. *J Med Case Rep* 10: 236, 2016

296. Wada K, Niitsuma T, Yamaki T, Masuda A, Ito H, Kubo H, Hara T, Takenoshita S, Takeishi Y: Simultaneous cardiac imaging to detect inflammation and scar tissue with ¹⁸F-fluorodeoxyglucose PET/MRI in cardiac sarcoidosis. *J Nucl Cardiol* 23: 1180-1182, 2016
297. Kaneshiro T, Suzuki H, Nodera M, Kamioka M, Kamiyama Y, Takeishi Y: Fibrillatory excitation in the pulmonary vein is associated with the presence of dissociated pulmonary vein activity after isolation. *J Interv Card Electrophysiol* 47: 231-236, 2016
298. Yoshihisa A, Watanabe S, Kanno Y, Takiguchi M, Sato A, Yokokawa T, Miura S, Shimizu T, Abe S, Sato T, Suzuki S, Oikawa M, Sakamoto N, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: The CHA₂DS₂-VASc score as a predictor of high mortality in hospitalized heart failure patients. *ESC Heart Fail* 3: 261-269, 2016
299. Sugimoto K, Yoshihisa A, Nakazato K, Jin Y, Suzuki S, Yokokawa T, Misaka T, Yamaki T, Kunii H, Suzuki H, Saitoh S, Takeishi Y: Pulmonary arterial capacitance predicts cardiac events in pulmonary hypertension due to left heart disease. *PLoS One* 11: e0165603, 2016
300. Watanabe S, Yoshihisa A, Kanno Y, Takiguchi M, Yokokawa T, Sato A, Miura S, Shimizu T, Abe S, Sato T, Suzuki S, Oikawa M, Sakamoto N, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Associations with eicosapentaenoic acid to arachidonic acid ratio and mortality in hospitalized heart failure patients. *J Card Fail* 22: 962-969, 2016
301. Yoshihisa A, Kanno Y, Takeishi Y: Insomnia and cardiac events in patients with heart failure. *Circ J* 81: 126, 2016
302. Owada T, Yamauchi H, Saitoh S, Miura S, Machii H, Takeishi Y: Resolution of mitochondrial oxidant stress improves aged-cardiovascular performance. *Coronary Artery Dis* 28: 33-43, 2017
303. Suzuki S, Yoshihisa A, Kanno Y, Watanabe S, Takiguchi M, Miura S, Yokokawa T, Sato T, Oikawa M, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Prognostic impact of living in temporary housing in Fukushima after the Great East Japan Earthquake. *J Card Fail* 23: 90-92, 2017

304. Cao M, Shikama Y, Kimura H, Noji H, Ikeda K, Ono T, Ogawa K, Takeishi Y, Kimura J: Mechanisms of impaired neutrophil migration by microRNAs in myelodysplastic syndromes. *J Immunol* 198: 1887-1899, 2017
305. Furukawa M, Ueda K, Ikeda K, Ogawa K, Sukekawa M, Sano T, Tasaki K, Hashimoto Y, Takeishi Y: Drastic response of IgG4-related disease with proliferation of EBV-infected B cells for rituximab-based therapy. *Case Rep Med* 292: 4280-4292, 2017
306. Keneshiro T, Yoshida K, Sekiguchi Y, Tada H, Kuroki K, Igarashi M, Yamasaki H, Machino T, Ito Y, Kuga K, Kamiyama Y, Suzuki H, Takeishi Y, Aonuma K: Crucial role of pulmonary vein firing as an initiator of typical atrial flutter: Evidence of a close relationship between atrial fibrillation and typical atrial flutter. *J Arrhythm* 33: 86-91, 2017
307. Oikawa M, Kobayashi A, Sato T, Suzuki S, Yoshihisa A, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: The usefulness of combined assessment of E/E' ratio and transmitral flow pattern to interpret cardiac condition. *Fukushima J Med Sci* 63: 16-21, 2017
308. Furukawa M, Ohkawara H, Ogawa K, Ikeda K, Ueda K, Shichishima-Nakamura A, Ito E, Imai J, Yanagisawa Y, Honma R, Watanabe S, Waguri S, Ikezoe T, Takeishi Y: Autocrine and paracrine interactions between multiple myeloma cells and bone marrow stromal cells by gth arrest-specific gene 6 cross-talk with interleukin-6. *J Biol Chem* 292: 4280-4292, 2017
309. Yoshihisa A, Takiguchi M, Kanno Y, Sato A, Yokokawa T, Miura S, Abe S, Misaka T, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Associations of acid suppressive therapy with cardiac mortality in heart failure patients. *J Am Heart Assoc* 6: e005110, 2017
310. Fukatsu M, Murakami T, Ohkawara H, Saito S, Ikeda K, Kadowaki S, Sasaki I, Segawa M, Soeda T, Hoshi A, Takahashi H, Shichishima-Nakamura A, Ogawa K, Sugita Y, Ohto H, Takeishi Y, Ikezoe T, Ugawa Y: A possible role of low regulatory T cells in anti-acetylcholine receptor antibody positive myasthenia gravis after bone marrow transplantation. *BMC Neurol* 17: 93, 2017
311. Sato Y, Yoshihisa A, Kanno Y, Watanabe S, Yokokawa T, Abe S, Misaka T, sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Saitoh S, Takeishi Y: Liver stiffness assessed by Fibrosis-4 index predicts mortality in patients with heart failure. *Open Heart* 4:

e000598, 2017

312. Yoshihisa A, Sato Y, Watanabe S, Yokokawa T, Sato T, Suzuki S, Oikawa M, Kobayashi A, Takeishi Y: Decreased cardiac mortality with nicorandil in patients with ischemic heart failure. *BMC Cardiovasc Disord* 17: 141, 2017
313. Ikeda K, Ueda K, Sano T, Ogawa K, Ikezoe T, Hashimoto Y, Morishita S, Komatsu N, Ohto H, Takeishi Y: The amelioration of myelofibrosis with thrombocytopenia by a JAK1/2 inhibitor, ruxolitinib, in a post-polycythemia vera myelofibrosis patient with a JAK2 Exon 12 mutation. *Intern Med* 56: 1705-1710, 2017
314. Suzuki H, Nodera M, Kamioka M, Kaneshiro T, Kamiyama Y, Takeishi Y: Intracardiac impedance after cardiac resynchronization therapy is a novel predictor for worsening of heart failure. *Heart Vessels* 32: 926-931, 2017
315. Ueda K, Ikeda K, Ikezoe T, Harada-Shirado K, Ogawa K, Hashimoto Y, Sano T, Ohkawara H, Kimura S, Shichishima-Nakamura A, Nakamura Y, Shikama Y, Mori T, Mason PJ, Bessler M, Morishita S, Komatsu N, Shide K, Shimoda K, Koide S, Aoyama K, Oshima M, Iwama A, Takeishi Y: HMGA2 collaborates with JAK2V617F to progress myeloproliferative neoplasms. *Blood Advances*: 1001-1015, 2017
316. Nakazato K, Kobayashi A, Nodera M, Kamioka M, Suzuki H, Saitoh S, Takeishi Y: Lotus root sign in the renal artery in renovascular hypertension. *Circ J* 81: 1234-1235, 2017
317. Sugimoto K, Nakazato K, Sakamoto N, Yamaki T, Kunii H, Yoshihisa A, Suzuki H, Saitoh S, Takeishi Y: Pulmonary artery diameter predicts lung injury after balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension. *Int Heart J* 58: 584-588, 2017
318. Tanabe N, Ikeda S, Tahara N, Fukuda K, Hatano M, Ito H, Nakayama T, Anzai T, Hashimoto A, Inoue T, Kajinami K, Kihara Y, Kinoshita H, Kuwahara K, Murohara T, Okazaki O, Sakai S, Satoh T, Takeda Y, Takeishi Y, Taniguchi M, Watanabe H, Yamamoto T, Yamauchi-Takihara K, Yoshioka K, Sasayama S: Efficacy and safety of an orally administered selective prostacyclin receptor agonist, selexipag, in Japanese patients with pulmonary arterial hypertension. *Circ J* 81: 1360-1367, 2017
319. Yoshihisa A, Watanabe S, Yokokawa T, Misaka T, Sato T, Suzuki S, Oikawa M, Kobayashi A,

- Takeishi Y: Associations between acylcarnitine to free carnitine ratio and adverse prognosis in heart failure patients with reduced or preserved ejection fraction. *ESC Heart Fail* 4: 360-364, 2017
320. Miura S, Saitoh S, Kokubun T, Owada T, Yamauchi H, Machii H, Takeishi Y: Mitochondrial-targeted antioxidant maintains blood flow, mitochondrial function, and redox balance in old mice following prolonged limb ischemia. *Int J Mol Sci* 18: e1897, 2017
321. Fujiwara S, Kobayashi T, Ikeda R, Yasuda K, Kubota I, Takeishi Y: Bilateral submandibular sialadenitis following influenza A virus infection. *ID Cases* 10: 49-50, 2017
322. Sugimoto K, Nakazato K, Sato A, Suzuki S, Yoshihisa A, Machida T, Saitoh S, Sekine H, Takeishi Y: Autoimmune disease mouse model exhibits pulmonary arterial hypertension. *PLoS One* 12: e0184990, 2017
323. Yokokawa T, Ichijo Y, Houtsuki Y, Matsumoto Y, Oikawa M, Yoshihisa A, Sugimoto K, Nakazato K, Suzuki H, Saitoh S, Shimouchi A, Takeishi Y: Change of exhaled acetone concentration in a diabetic patient with acute decompensated heart failure. *Int Heart J* 58: 828-830, 2017
324. Sato A, Suzuki S, Watanabe S, Shimizu T, Nakamura Y, Misaka T, Yokokawa T, Shishido T, Saitoh S, Ishida T, Kubota I, Takeishi Y: DPP4 inhibition ameliorates cardiac function by blocking the cleavage of HMGB1 in diabetic mice after myocardial infarction. *Int Heart J* 58: 778-786, 2017
325. Yokokawa T, Sato T, Suzuki S, Oikawa M, Yoshihisa A, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Ishida T, Shimouchi A, Takeishi Y: Elevated exhaled acetone concentration in stage C heart failure patients with diabetes mellitus. *BMC Cardiovasc Disord* 17: 280, 2017
326. Sato T, Yoshihisa A, Kanno Y, Suzuki S, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki H, Saitoh S, Ishida T, Takeishi Y: Cardiopulmonary exercise testing as prognostic indicators: Comparisons among heart failure patients with reduced, mid-range and preserved ejection fraction. *Eur J Prev Cardiol* 24: 1979-1987, 2017
327. Kaneshiro T, Matsumoto Y, Nodera M, Kamioka M, Suzuki H, Takeishi Y: Spastic occlusion of coronary artery during cryoballoon pulmonary vein isolation. *HeartRhythm Case Rep* 3: 509-512,

2017

328. Ohwada T, Watanabe K, Sakamoto T, Amami K, Takeishi Y: Apolipoprotein ciii and triglyceride correlate with the necrotic core of a lesion plaque in patients with stable coronary disease. *Eur Med J Cardiol* 5: 42-43, 2017
329. Yokokawa T, Yoshihisa A, Kanno Y, Sato T, Suzuki S, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Takeishi Y: Clinical features in extremely elderly patients with heart failure. *Geriatr Gerontol Int* 17: 2194-2199, 2017
330. Takeishi Y, Masuda A, Kubo H, Tominaga H, Oriuchi N, Takenoshita S: Cardiac imaging with ¹⁸F-fluorodeoxyglucose PET/MRI in hypertrophic cardiomyopathy. *J Nucl Cardiol* 24: 1827-1828, 2017
331. Masuda A, Yamaki T, Kunii H, Nemoto A, Kubo H, Tominaga H, Oriuchi N, Takenoshita S, Takeishi Y: Inflammatory involvement in patient with Leriche syndrome evaluated by ¹⁸F-fluorodeoxyglucose PET/MRI. *J Nucl Cardiol* 24: 1819-1821, 2017
332. Anzai F, Kunii H, Kanno Y, Kamioka M, Kobayashi A, Suzuki H, Saitoh S, Takeishi Y: Successful revascularization of advanced coronary artery disease associated with pseudoxanthoma elasticum. *JC Cases* 16: 101-104, 2017
333. Sato Y, Yoshihisa A, Kimishima Y, Kiko T, Watanabe S, Kanno Y, Abe S, Miyata M, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Subclinical hypothyroidism is associated with adverse prognosis in heart failure patients. *Can J Cardiol* 34: 80-87, 2018
334. Oikawa M, Kobayashi A, Wada K, Sato T, Suzuki S, Yoshihisa A, Nakazato K, Suzuki H, Saitoh S, Ishida T, Takeishi Y: Novel parameter to predict left ventricular filling pressure: product of log B-type natriuretic peptide and ratio of mitral inflow early and late diastolic filling velocities. *J Card Fail* 24: 29-32, 2018
335. Yoshihisa A, Sato Y, Sato T, Suzuki S, Oikawa M, Takeishi Y: Better clinical outcome with direct oral anticoagulants in hospitalized heart failure patients with atrial fibrillation. *BMC Cardiovasc Disord* 18: 11, 2018

336. Yoshihisa A, Kanno Y, Watanabe S, Yokokawa T, Abe S, Miyata M, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Ishida T, [Takeishi Y](#): Impact of nutritional indices on mortality in patients with heart failure. *Open Heart* 5: e000730, 2018
337. Aimo A, Januzzi JL, Vergaro G, Ripoli A, Latini R, Masson S, Magnoli M, Anand IS, Cohn JN, Tavazzi L, Tognoni G, Gravning J, Ueland T, Nymo SH, Rocca HP, Genis AB, Lupón J, Boer RA, Yoshihisa A, [Takeishi Y](#), Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Tentzeris I, Tang WH, Grodin J, Passino C, Emdin M: Prognostic value of high-sensitivity troponin T in chronic heart failure: an individual patient data meta-analysis. *Circulation* 137: 286-297, 2018
338. Yamaki T, Haas HJ, Tahara N, Petrov A, Mohar D, Haider N, Zhou J, Tahara A, [Takeishi Y](#), Boersma HH, Scarabelli T, Kini A, Strauss HW, Narula J: Cardioprotection by minocycline in a rabbit model of ischemia/reperfusion injury: Detection of cell death by in vivo ¹¹¹In-GSAO SPECT. *J Nucl Cardiol* 25: 94-100, 2018
339. Matsuo S, Nakajima K, [Takeishi Y](#), Nishimura T: Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese patients with chronic kidney disease: a study based on the J-ACCESS-3 database. *Eur J Nucl Med Mol Imaging* 45: 1101-1107, 2018
340. Yoshihisa A, Suzuki S, [Takeishi Y](#): VEGF165b elevation in pulmonary arterial hypertension patients, causative or adaptive? -Reply. *Int J Cardiol* 256: 32, 2018
341. Kiko T, Masuda A, Nemoto A, Tominaga H, Oriuchi N, Yoshihisa A, [Takeishi Y](#): Cardiac sarcoidosis after glucocorticoid therapy evaluated by ¹⁸F-fluorodeoxyglucose PET/MRI. *J Nucl Cardiol* 25: 685-687, 2018
342. Kamioka M, Hijioka N, Matsumoto Y, Nodera M, Kaneshiro T, Suzuki H, [Takeishi Y](#): Uncontrolled blood pressure affects atrial remodeling and adverse clinical outcome in paroxysmal atrial fibrillation. *PACE* 41: 402-410, 2018
343. Yoshihisa A, Sato Y, Yokokawa T, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Saitoh S, [Takeishi Y](#): Liver fibrosis score predicts mortality in heart failure patients with preserved ejection fraction. *ESC Heart Fail* 5: 262-270, 2018
344. Yoshihisa A, Kimishima Y, Kiko T, Sato Y, Watanabe S, Kanno Y, Abe S, Miyata-Tatsumi M, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, Suzuki

- H, Ishida T, Takeishi Y: Liver fibrosis marker, 7S domain of collagen type IV, in patients with pre-capillary pulmonary hypertension. *Int J Cardiol* 258: 269-274, 2018
345. Nagai T, Yoshikawa T, Saito Y, Takeishi Y, Yamamoto K, Ogawa H, Anzai T, on behalf of the JASPER investigators: Clinical characteristics, management, and outcomes of Japanese patients hospitalized for heart failure with preserved ejection fraction: A report from the Japanese Heart Failure Syndrome with Preserved Ejection Fraction (JASPER) registry. *Circ J* 82: 1534-1545, 2018
346. Nodera M, Suzuki H, Matsumoto Y, Kamioka M, Kaneshiro T, Yoshihisa A, Ohira T, Takeishi Y: Association between serum uric acid level and ventricular tachyarrhythmia in heart failure patients with implantable cardioverter-defibrillator. *Cardiology* 140: 47-51, 2018
347. Yoshihisa A, Kimishima Y, Kiko T, Sato Y, Watanabe S, Kanno Y, Abe S, Miyata M, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Usefulness of urinary N-terminal fragment of titin to predict mortality in dilated cardiomyopathy. *Am J Cardiol* 121: 1260-1265, 2018
348. Kokubun T, Oikawa M, Ichijo Y, Matsumoto Y, Yokokawa T, Nakazato K, Sato Y, Takase S, Shinjo H, Yokoyama H, Suzuki H, Saitoh S, Takeishi Y: Tricuspid and mitral valve regurgitation with bi-fascicular block following a horse kick. *Intern Med* 57: 1597-1600, 2018
349. Suzuki S, Yoshihisa A, Sato Y, Watanabe S, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Ishida T, Takeishi Y: Association between sleep-disordered breathing and arterial stiffness in heart failure patients with reduced or preserved ejection fraction. *ESC Heart Fail* 5: 284-291, 2018
350. Yoshihisa A, Suzuki S, Sato Y, Kanno Y, Abe S, Miyata M, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Relation of testosterone levels to mortality in men with heart failure. *Am J Cardiol* 121: 1321-1327, 2018
351. Yoshihisa A, Kiko T, Sato T, Oikawa M, Kobayashi A, Takeishi Y: Urinary N-terminal fragment of titin is a marker to diagnose muscular dystrophy in patients with cardiomyopathy. *Clin Chim Acta* 484: 226-230, 2018
352. Yoshihisa A, Abe S, Sato Y, Watanabe S, Yokokawa T, Miura S, Misaka T, Sato T, Suzuki S,

- Oikawa M, Kobayashi A, Yamaki T, Kunii H, Saitoh S, Takeishi Y: Plasma volume status predicts prognosis in patients with acute heart failure syndromes. *Eur Heart J Acute Cardiovasc Care* 7: 330-338, 2018
353. Yoshihisa A, Abe S, Kiko T, Kimishima Y, Sato Y, Watanabe S, Kanno Y, Miyata-Tatsumi M, Misaka T, Sato T, Suzuki S, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Association of serum zinc level with prognosis in patients with heart failure. *J Card Fail* 24: 375-383, 2018
354. Nakamura Y, Asaumi Y, Miyagi T, Nakai M, Nishimura K, Sugane H, Matama H, Kataoka Y, Miyamoto Y, Takeishi Y, Noguchi T, Yasuda S: Comparison of long-term mortality in patients with previous coronary artery bypass grafting who underwent percutaneous coronary intervention with versus without optimal medical therapy. *Am J Cardiol* 122: 206-212, 2018
355. Kaneshiro T, Matsumoto Y, Nodera M, Kamioka M, Kamiyama Y, Yoshihisa A, Ohkawara H, Suzuki H, Takeishi Y: Anatomical predisposing factors of transmural thermal injury after pulmonary vein isolation. *Europace* 20: 1122-1128, 2018
356. Yokokawa T, Sato T, Suzuki S, Oikawa M, Yoshihisa A, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Suzuki H, Saitoh S, Ishida T, Shimouchi A, Takeishi Y: Change of exhaled acetone concentration levels in patients with acute decompensated heart failure. *Int Heart J* 59: 808-812, 2018
357. Masuda A, Nemoto A, Yamaki T, Oriuchi N, Takenoshita S, Takeishi Y: Assessment of myocardial viability of a patient with old myocardial infarction by ¹⁸F-fluorodeoxyglucose PET/MRI. *J Nucl Cardiol* 25: 1423-1426, 2018
358. Yokokawa T, Sato T, Suzuki S, Oikawa M, Yoshihisa A, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Feasibility of skin acetone analysis in patients with cardiovascular diseases. *Fukushima J Med Sci* 64: 60-63, 2018
359. Kudo T, Yoshinaga K, Takeishi Y, Nakajima K: Statement on ¹⁸F-FDG PET usage for large-vessel vasculitis. *Ann Nucl Cardiol* 4: 46-51, 2018
360. Yamada S, Yoshihisa A, Sato Y, Sato T, Kamioka M, Kaneshiro T, Oikawa M, Kobayashi A, Suzuki H, Ishida T, Takeishi Y: Utility of heart rate turbulence and T-wave alternans to assess risk

for readmission and cardiac death in hospitalized heart failure patients. *J Cardiovasc Electr* 29: 1257-1264, 2018

361. Kiko T, Yoshihisa A, Kanno Y, Yokokawa T, Abe S, Miyata-Tatsumi M, Misaka T, Oikawa M, Kobayashi A, Ishida T, Takeishi Y: A multiple biomarker approach in patients with cardiac sarcoidosis. *Int Heart J* 59: 996-1001, 2018
362. Matsushita N, Ishida N, Ibi M, Saito M, Sanbe A, Shimojo H, Suzuki S, Koepsell H, Takeishi Y, Morino Y, Taira E, Sawa Y, Hirose M: Chronic pressure overload induces cardiac hypertrophy and fibrosis via increases in SGLT1 and IL-18 gene expression in mice. *Int Heart J* 59: 1123-1133, 2018
363. Takahashi T, Yoshihisa A, Sugimoto K, Yokokawa T, Misaka T, Kaneshiro T, Oikawa M, Kobayashi A, Nakazato K, Ishida T, Takeishi Y: Associations between diabetes mellitus and pulmonary hypertension in chronic respiratory disease patients. *PLoS One* 13: e0205008, 2018
364. Nodera M, Oikawa M, Nakazato K, Ishida T, Takeishi Y: Sympathetic nervous remodeling is induced in the intermediolateral nucleus after myocardial infarction -Role of BDNF-TrkB axis-. *Neurosci Lett* 685: 114-123, 2018
365. Suzuki S, Yoshihisa A, Sato Y, Kanno Y, Watanabe S, Abe S, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Clinical significance of get with the guidelines-heart failure risk score in patients with chronic heart failure after hospitalization. *J Am Heart Assoc* 7: e008316, 2018
366. Kaneshiro T, Matsumoto Y, Hijioka N, Nodera M, Yamada S, Kamioka M, Yoshihisa A, Ohkawara H, Suzuki H, Takeishi Y: Distinct forms of esophageal lesions after radiofrequency and cryoballoon pulmonary vein isolation. *JACC Clin Electrophysiol* 4: 1642-3, 2018
367. Kobayashi A, Kunii H, Yokokawa T, Sakuma Y, Oikawa M, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, Takeishi Y: Safety and effectiveness of transcatheter closure of atrial septal defects: Initial results in Fukushima Prefecture. *Fukushima J Med Sci* 86: 151-156, 2018
368. Shimizu T, Tada N, Nozaki Y, Ichimura S, Yaegashi D, Anzai F, Sato A, Sakamoto K, Seino Y, Kijima M, Takeishi Y: Quadricuspid pulmonary valve stenosis treated by transcatheter pulmonary valvuloplasty with inoue balloon catheter. *J Cardiol Cases* 18: 204-206, 2018

369. Sato A, Yoshihisa A, Miyata-Tatsumi M, Oikawa M, Kobayashi A, Ishida T, Ohtake T, [Takeishi Y](#): Valvular heart disease as a possible predictor of trastuzumab-induced cardiotoxicity in patients with breast cancer. *Mol Clin Oncol* 10: 37-42, 2019
370. Aimo A, Januzzi JL, Vergaro G, Ripoli A, Latini R, Masson S, Magnoli M, Anand IS, Cohn JN, Tavazzi L, Tognoni G, Gravning J, Ueland T, Nymo SH, Rocca HP, Bayes-Genis A, Lupón J, Boer RA, Yoshihisa A, [Takeishi Y](#), Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Tentzeris I, Tang WW, Grodin JL, Passino C, Emdin M: High-sensitivity troponin T, NT-proBNP and glomerular filtration rate: A multimarker strategy for risk stratification in chronic heart failure. *Int J Cardiol* 277: 166-172, 2019
371. Ohwada T, Sakamoto T, Kanno Y, Yokokawa S, Amami K, Nakazato K, [Takeishi Y](#), Watanabe K: Apolipoprotein B correlates with intra-plaque necrotic core volume in stable coronary artery disease. *PLoS One* 14: e0212539, 2019
372. Matsumoto Y, Kaneshiro T, Hijioka N, Nodera M, Yamada S, Kamioka M, Yoshihisa A, Ohkawara H, Hikichi T, Suzuki H, [Takeishi Y](#): Predicting factors of transmural thermal injury after cryoballoon pulmonary vein isolation. *J Interv Card Electrophysiol* 54: 101-108, 2019
373. Yokokawa T, Kunii H, Kaneshiro T, Ichimura S, Yoshihisa A, Furuya MY, Asano T, Nakazato K, Ishida T, Migita K, [Takeishi Y](#): Regressed coronary ostial stenosis in a young female with Takayasu arteritis: a case report. *BMC Cardiovasc Disord* 19: 79, 2019
374. Yoshihisa A, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, [Takeishi Y](#): Soluble neprilysin does not correlate with prognosis in pulmonary hypertension. *ESC Heart Fail* 6: 291-296, 2019
375. Misaka T, Yoshihisa A, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Sugimoto K, Kunii H, Nakazato K, [Takeishi Y](#): Plasma levels of melatonin in dilated cardiomyopathy. *J Pineal Res* 66: e12564, 2019
376. Takahashi T, Shishido T, Kinoshita D, Watanabe K, Toshima T, Sugai T, Narumi T, Otaki Y, Tamura H, Nishiyama S, Arimoto T, Takahashi H, Miyamoto T, Watanabe T, Woo C, Abe J, [Takeishi Y](#), Kubota I, Watanabe M: Cardiac nuclear high-mobility group box 1 ameliorates pathological cardiac hypertrophy by inhibiting DNA damage response. *JACC Basic Transl Sci* 4:

234-247, 2019

377. Sato Y, Yoshihisa A, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y: Low T3 syndrome is associated with high mortality in hospitalized patients with heart failure. *J Card Fail* 25: 195-203, 2019
378. Nakamura S, Kawano Y, Nakajima K, Hase H, Joki N, Hatta T, Nishimura S, Moroi M, Nakagawa S, Kasai T, Kusuoka H, Takeishi Y, Momose M, Takehana K, Nanasato M, Yoda S, Nishina H, Matsumoto N, Nishimura T: Prognostic study of cardiac events in Japanese patients with chronic kidney disease using ECG-gated myocardial perfusion imaging: Final 3-year report of the J-ACCESS 3 study. *J Nucl Cardiol* 26: 431-440, 2019
379. Sato A, Kijima M, Ichimura S, Yaegashi D, Anzai F, Shimizu T, Matsui Y, Kaneko H, Sakamoto K, Seino Y, Maruyama Y, Takeishi Y: Short-term outcome of percutaneous coronary intervention with directional coronary atherectomy followed by drug-coated balloon: a preliminary report. *Cardiovasc Intervent Ther* 34: 149-154, 2019
380. Sato Y, Yoshihisa A, Oikawa M, Nagai T, Yoshikawa T, Saito Y, Yamamoto K, Takeishi Y, Anzai T: Prognostic impact of chronic obstructive pulmonary disease on adverse prognosis in hospitalized heart failure patients with preserved ejection fraction - A report from the JASPER registry. *J Cardiol* 73: 459-465, 2019
381. Hijioka N, Kamioka M, Matsumoto Y, Nodera M, Yamada S, Kaneshiro T, Yoshihisa A, Ishida T, Takeishi Y: Clinical impact of insulin resistance on pulmonary vein isolation outcome in patients with paroxysmal atrial fibrillation. *J Cardiovasc Electrophysiol* 30: 479-486, 2019
382. Kokubun T, Saitoh S, Miura S, Ishida T, Takeishi Y: Telomerase plays a pivotal role in collateral growth under ischemia by suppressing age-induced oxidative stress, expression of p53, and pro-apoptotic proteins. *Int Heart J* 60: 736-745, 2019
383. Yamada S, Kaneshiro T, Kamioka M, Onuma H, Yamadera Y, Takeishi Y: Clinical impact of speckle tracking echocardiography for detecting the origin of posterior papillary muscle ventricular arrhythmia. *Europace* 21: 917, 2019
384. Yokokawa T, Sugimoto K, Nakazato K, Misaka T, Oikawa M, Kobayashi A, Yoshihisa A, Yamaki

- T, Kunii H, Ishida T, Takeishi Y: Electrocardiographic criteria of right ventricular hypertrophy in patients with chronic thromboembolic pulmonary hypertension after balloon pulmonary angioplasty. *Intern Med* 58: 2139-2144, 2019
385. Sato Y, Yoshihisa A, Oikawa M, Nagai T, Yoshikawa T, Saito Y, Yamamoto K, Takeishi Y, Anzai T: Relation of systolic blood pressure on the following day with post-discharge mortality in hospitalized heart failure patients with preserved ejection fraction -A Report from the JASPER Registry-. *Int Heart J* 60: 876-885, 2019
386. Yoshihisa A, Ichijo Y, Watanabe K, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y: Prior history and incidence of cancer impacts on cardiac prognosis in hospitalized patients with heart failure. *Circ J* 83: 1709-1717, 2019
387. Sato Y, Yoshihisa A, Oikawa M, Nagai T, Yoshikawa T, Saito Y, Yamamoto K, Takeishi Y, Anzai T: Prognostic impact of worsening renal function in hospitalized heart failure patients with preserved ejection fraction: A report from the JASPER Registry. *J Card Fail* 25: 631-642, 2019
388. Muramatsu T, Nishimura S, Takeishi Y, Nishimura T: Prognostic risk stratification of cardiac events evaluated by aortic calcification in elderly patients with chronic kidney disease: Sub-analysis of a J-ACCESS 3 Study. *Ann Nucl Cardiol* 51: 35-43, 2019
389. Yokokawa T, Sugimoto K, Yoshihisa A, Goto T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: The fibrosis-4 index is useful for predicting mortality in patients with pulmonary hypertension due to left heart disease. *Int Heart J* 60: 1147-1153, 2019
390. Kimishima Y, Yoshihisa A, Kiko T, Yokokawa T, Miyata-Tatsumi M, Misaka T, Oikawa M, Kobayashi A, Takeishi Y: Utility of B-type natriuretic peptide for detecting cardiac involvement in immunoglobulin amyloidosis. *Int Heart J* 60: 1106-1112, 2019
391. Yoshihisa A, Misaka T, Kanno Y, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Prognostic impact of restless legs syndrome on patients with heart failure. *Int Heart J* 60: 1098-1105, 2019
392. Yoshihisa A, Sato T, Kajimoto K, Sato N, Takeishi Y, on behalf of the Acute Decompensated Heart Failure Syndromes (ATTEND) investigators: Heterogeneous impact of the body mass

index on in-hospital mortality in acute heart failure syndromes: An analysis from the ATTEND Registry. *Eur Heart J Acute Cardiovasc Care* 8: 589-598, 2019

393. Sato Y, Yoshihisa A, Oikawa M, Nagai T, Yoshikawa T, Saito Y, Yamamoto K, Takeishi Y, Anzai T: Hyponatremia at discharge is associated with adverse prognosis in acute heart failure syndromes with preserved ejection fraction: a report from the JASPER registry. *Eur Heart J Acute Cardiovasc Care* 8: 623-633, 2019
394. Kiko T, Sato T, Yokokawa T, Misaka T, Takeishi Y: Subacute constrictive pericarditis postcardiac surgery evaluated by ¹⁸F-fluorodeoxyglucose positron emission tomography/magnetic resonance imaging. *Circ Cardiovasc Imaging* 12: e009764, 2019
395. Aimo A, Januzzi JL, Vergaro G, Clerico A, Latini R, Meessen J, Anand IS, Cohn JN, Gravning J, Ueland T, Nymo SH, Rocca HP, Bayes-Genis A, Lupón J, Boer RA, Yoshihisa A, Takeishi Y, Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Tentzeris I, Ripoli A, Passino C, Emdin M: Revisiting the obesity paradox in heart failure: Per cent body fat as predictor of biomarkers and outcome. *Eur J Prev Cardiol* 26: 1751-1759, 2019
396. Takiguchi M, Ohira T, Nakano H, Yumiya Y, Yamaki T, Yoshihisa A, Nakazato K, Suzuki H, Ishikawa T, Yasumura S, Kamiya K, Takeishi Y: Trends in the incidence of sudden deaths and heart diseases in Fukushima after the Great East Japan Earthquake. *Int Heart J* 60: 1253-1258, 2019
397. Nehashi T, Oikawa M, Amami K, Kanno Y, Yokokawa T, Misaka T, Yamada S, Kunii H, Nakazato K, Ishida T, Takeishi Y: Sporadic cardiac amyloidosis by amyloidogenic transthyretin V122I variant. *Int Heart J* 60: 1441-1443, 2019
398. Sugimoto K, Yokokawa T, Misaka T, Nakazato K, Ishida T, Takeishi Y: Senescence marker protein 30 deficiency exacerbates pulmonary hypertension in hypoxia-exposed mice. *Int Heart J* 60: 1430-1434, 2019
399. Yokokawa T, Ichimura, Kaneshiro T, Yoshihisa A, Kunii H, Nakazato K, Ishida T, Suzuki O, Ohno S, Aiba T, Ohtani H, Takeishi Y: Case reports of a c.475G>T, p.E159* lamin A/C mutation with a family history of conduction disorder, dilated cardiomyopathy and sudden cardiac death. *BMC Cardiovasc Disord* 19: 298, 2019

400. Yokokawa T, Yoshihisa A, Kanno Y, Abe S, Misaka T, Yamada S, Kaneshiro T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Ishida T, Takeishi Y: Circulating acetoacetate is associated with poor prognosis in heart failure patients. *Int J Cardiol Heart Vasc* 25: 100432, 2019
401. Uekita H, Ishibashi T, Shiomi M, Koyama H, Ohtsuka S, Yamamoto H, Yamagishi S, Inoue H, Itabe H, Sugimoto K, Kamioka M, Ohkawara H, Wada I, Takeishi Y: Integral role of receptor for advanced glycation end products (RAGE) in nondiabetic atherosclerosis. *Fukushima J Med Sci* 65: 109-121, 2019
402. Yamada S, Yoshihisa A, Sato T, Kamioka M, Kaneshiro T, Oikawa M, Kobayashi A, Ishida T, Takeishi Y: Prognostic significance of premature ventricular complex burden on hospitalized patients with heart failure. *J Arrhythm* 36: 134-142, 2019
403. Yokokawa T, Sugimoto K, Kimishima Y, Misaka T, Yoshihisa A, Morisaki H, Yamada O, Nakazato K, Ishida T, Takeishi Y: Pulmonary hypertension and hereditary hemorrhagic telangiectasia related to an ACVRL1 mutation. *Intern Med* 59: 221-227, 2020
404. Anzai F, Watanabe S, Kimura H, Kamata R, Karasawa T, Komada T, Nakamura J, Nagi-Miura N, Ohno N, Takeishi Y, Takahashi M: Crucial role of NLRP3 inflammasome in a murine model of Kawasaki disease. *J Mol Cell Cardiol* 138: 185-196, 2020
405. Nagashima K, Hiro T, Fukamachi D, Okumura Y, Watanabe I, Hirayama A, Tanaka M, Tanaka T, Takamisawa I, Taguchi I, Sato A, Aonuma K, Fukamizu S, Nakada A, Watanabe A, Amioka N, Suzuki Y, Matsumoto N, Koizumi J, Kumagai K, Naya M, Higuchi Y, Naito Y, Masuyama T, Kawamura M, Tsunoda R, Suzuki S, Ishii H, Murohara T, Shimizu T, Takeishi Y, Shiina K, Yamashita J, Imamura T, Sumitomo N, Noguchi T, Aso T, Furukawa K, Yamauchi Y, Okishige K, Sakata K, Yamagishi M, Shimizu S, Ohno M, Sugano T, Matsumura K, Matsumoto K, Ozaki K, Hayashidani S, Meno H, Iwata A, Higuma T, Tomita H, Yoshino H, Taniai S, Shishido K, Murakami M, Negishi K, Nii M, Wakatsuki D, Suzuki H, Motoike Y, Ozaki Y, Nakazato J, Hayashi H, Higuchi S, Shoda M: Anomalous origin of the coronary artery coursing between the great vessels presenting with a cardiovascular event (J-CONOMALY Registry). *Eur Heart J Cardiovasc Imaging* 21: 222-230, 2020
406. Ichijo Y, Kono S, Yoshihisa A, Misaka T, Kaneshiro T, Oikawa M, Miura I, Yabe H, Takeishi Y: Impaired frontal brain activity in patients with heart failure assessed by near-infrared spectroscopy. *J Am Heart Assoc* 9: e014564, 2020

407. Takeishi Y, Kiko T, Yokokawa T, Kunii H, Ichimura S, Takizawa S, Masuda A, Kaneshiro T, Ando T, Takenoshita S: Takayasu arteritis detected by PET/MRI with ¹⁸F-fluorodeoxyglucose. *J Nucl Cardiol* 27: 333-335, 2020
408. Nakajima K, Nakamura S, Hase H, Takeishi Y, Nishimura S, Kawano Y, Nishimura T: Risk stratification based on J-ACCESS risk models with myocardial perfusion imaging: Risk versus outcomes of patients with chronic kidney disease. *J Nucl Cardiol* 27: 41-50, 2020
409. Abe S, Yoshihisa A, Ichijo Y, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Recovered left ventricular ejection fraction and its prognostic impacts in hospitalized heart failure patients with reduced ejection fraction. *Int Heart J* 61: 281-288, 2020
410. Kiko T, Yoshihisa A, Yokokawa T, Misaka T, Yamada S, Kaneshiro T, Nakazato K, Takeishi Y: Direct comparisons of left ventricular volume and function by simultaneous cardiac magnetic resonance imaging and gated ¹³N-ammonia positron emission tomography. *Nucl Med Commun* 41: 383-388, 2020
411. Yokokawa T, Yoshihisa A, Kiko T, Shimizu T, Misaka T, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Residual gensini score is associated with long-term cardiac mortality in patients with heart failure after percutaneous coronary intervention. *Circ Rep* 2: 89-94, 2020
412. Sato Y, Yoshihisa A, Hotsuki Y, Watanabe K, Kimishima Y, Kiko T, Kanno Y, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Ishida T, Takeishi Y: Associations of benzodiazepine with adverse prognosis in heart failure patients with insomnia. *J Am Heart Assoc* 9: e013982, 2020
413. Sugimoto K, Yoshihisa A, Nakazato K, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Ishida T, Takeishi Y: Significance of pulmonary vascular resistance and diastolic pressure gradient on the new definition of combined post-capillary pulmonary hypertension. *Int Heart J* 61: 301-307, 2020
414. Yoshihisa A, Kanno Y, Ichijo Y, Sato Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Incidence and subsequent prognostic impacts of gastrointestinal bleeding in patients with heart failure. *Eur J Prev Cardiol* 27: 664-666,

2020

415. Akita H, Yoshie S, Ishida T, [Takeishi Y](#), Hazama A: Negative chronotropic and inotropic effects of lubiprostone on iPS cell-derived cardiomyocytes via activation of CFTR. *BMC Complement Med Ther* 20: 118, 2020
416. Yoshihisa A, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, [Takeishi Y](#): Prognostic impacts of changes in left ventricular ejection fraction in heart failure patients with preserved left ventricular ejection fraction. *Open Heart* 7: e001112, 2020
417. Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, [Takeishi Y](#): Prognostic factors in heart failure patients with cardiac cachexia. *J Geriatr Cardiol* 17: 26-34, 2020
418. Okumura K, Sasaki S, Kusano K, Mine T, Fujii K, Iwasa A, Sunagawa O, Yamabe H, Takahashi N, Ishii S, [Takeishi Y](#), Tsuboi N, Shizuta S, Aonuma K, Shimane A, Tada H, Ishikawa T, Tsunoda R, Numata T, Mukai Y, Kihara Y, Koehler J, Hidaka K, Sharma V: Evaluation of an integrated device diagnostics algorithm to risk stratify heart failure patients - Results From the SCAN-HF Study -. *Circ J* 84: 1118-1123, 2020
419. Ando T, Nakazato K, Kimishima Y, Kiko T, Shimizu T, Misaka T, Yamada S, Kaneshiro T, Yoshihisa A, Yamaki T, Kunii H, [Takeishi Y](#): The clinical value of the PRECISE-DAPT score in predicting long-term prognosis in patients with acute myocardial infarction. *Int J Cardiol Heart Vasc* 29: 100552, 2020
420. Shimizu T, Sato A, Sakamoto K, Seino Y, Kijima M, Matsumoto T, [Takeishi Y](#): Intravascular ultrasound imaging of isolated and non aorto-ostial coronary Takayasu arteritis: a case report. *BMC Cardiovasc Disord* 20: 260, 2020
421. Kinoshita D, Shishido T, Takahashi T, Yokoyama M, Sugai T, Watanabe K, Tamura H, Nishiyama S, Takahashi H, Arimoto T, Miyamoto T, Watanabe T, Kishida S, Kadomatsu K, Abe J, [Takeishi Y](#), Konta T, Kubota I, Watanabe M: Growth factor midkine aggravates pulmonary arterial hypertension via surface nucleolin. *Sci Rep* 10: 10345, 2020
422. Yokokawa T, Misaka T, Kimishima Y, Shimizu T, Kaneshiro T, [Takeishi Y](#): Clinical significance

of circulating cardiomyocyte-specific cell-free DNA in patients with heart failure: A Proof-of-Concept Study. *Can J Cardiol* 36: 931-935, 2020

423. Yamada S, Yoshihisa A, Hijioka N, Kamioka M, Kaneshiro T, Yokokawa T, Misaka T, Ishida T, Takeishi Y: Autonomic dysfunction in cardiac amyloidosis assessed by heart rate variability and heart rate turbulence. *Ann Noninvas Electro* 25: e12749, 2020
424. Oikawa M, Yoshihisa A, Sato Y, Nagai T, Yoshikawa T, Saito Y, Yamamoto K, Takeishi Y, Anzai T: Prognostic impact of moderate mitral regurgitation on hospitalized heart failure patients with preserved ejection fraction: A report from the JASPER Registry. *Heart Vessels* 35: 1087-1094, 2020
425. Akama J, Suzuki S, Kato Y, Arita T, Yagi N, Otsuka T, Semba H, Kishi M, Kano H, Matsuno S, Uejima T, Oikawat Y, Matsuhama M, Yajima J, Takeishi Y, Yamashita T: Differences in treatment and prognosis by the experience of falls or bone fracture in elderly patients with atrial fibrillation. *Heart Vessels* 35: 1234-1242, 2020
426. Misaka T, Niimura Y, Yoshihisa A, Wada K, Kimishima Y, Yokokawa T, Abe S, Oikawa M, Kaneshiro T, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Clinical impact of sleep-disordered breathing on very short-term blood pressure variability determined by pulse transit time. *J Hypertens* 38: 1703-1711, 2020
427. Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Ichijo Y, Sato Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Clinical implications of hepatic hemodynamic evaluation by abdominal ultrasonographic imaging in patients with heart failure. *J Am Heart Assoc* 9: e016689, 2020
428. Kamioka M, Yoshihisa A, Nodera M, Misaka T, Yokokawa T, Kaneshiro T, Nakazato K, Ishida T, Takeishi Y: The clinical implication of new - onset in - hospital atrial fibrillation in patients with acute decompensated heart failure. *J Arrhythm* 36: 874-882, 2020
429. Hotsuki Y, Sato Y, Yoshihisa A, Watanabe K, Kimishima Y, Kiko T, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y: B-type natriuretic peptide is associated with post-discharge stroke in hospitalized patients with heart failure. *ESC Heart Fail* 7: 2508-2515, 2020

430. Miura S, Yoshihisa A, Misaka T, Yamaki T, Kojima T, Toyokawa M, Ogawa K, Shimura H, Yamamoto N, Kasahara K, [Takeishi Y](#), Kitazume S: Amyloid precursor protein 770 is specifically expressed and released from platelets. *J Biol Chem* 295: 13194-13201, 2020
431. Fujiki S, Iijima K, Okabe M, Niwano S, Tsujita K, Naito S, Ando K, Kusano K, Kato R, Nitta J, Miura T, Mitsuhashi T, Kario K, Kondo Y, Ieda M, Hagiwara N, Murohara T, Takahashi K, Tomita H, [Takeishi Y](#), Anzai T, Shimizu W, Watanabe M, Morino Y, Kato T, Tada H, Nakagawa Y, Yano M, Maemura K, Kimura T, Yoshida H, Ota K, Tanaka T, Kitamura N, Node K, Aizawa Y, Shimizu I, Izumi D, Ozaki K, Minamino T, the EMPA-ICD investigators: Placebo-controlled, double-blind study of empagliflozin (EMPA) and implantable cardioverter-defibrillator (EMPA-ICD) in patients with type 2 diabetes (T2DM): rationale and design. *Diabetes Ther* 11: 2739-2755, 2020
432. Oikawa M, Yoshihisa A, Yokokawa T, Misaka T, Yaegashi D, Miyata M, Nakazato K, Ishida T, [Takeishi Y](#): Cardiac troponin I predicts elevated B-type natriuretic peptide in patients treated with anthracycline-containing chemotherapy. *Oncology-Basel* 98: 653-660, 2020
433. Kaneshiro T, Kamioka M, Hijioka N, Yamada S, Yokokawa T, Misaka T, Hikichi T, Yoshihisa A, [Takeishi Y](#): Characteristics of esophageal injury in ablation of atrial fibrillation using a high-power short-duration setting. *Circ Arrhythm Electrophysiol* 13: e008602, 2020
434. Kamioka M, Yoshihisa A, Hijioka N, Nodera M, Yamada S, Kaneshiro T, Oikawa M, Kobayashi A, Kunii H, [Takeishi Y](#): The efficacy of combination of transcatheter atrial septal defects closure and radiofrequency catheter ablation for the prevention of atrial fibrillation recurrence through bi-atrial reverse remodeling. *J Interv Card Electrophysiol* 59: 365-372, 2020
435. Kaneshiro T, Hijioka N, Matsumoto Y, Nodera M, Yamada S, Kamioka M, [Takeishi Y](#): Temperature drop in thawing phase reflects sufficient ice formation and better outcome of pulmonary vein isolation using second-generation cryoballoon. *J Interv Card Electrophysiol* 59: 357-364, 2020
436. Ohara H, Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Sugawara Y, Ichijo Y, Hotsuki Y, Watanabe K, Anzai F, Sato Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, [Takeishi Y](#): Shear wave dispersion predicts liver fibrosis and adverse outcomes in patients with heart failure. *J Clin Med* 9: 3953, 2020
437. Yamada S, Yoshihisa A, Kaneshiro T, Amami K, Hijioka N, Oikawa M, [Takeishi Y](#): The

relationship between red cell distribution width and cardiac autonomic function in heart failure. *J Arrhythm* 36: 1076-1082, 2020

438. Yoshihisa A, Watanabe K, Sato Y, Ishibashi S, Matsuda M, Yamadera Y, Ichijo Y, Yokokawa T, Misaka T, Oikawa M, Kobayashi A, Takeishi Y: Intrarenal Doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. *Sci Rep* 10: 22257, 2020
439. Hotsuki Y, Sato Y, Yoshihisa A, Watanabe K, Kimishima Y, Kiko T, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y: Glasgow-blatchford score predicts post-discharge gastrointestinal bleeding in hospitalized patients with heart failure. *J Clin Med* 9: 4083, 2020
440. Sugawara Y, Ohwada T, Watanabe K, Sakamoto T, Nakazato K, Takeishi Y: A case of no-reflow phenomenon improved by intracoronary nitroprusside injection with Lumine™ infusion catheter. *J Coron Artery Dis* 26: 106-110, 2020
441. Yaegashi D, Oikawa M, Yokokawa T, Misaka T, Kobayashi A, Kaneshiro T, Yoshihisa A, Nakazato K, Ishida T, Takeishi Y: Red blood cell distribution width is a predictive factor of anthracycline-induced cardiotoxicity. *Front Cardiovasc Med* 7: 594685, 2020
442. Yoshihisa A, Sato Y, Kimishima Y, Ichijo Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Takeishi Y: Soluble fibrin monomer complex is associated with cardio- and cerebro-vascular events in patients with heart failure. *Int J Cardiol Heart Vasc* 32: 100697, 2020
443. Sato Y, Yoshihisa A, Watanabe K, Hotsuki Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Takeishi Y: Association between platelet distribution width and prognosis in patients with heart failure. *PLoS One* 15: e0244608, 2020
444. Kasai T, Takata Y, Yoshihisa A, Takeishi Y, Chin K, Ando S, Kawana F, Momomura S: Comparison of the apnea-hypopnea index determined by a peripheral arterial tonometry-based device with that determined by polysomnography: - Results from a multicenter study -. *Circ Rep* 2: 674-681, 2020
445. Yoshihisa A, Ichijo Y, Sato Y, Kanno Y, Takiguchi M, Yokokawa T, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y: Comprehensive clinical characteristics

of hospitalized patients with mid-range left ventricular ejection fraction. *Eur J Prev Cardiol* 27: 2084-2088, 2020

446. Aimo A, Jr JL, Vergaro G, Richards AM, Lam CS, Latini R, Anand IS, Cohn JN, Ueland T, Gullestad L, Aukrust P, Rocca HP, Bayes-Genis A, Lupón J, Boer RA, [Takeishi Y](#), Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Gamble GD, Ling LH, Leong KT, Yeo PS, Ong HY, Jaufeerally F, Ng TP, Troughton R, Doughty RN, Passino C, Emdin M: Circulating levels and prognostic value of soluble ST2 in heart failure are less influenced by age than N-terminal pro-B-type natriuretic peptide and high-sensitivity troponin T. *Eur J Heart Fail* 22: 2078-2088, 2020
447. Ando T, Yoshihisa A, Kimishima Y, Kiko T, Shimizu T, Yamaki T, Kunii H, Nakazato K, [Takeishi Y](#): Prognostic impacts of nutritional status on long-term outcome in patients with acute myocardial infarction. *Eur J Prev Cardiol* 27: 2229-2231, 2020
448. Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, [Takeishi Y](#): Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in patients with heart failure with mid-range ejection fraction. *Eur J Prev Cardiol* 27: 2322-2325, 2020
449. Muto Y, Higuchi R, Yoshihisa A, Hagiya K, Saji M, Takamisawa I, Tobaru T, Iguchi N, Takanashi S, Takayama M, [Takeishi Y](#), Isobe M: Prevalence, predictor and mid-term outcome of non-home discharge after transcatheter aortic valve implantation. *Circ Rep* 2: 617-624, 2020
450. Nakazato K, Sugimoto K, Kiko T, Kobayashi A, [Takeishi Y](#): Angiographic and intravascular ultrasound images of pulmonary artery rupture during balloon pulmonary angioplasty. *Eur Heart J Cardiovasc Imaging* 22: 176, 2021
451. Yokokawa T, Yoshihisa A, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, [Takeishi Y](#): Anti-mitochondrial antibodies in patients with dilated cardiomyopathy. *Intern Med* 60: 201-208, 2021
452. Sugimoto K, Yokokawa T, Misaka T, Kaneshiro T, Yamada S, Yoshihisa A, Nakazato K, [Takeishi Y](#): Endothelin-1 upregulates activin receptor-like kinase-1 expression via Gi/RhoA/Sp-1/Rho kinase pathways in human pulmonary arterial endothelial cells. *Front Cardiovasc Med* 8: 648981, 2021

453. Yamada S, Yoshihisa A, Kaneshiro T, Amami K, Hijioka N, Misaka T, Yokokawa T, [Takeishi Y](#): Clinical impact of long PR-interval and presence of late gadolinium enhancement on hospitalized patients with non-ischemic heart failure. *Ann Noninvas Electro* 26: e12818, 2021
454. Suzuki H, Ohira T, [Takeishi Y](#), Sakai A, Hosoya M, Yasumura S, Kawasaki Y, Takahashi A, Nakano H, Kamiya K, Fukushima Health Management Survey Group: Association between atrial fibrillation and white blood cell count after the Great East Japan Earthquake. *Medicine* 100: e24177, 2021
455. Yokokawa T, Misaka T, Kimishima Y, Wada K, Minakawa K, Kaneshiro T, Yoshihisa A, Ikeda K, [Takeishi Y](#): Clonal hematopoiesis and JAK2V617F mutations in patients with cardiovascular disease. *JACC CardioOncol* 3: 134-136, 2021
456. Watanabe K, Yoshihisa A, Sato Y, Hotsuki Y, Anzai F, Ichijo Y, Kimishima Y, Yokokawa T, Misaka T, Kaneshiro T, Oikawa M, Kobayashi A, [Takeishi Y](#): Cardio-ankle vascular index reflects impaired exercise capacity and predicts adverse prognosis in patients with heart failure. *Front Cardiovasc Med* 8: 631807, 2021
457. Minakawa K, Yokokawa T, Ueda K, Nakajima O, Misaka T, Kimishima Y, Wada K, Tomita Y, Miura S, Sato Y, Mimura K, Sugimoto K, Nakazato K, Nollet KE, Ogawa K, Ikezoe T, Hashimoto Y, [Takeishi Y](#), Ikeda K: Myeloproliferative neoplasm-driving Calr frameshift promotes the development of pulmonary hypertension in mice. *J Hematol Oncol* 14: 52, 2021
458. Yamada S, Yoshihisa A, Hijioka N, Amami K, Kaneshiro T, Ishida T, [Takeishi Y](#): Associations of the prognostic nutritional index with the cardiac function and survival after cardiac resynchronization therapy. *Intern Med* 60: 985-991, 2021
459. Yamagishi M, Tamaki N, Akasaka T, Ikeda T, Ueshima K, Uemura S, Otsuji Y, Kihara Y, Kimura K, Kimura T, Kusama Y, Kumita S, Sakuma H, Jinzaki M, Daida H, [Takeishi Y](#), Tada H, Chikamori T, Tsujita K, Teraoka K, Nakajima K, Nakata T, Nakatani S, Nogami A, Node K, Nohara A, Hirayama A, Funabashi N, Miura M, Mochizuki T, Yokoi H, Yoshioka K, Watanabe M, Asanuma T, Ishikawa Y, Ohara T, Kaikita K, Kasai T, Kato E, Kamiyama H, Kawashiri M, Kiso K, Kitagawa K, Kido T, Kinoshita T, Kiriyama T, Kume T, Kurata A, Kurisu S, Kosuge M, Kodani E, Sato A, Shiono Y, Shiomi H, Taki J, Takeuchi M, Tanaka A, Tanaka N, Tanaka R, Nakahashi T, Nakahara T, Nomura A, Hashimoto A, Hayashi K, Higashi M, Hiro T, Fukamachi

D, Matsuo H, Matsumoto N, Miyauchi K, Miyagawa M, Yamada Y, Yoshinaga K, Wada H, Watanabe T, Ozaki Y, Kohsaka S, Shimizu W, Yasuda S, Yoshino H, on behalf of the Japanese Circulation Society Working Group: JCS 2018 guideline on diagnosis of chronic coronary heart diseases. *Circ J* 85: 402-572, 2021

460. Sato Y, Yoshihisa A, Maki T, Takeishi Y: Effects of daily alcohol intake on glomerular filtration rate during three years. *Fukushima J Med Sci* 67: 1-7, 2021
461. Abe S, Yoshihisa A, Ichijo Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Oikawa M, Kobayashi A, Kaneshiro T, Nakazato K, Takeishi Y: Serum TRACP5b, a marker of bone resorption, is associated with adverse cardiac prognosis in hospitalized patients with heart failure. *CJC Open* 3: 470-478, 2021
462. Kamioka M, Kaneshiro T, Hijioka N, Amami K, Nodera M, Yamada S, Takeishi Y: Visit-to-visit blood pressure variability predicts atrial fibrillation recurrence after pulmonary vein isolation in patients with hypertension and atrial fibrillation. *Circ Rep* 3: 187-193, 2021
463. Anzai T, Sato T, Fukumoto Y, Izumi C, Kizawa Y, Koga M, Nishimura K, Ohishi M, Sakashita A, Sakata Y, Shiga T, Takeishi Y, Yasuda S, Yamamoto K, Abe T, Akaho R, Hamatani Y, Hosoda H, Ishimori N, Kato M, Kinugasa Y, Kubozono T, Nagai T, Oishi S, Okada K, Shibata T, Suzuki A, Suzuki T, Takagi M, Takada Y, Tsuruga K, Yoshihisa A, Yumino D, Fukuda K, Kihara Y, Saito Y, Sawa Y, Tsutsui H, Kimura T, Japanese Circulation Society Joint Working Group: JCS/JHFS 2021 statement on palliative care in cardiovascular diseases. *Circ J* 85: 695-757, 2021
464. Kiko T, Yokokawa T, Masuda A, Misaka T, Yamada S, Kaneshiro T, Oikawa M, Yoshihisa A, Nakazato K, Takeishi Y: Simultaneous assessment of coronary flow reserve and left ventricular function during vasodilator stress evaluated by ¹³N-ammonia hybrid PET/MRI. *Clin Radiol* 76: 472.e1-472.e9, 2021
465. Kaneshiro T, Amami K, Hijioka N, Nodera M, Yamada S, Yokokawa T, Misaka T, Hikichi T, Yoshihisa A, Takeishi Y: Significance of contact force on esophageal thermal injury during relative high-power short-duration ablation of atrial fibrillation. *Circ Arrhythm Electrophysiol* 14: e009897, 2021
466. Tomita Y, Yamada S, Kaneshiro T, Hijioka N, Shimizu T, Takeishi Y: A sudden rise in pacing threshold of left ventricular lead associated with myocardial ischemia. *J Arrhythm* 37: 693-695,

2021

467. Sato Y, Yoshihisa A, Ichijo Y, Watanabe K, Hotsuki Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Takeishi Y: Cardio-ankle vascular index predicts post-discharge stroke in patients with heart failure. *J Atheroscler Thromb* 28: 766-775, 2021
468. Yokokawa T, Misaka T, Kimishima Y, Wada K, Minakawa K, Sugimoto K, Ishida T, Morishita S, Komatsu N, Ikeda K, Takeishi Y: Crucial role of hematopoietic JAK2V617F in the development of aortic aneurysms. *Haematologica* 106: 1910-1922, 2021
469. Sekine T, Kamioka M, Hijioaka N, Yamada S, Kaneshiro T, Takeishi Y: Symptomatic long QT syndrome coexisting with asymptomatic acetylcholine-induced vasospasm. *Intern Med* 60: 2085-2088, 2021
470. Sugawara Y, Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Ohara H, Ichijo Y, Watanabe K, Hotsuki Y, Anzai F, Sato Y, Kimishima Y, Yokokawa T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Takeishi Y: Liver congestion assessed by hepatic vein waveforms in patients with heart failure. *CJC Open* 3: 778-786, 2021
471. Sugimoto K, Yokokawa T, Misaka T, Kaneshiro T, Yoshihisa A, Nakazato K, Takeishi Y: High-fat diet attenuates the improvement of hypoxia-induced pulmonary hypertension in mice during reoxygenation. *BMC Cardiovasc Disord* 21: 331, 2021
472. Anzai F, Karasawa T, Komada T, Yamada N, Miura Y, Sampilvanjil A, Baatarjav C, Fujimura K, Matsumura T, Tago K, Kurosu H, Takeishi Y, Kuro-O M, Takahashi M: Calciprotein particles induce interleukin-1 β / α - mediated inflammation through NLRP3 inflammasome-dependent and -independent mechanisms. *Immunohorizons* 5: 602-614, 2021
473. Marcks N, Aimo A, Jr JL, Vergaro G, Clerico A, Latini R, Meessen J, Anand IS, Cohn JN, Gravning J, Ueland T, Bayes-Genis A, Lupón J, Boer RA, Yoshihisa A, Takeishi Y, Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Tentzeris I, Ripoli A, Passino C, Wijk SS, Emdin M, Rocca HB: Re-appraisal of the obesity paradox in heart failure: a meta-analysis of individual data. *Clin Res Cardiol* 110: 1280-1291, 2021
474. Vergaro G, Gentile F, Meems LM, Aimo A, Jr JL, Richards AM, Lam CS, Latini R, Staszewsky L, Anand IS, Cohn JN, Ueland T, Gullestad L, Aukrus P, Rocca HP, Bayes-Genis A, Lupón J,

- Yoshihisa A, [Takeishi Y](#), Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Gamble GD, Ling LH, Leong KT, Yeo PS, Ong HY, Jaufeerally F, Ng TP, Troughton R, Doughty RN, Devlin G, Lund M, Giannoni A, Passino C, Boer RA, Emdin M: NT-proBNP for risk prediction in heart failure: Identification of optimal cutoffs across body mass index categories. *JACC Heart Fail* 9: 653-663., 2021
475. Ueda T, Kasama S, Yamamoto M, Nakano T, Ueshima K, Morikawa Y, Kawata H, Yoshihisa A, Nakayama M, Komatsu S, Soeda T, Watanabe M, Kawakami R, Okada Y, Tanaka H, Susuta Y, Kasahara M, Tsujita K, [Takeishi Y](#), Saito Y, CANONICAL Study Group: Effect of the sodium-glucose cotransporter 2 inhibitor canagliflozin for heart failure with preserved ejection fraction in patients with type 2 diabetes. *Circ Rep* 3: 440-448, 2021
476. Kusunose K, Imai T, Tanaka A, Dohi K, Shiina K, Yamada T, Kida K, Eguchi K, Teragawa H, [Takeishi Y](#), Ohte N, Yamada H, Sata M, Node K, on behalf of CANDLE Trial Investigators: Effects of canagliflozin on NT-proBNP stratified by left ventricular diastolic function in patients with type 2 diabetes and chronic heart failure: a sub analysis of the CANDLE trial. *Cardiovasc Diabetol* 20: 186, 2021
477. Kimishima Y, Misaka T, Yokokawa T, Wada K, Ueda K, Sugimoto K, Minakawa K, Nakazato K, Ishida T, Oshima M, Koide S, Shide K, Shimoda K, Iwama A, Ikeda K, [Takeishi Y](#): Clonal hematopoiesis with JAK2V617F promotes pulmonary hypertension with ALK1 upregulation in lung neutrophils. *Nat Commun* 12: 6177, 2021
478. Wada K, Misaka T, Yokokawa T, Kimishima Y, Kaneshiro T, Oikawa M, Yoshihisa A, [Takeishi Y](#): Blood-based epigenetic markers of FKBP5 gene methylation in patients with dilated cardiomyopathy. *J Am Heart Assoc* 10: e021101, 2021
479. Yamada S, Kaneshiro T, Yoshihisa A, Nodera M, Amami K, Nehashi T, [Takeishi Y](#): Albumin-bilirubin score for prediction of outcomes in heart failure patients treated with cardiac resynchronization therapy. *J Clin Med* 10: 5378, 2021
480. Kiko T, Yokokawa T, Misaka T, Masuda A, Yoshihisa A, Yamaki T, Kunii H, Nakazato K, [Takeishi Y](#): Myocardial viability with chronic total occlusion assessed by hybrid positron emission tomography/magnetic resonance imaging. *J Nucl Cardiol* 28: 2335-2342, 2021
481. Suzuki S, Yoshihisa A, Yokokawa T, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Tsuda A,

- Tsuda T, Ishibashi T, Konno I, Yamaguchi O, Machii H, Nozaki N, Niizeki T, Miyamoto T, [Takeishi Y](#), on behalf of the multicenter randomized trial investigators: Comparison between febuxostat and allopurinol uric acid-lowering therapy in patients with chronic heart failure and hyperuricemia: a multicenter randomized controlled trial. *J Int Med Res* 49: 3000605211062770, 2021
482. Sato Y, Yoshihisa A, Takeishi R, Ohara H, Sugawara Y, Ichijo Y, Hotsuki Y, Watanabe K, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, [Takeishi Y](#): Simplified academic research consortium for high bleeding risk (ARC-HBR) definition predicts bleeding events in patients with heart failure. *Circ J* 86: 147-155, 2021
483. Vergaro G, Aimo A, Jr JL, Richards AM, Lam CS, Latini R, Staszewsky L, Anand IS, Ueland T, Rocca HP, Bayes-Genis A, Lupón J, Boer RA, Yoshihisa A, [Takeishi Y](#), Gustafsson I, Eggers KM, Huber K, Gamble GD, Leong KT, Yeo PS, Ong HY, Jaufeerally F, Ng TP, Troughton R, Doughty RN, Emdin M, Passino C: Cardiac biomarkers retain prognostic significance in patients with heart failure and chronic obstructive pulmonary disease. *J Cardiovasc Med* 23: 28-36, 2022
484. Amami K, Yamada S, Yoshihisa A, Kaneshiro T, Hijioka N, Nodera M, Nehashi T, [Takeishi Y](#): Predictive impacts of chronic kidney disease and cardiac sympathetic nervous activity on lethal arrhythmic events in chronic heart failure. *Ann Noninvas Electro* 27: e12900, 2022
485. Oikawa M, Yaegashi D, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Kobayashi A, Yoshihisa A, Nakazato K, Ishida T, [Takeishi Y](#): D-dimer is a predictive factor of cancer therapeutics-related cardiac dysfunction in patients treated with cardiotoxic chemotherapy. *Front Cardiovasc Med* 8: 807754, 2022
486. Hijioka N, Kaneshiro T, Nehashi T, Amami K, Nodera M, Yamada S, Kamioka M, Ishida T, [Takeishi Y](#): Procedural characteristics of pulmonary vein isolation with high-power short-duration setting ablation compared to conventional setting. *BMC Cardiovasc Disord* 22: 14, 2022
487. Ohara H, Yoshihisa A, Horikoshi Y, Ishibashi S, Matsuda M, Yamadera Y, Sugawara Y, Ichijo Y, Hotsuki Y, Watanabe K, Sato Y, Misaka T, Kaneshiro T, Oikawa M, Kobayashi A, [Takeishi Y](#): Renal venous stasis index reflects renal congestion and predicts adverse outcomes in patients with heart failure. *Front Cardiovasc Med* 9: 772466, 2022
488. Akama J, Shimizu T, Ando T, Anzai F, Muto Y, Kimishima Y, Kiko T, Yoshihisa A, Yamaki T,

- Kunii H, Nakazato K, Ishida T, Takeishi Y: Prognostic value of the pattern of non-adherence to anti-platelet regimen in stented patients (PARIS) bleeding risk score for long-term mortality after percutaneous coronary intervention. *Int Heart J* 63: 15-22, 2022
489. Kamioka M, Hijioka N, Nodera M, Yamada S, Kaneshiro T, Takeishi Y: Electrophysiological properties and involvement of anatomical factors for the prediction of intramural origin in patients with ventricular tachyarrhythmia arising from the left ventricular outflow tract. *J Interv Card Electrophysiol* 63: 115-123, 2022
490. Kinugasa Y, Nakamura K, Kamitani H, Hirai M, Yanagihara K, Kato M, Nagai T, Yoshikawa T, Saito Y, Takeishi Y, Yamamoto K, Anzai T: Left ventricular mass index-to-QRS-voltage ratio predicts outcomes in heart failure with preserved ejection fraction. *ESC Heart Fail* 9: 1098-1106, 2022
491. Sugawara Y, Kobayashi A, Muto Y, Igarashi T, Takeishi Y: Perforation of the membranous atrioventricular septum caused by infective endocarditis in a patient with a unicuspid aortic valve. *J Med Ultrason* 49: 311-312, 2022
492. Yoshihisa A, Kono S, Kaneshiro T, Ichijo Y, Misaka T, Yamada S, Oikawa M, Miura I, Yabe H, Takeishi Y: Impaired brain activity in patients with persistent atrial fibrillation assessed by near-infrared spectroscopy and its changes after catheter ablation. *Sci Rep* 12: 7866, 2022
493. Shimizu T, Sakuma Y, Kurosawa Y, Muto Y, Sato A, Abe S, Misaka T, Oikawa M, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, Takeishi Y: Validation of Japanese bleeding risk criteria in patients after percutaneous coronary intervention and comparison with contemporary bleeding risk criteria. *Circ Rep* 4: 230-238, 2022
494. Hoshide S, Yoshihisa A, Tsuchida F, Mizuno H, Teragawa H, Kasai T, Koito H, Ando S, Watanabe Y, Takeishi Y, Kario K: Pulse transit time-estimated blood pressure: a comparison of beat-to-beat and intermittent measurement. *Hypertens Res* 45: 1001-1007, 2022
495. Sato Y, Yoshihisa A, Takeishi R, Ohara H, Sugawara Y, Ichijo Y, Hotsuki Y, Watanabe K, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Takeishi Y: B-type natriuretic peptide is associated with the occurrence of bleeding events in heart failure patients with a history of coronary artery disease. *J Cardiol* 80: 88-93, 2022

496. Jin Y, Yaegashi D, Shi L, Ishida M, Sakai C, Yokokawa T, Abe Y, Sakai A, Yamaki T, Kunii H, Nakazato K, Hijioka N, Awai K, Tashiro S, [Takeishi Y](#), Ishida T: DNA damage induced by radiation exposure from cardiac catheterization - an analysis in patients and operators. *Int Heart J* 63: 466-475, 2022
497. Takeishi R, Misaka T, Ichijo Y, Ishibashi S, Matsuda M, Yamadera Y, Ohara H, Sugawara Y, Hotsuki Y, Watanabe K, Anzai F, Sato Y, Sato T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, Yoshihisa A, [Takeishi Y](#): Increases in hepatokine selenoprotein P levels are associated with hepatic hypoperfusion and predict adverse prognosis in patients with heart failure. *J Am Heart Assoc* 11: e024901, 2022
498. Vergaro G, Gentile F, Aimo A, Jr JL, Richards AM, Lam CS, Boer RA, Meems LM, Latini R, Staszewsky L, Anand IS, Cohn JN, Ueland T, Gullestad L, Aukrust P, Rocca HP, Bayes-Genis A, Lupón J, Yoshihisa A, [Takeishi Y](#), Egstrup M, Gustafsson I, Gaggin HK, Eggers KM, Huber K, Gamble GD, Ling LH, Leong KT, Yeo PS, Ong HY, Jaueferally F, Ng TP, Troughton R, Doughty RN, Devlin G, Lund M, Giannoni A, Passino C, Emdin M: Circulating levels and prognostic cut-offs of sST2, hs-cTnT, and NT-proBNP in women vs. men with chronic heart failure. *ESC Heart Fail* 9: 2084-2095, 2022
499. Kubo T, Amano M, Takashio S, Okumura T, Yamamoto S, Nabeta T, Oikawa M, Kurisu S, Ochi Y, Sugiura K, Baba Y, Kuroiwa H, Hirota T, Yamasaki N, Ishii S, Nochioka K, [Takeishi Y](#), Yasuda S, Tsujita K, Izumi C, Kitaoka H: A retrospective investigation to establish new screening approach for the detection of patients at high risk of Fabry disease in male left ventricular hypertrophy patients. *J Cardiol* 80: 325-331, 2022
500. Takeishi R, Yoshihisa A, Hotsuki Y, Anzai F, Sato Y, Sumita Y, Nakai M, Misaka T, [Takeishi Y](#): Temporal trends in the practice pattern for sleep-disordered breathing in patients with cardiovascular diseases in Japan - Insights from the Japanese registry of all cardiac and vascular diseases - diagnosis procedure combination. *Circ J* 86: 1428-1436, 2022
501. Amami K, Yoshihisa A, Horikoshi Y, Yamada S, Nehashi T, Hijioka N, Nodera M, Kaneshiro T, Yokokawa T, Misaka T, [Takeishi Y](#): Utility of a novel wearable electrode embedded in an undershirt for electrocardiogram monitoring and detection of arrhythmias. *PLoS One* 17: e0273541, 2022
502. Ohwada T, Sakamoto T, Suzuki S, Sugawara Y, Sakamoto K, Ikeda A, Haga F, Sato T, Nakazato

- K, [Takeishi Y](#), Watanabe K: Apolipoprotein C3 and necrotic core volume are correlated but also associated with future cardiovascular events. *Sci Rep* 12: 14554, 2022
503. Haga F, Oikawa M, Akama J, Kiko T, Yamada S, Yoshihisa A, Nakazato K, [Takeishi Y](#): ATTR amyloidosis concomitant with parkinsonism and cardiac sympathetic neuropathy. *Ann Nucl Cardiol* 8: 117-119, 2022
504. Tomita Y, Misaka T, Yoshihisa A, Ichijo Y, Ishibashi S, Matsuda M, Yamadera Y, Ohara H, Sugawara Y, Hotsuki Y, Watanabe K, Anzai F, Sato Y, Sato T, Oikawa M, Kobayashi A, [Takeishi Y](#): Decreases in hepatokine Fetuin-A levels are associated with hepatic hypoperfusion and predict cardiac outcomes in patients with heart failure. *Clin Res Cardiol* 111: 1104-1112, 2022
505. Akama J, Shimizu T, Ando T, Anzai F, Muto Y, Kimishima Y, Kiko T, Yoshihisa A, Yamaki T, Kunii H, Nakazato K, Ishida T, [Takeishi Y](#): Clinical usefulness of the pattern of non-adherence to anti-platelet regimen in stented patients (PARIS) thrombotic risk score to predict long-term all-cause mortality and heart failure hospitalization after percutaneous coronary intervention. *PLoS One* 17: e0274287, 2022
506. Hijioka N, Kaneshiro T, Nehashi T, Amami K, Nodera M, Yamada S, Yokokawa T, Misaka T, [Takeishi Y](#): Influence of power setting on superior vena cava potential during right pulmonary vein isolation. *J Interv Card Electrophysiol* 65: 25-31, 2022
507. Yamada S, Kaneshiro T, Hijioka N, Amami K, Horikoshi Y, Yamadera Y, Hikichi T, Yoshihisa A, [Takeishi Y](#): Autonomic cardiogastric neural interaction after pulmonary vein isolation in patients with atrial fibrillation. *J Interv Card Electrophysiol* 65: 357-364, 2022
508. Tamura Y, Tamura Y, Taniguchi Y, Tsujino I, Inami T, Matsubara H, Shigeta A, Sugiyama Y, Adachi S, Abe K, Baba Y, Hatano M, Ikeda S, Kusunose K, Sugimura K, Usui S, [Takeishi Y](#), Dohi K, Hasegawa-Tamba S, Horimoto K, Kikuchi N, Kumamaru H, Tatsumi K, on behalf of the Japan Pulmonary Hypertension Registry Network: Clinical management and outcomes of patients with portopulmonary hypertension enrolled in the Japanese Multicenter Registry. *Circ Rep* 4: 542-549, 2022
509. Sugawara Y, Yoshihisa A, Takeishi R, Ohara H, Anzai F, Hotsuki Y, Watanabe K, Sato Y, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Nakazato K, [Takeishi Y](#): Prognostic effects of changes in right ventricular fractional area change in patients with heart failure. *Circ J* 86: 1982-

1989, 2022

510. Takahashi H, Mori H, Fukatsu M, Sano T, Harada K, Oikawa M, [Takeishi Y](#), Kimura S, Ohkawara H, Shichishima T, Ikezoe T: Successful management of unstable angina in a ravulizumab-treated patient with paroxysmal nocturnal hemoglobinuria. *Fukushima J Med Sci* 68: 175-178, 2022
511. Anzai F, Yoshihisa A, Takeishi R, Hotsuki Y, Sato Y, Sumita Y, Nakai M, Misaka T, [Takeishi Y](#): Acute myocardial infarction caused by Kawasaki disease requires more intensive therapy: Insights from the Japanese Registry of All Cardiac and Vascular Diseases - Diagnosis Procedure Combination. *Catheter Cardiovasc Interv* 100: 1173-1181, 2022
512. Sakuma Y, Nakazato K, Shimizu T, Ikeda A, Ohara H, Kobayashi A, Yamaki T, Ishida T, [Takeishi Y](#): A rare case of fibromuscular dysplasia with multifocal coronary artery involvement evaluated by intravascular ultrasound. *J Cardiol Cases* 27: 12-15, 2023
513. Endo K, Kiko T, Yamakuni R, Misaka T, Yamaki T, Nakazato K, Fukushima K, [Takeishi Y](#): Prognostic value of simultaneous analysis with myocardial flow reserve and right ventricular strain by hybrid ¹³N-ammonia positron emission tomography/magnetic resonance imaging in coronary artery disease. *Int Heart J* 63: 1063-1069, 2022
514. Kurosawa Y, Shimizu T, Ando T, Akama J, Muto Y, Kimishima Y, Kiko T, Sato A, Misaka T, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): The prognostic impact of D-dimer on long-term mortality in patients with coronary artery disease after percutaneous coronary intervention. *Int Heart J* 63: 1070-1077, 2022
515. Shiina K, Tomiyama H, Tanaka A, Imai T, Hisauchi I, Taguchi I, Sezai A, Toyoda S, Dohi K, Kamiya H, Kida K, Anzai T, Chikamori T, Node K, CANDLE trial investigators (Oikawa M, [Takeishi Y](#), Yoshihisa A): Canagliflozin independently reduced plasma volume from conventional diuretics in patients with type 2 diabetes and chronic heart failure: a subanalysis of the CANDLE trial. *Hypertens Res* 46: 495-506, 2023
516. Yamada S, Kaneshiro T, Nodera M, Amami K, Nehashi T, [Takeishi Y](#): Left atrial epicardial adipose tissue exacerbates electrical conduction disturbance in normal-weight patients undergoing pulmonary vein isolation for atrial fibrillation. *J Cardiovasc Electrophysiol* 34: 565-574, 2023

517. Nozaki Y, Yoshihisa A, Sato Y, Ohara H, Sugawara Y, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, Takeishi Y: Persistent hypochloremia is associated with adverse prognosis in patients repeatedly hospitalized for heart failure. *J Clin Med* 12: 1257, 2023
518. Misaka T, Yoshihisa A, Yokokawa T, Takeishi Y: Effects of continuous positive airway pressure on very short-term blood pressure variability associated with sleep-disordered breathing by pulse transit time-based blood pressure measurements. *J Hypertens* 41: 733-740, 2023
519. Ohte N, Tanaka A, Kitada S, Yamada T, Eguchi K, Teragawa H, Takeishi Y, Kodama K, Seo Y, Node K, CANDLE Trial Investigators: Influence of left ventricular ejection fraction on the reduction in N-terminal pro-brain natriuretic peptide by canagliflozin in patients with heart failure and type 2 diabetes: a sub analysis of the CANDLE trial. *J Cardiol* 81: 508-512, 2023
520. Ichimura S, Oikawa M, Ikeda A, Endo K, Muto Y, Akama J, Yamaki T, Nakazato K, Sato M, Ishida T, Suzuki O, Takeishi Y: A case of COVID-19-associated fulminant myocarditis due to SARS-CoV-2 omicron BA.2 sub-lineage in an unvaccinated female. *J Cardiol Cases* 28: 1-3, 2023
521. Misaka T, Yoshihisa A, Ichijo Y, Ishibashi S, Matsuda M, Yamadera Y, Ohara H, Sugawara Y, Anzai F, Sato Y, Abe S, Sato T, Oikawa M, Kobayashi A, Takeishi Y: Prognostic significance of spleen shear wave elastography and dispersion in patients with heart failure: the crucial role of cardio-splenic axis. *Clin Res Cardiol* 112: 942-953, 2023
522. Ohara H, Yoshihisa A, Ishibashi S, Matsuda M, Yamadera Y, Sugawara Y, Ichijo Y, Sato Y, Misaka T, Sato T, Oikawa M, Kobayashi A, Takeishi Y: Hepatic venous stasis index reflects hepatic congestion and predicts adverse outcomes in patients with heart failure. *J Am Heart Assoc* 12: e029857, 2023
523. Sano T, Ueda K, Minakawa K, Mori T, Hashimoto Y, Koseki H, Takeishi Y, Ikeda K, Ikezoe T: Impaired repopulating ability of Uhrf2^{-/-} hematopoietic progenitor cells in mice. *Genes* 14: 1531, 2023
524. Sato Y, Yoshihisa A, Ide T, Tohyama T, Enzan N, Matsushima S, Tsutsui H, Takeishi Y: Regional variation in the clinical practice and prognosis in patients with heart failure with reduced ejection fraction in Japan - A report from the Japanese Registry of Acute Decompensated Heart Failure (JROADHF). *Circ J* 87: 1380-1391, 2023

525. Yamada S, Kaneshiro T, Nodera M, Amami K, Nehashi T, Horikoshi Y, Yamadera Y, [Takeishi Y](#): Utility of short-time electrocardiogram to assess risk for atrial arrhythmia recurrence: Impact of atrial premature beat occurrence 1 day after pulmonary vein isolation for atrial fibrillation. *J Cardiovasc Electrophysiol* 34: 1969-1978, 2023
526. Nishiura K, Nakazato K, Yokokawa T, Suzuki Y, Kurosawa Y, Wada K, Shimizu T, Oikawa M, Kobayashi A, Sugimoto K, Shakespear N, Hashimoto Y, [Takeishi Y](#): A case of giant goiter associated with airway stenosis caused by long-term intravenous epoprostenol therapy for idiopathic pulmonary arterial hypertension. *J Clin Med* 12: 6359, 2023
527. Fukushima K, Endo K, Yamakuni R, Kiko T, Sekino H, Kikori K, Ukon N, Ishii S, Yamaki T, Ito H, [Takeishi Y](#): Simultaneous assessment of left ventricular mechanical dyssynchrony using integrated ¹³N-ammonia PETMR system: direct comparison of PET phase analysis and MR feature tracking. *J Nucl Cardiol* 30: 1947-1958, 2023
528. Sakuma Y, Shimizu T, Kurosawa Y, Ohara H, Muto Y, Sato Y, Kiko T, Sato A, Misaka T, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): Impact of bleeding event for new cancer diagnosis in patients with antiplatelet therapy after percutaneous coronary intervention. *J Cardiol* 82: 460-466, 2023
529. Nishiura K, Yokokawa T, Misaka T, Ichimura S, Tomita Y, Miura S, Shimizu T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yoshihisa A, [Takeishi Y](#): Prognostic role of circulating LTBP-2 in patients with dilated cardiomyopathy: a novel biomarker reflecting extracellular matrix LTBP-2 accumulation. *Can J Cardiol* 39: 1436-1445, 2023
530. Endo K, Shimizu T, Muto Y, Kimishima Y, Abe S, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): Acute coronary syndrome with severe coronary calcification in a patient with pseudo-pseudohypoparathyroidism. *J Cardiol Cases* 28: 172-175, 2023
531. Tomita Y, Anzai F, Misaka T, Ogawara R, Ichimura S, Wada K, Kimishima Y, Yokokawa T, Ishida T, [Takeishi Y](#): Targeting N-myristoylation through NMT2 prevents cardiac hypertrophy and heart failure. *JACC Basic Transl Sci* 8: 1263-1282, 2023
532. Nehashi T, Kaneshiro T, Nodera M, Yamada S, [Takeishi Y](#): Characteristics of right pulmonary vein with an epicardial connection needing additional carina ablation for isolation. *J Arrhythm*

39: 884-893, 2023

533. Shimizu T, Abe S, Asano T, Kaneshiro T, Kobayashi A, Yamaki T, Nakazato K, Takanashi S, Isobe M, [Takeishi Y](#): Perioperative immunosuppressive therapy and coronary ostial angioplasty for unstable angina with Takayasu arteritis. *J Cardiol Cases* 28: 257-260, 2023
534. Isomatsu D, Sato A, Sakuma Y, Kurosawa Y, Muto Y, Sato Y, Kiko T, Shimizu T, Misaka T, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): The prognostic implications of living alone on long-term mortality in patients with chronic coronary syndrome after percutaneous coronary intervention. *Int Heart J* 64: 584-589, 2023
535. Abe S, Yoshihisa A, Ohara H, Sugawara Y, Sato Y, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, [Takeishi Y](#): Calcium-phosphorus product is associated with adverse prognosis in hospitalized patients with heart failure and chronic kidney disease. *Int Heart J* 65: 84-93, 2024
536. Isomatsu D, Sato A, Muto Y, Sato Y, Shimizu T, Misaka T, Kaneshiro T, Oikawa M, Kobayashi A, Yoshihisa A, Yamaki T, Kunii H, Nakazato K, Ishida T, Sekino H, Fukushima K, Ito H, [Takeishi Y](#): Predictive value of aortic valve calcium volume measured by computed tomography for paravalvular leakage after transcatheter aortic valve implantation. *Int Heart J* 65: 63-70, 2024
537. Tani T, Oikawa M, Misaka T, Ishida T, [Takeishi Y](#): Heart failure post-myocardial infarction promotes mammary tumor growth through the NGF-TRKA pathway. *JACC CardioOncol* 6: 55-66, 2024
538. Sato Y, Yoshihisa A, Nozaki Y, Ohara H, Sugawara Y, Abe S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, [Takeishi Y](#): Geriatric nutritional risk index predicts bleeding event in patients with heart failure. *ESC Heart Fail* 11: 702-708, 2024
539. Katahira M, Fukushima K, Kiko T, Yamakuni R, Endo K, Yoshihisa A, Ishii S, Ito H, [Takeishi Y](#): Prognostic significance of left atrial strain combined with left ventricular strain using cardiac magnetic resonance feature tracking in patients with heart failure with preserved ejection fraction. *Heart Vessels* 39: 404-411, 2024
540. Sakuma M, Kato Y, [Takeishi Y](#): Temporal change of extracellular volume on computed tomography with late enhancement: a case of Takotsubo syndrome. *Eur Heart J Case Rep* 8:

ytae175, 2024

541. Ichimura S, Misaka T, Ogawara R, Tomita Y, Anzai F, Sato Y, Miura S, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yoshihisa A, [Takeishi Y](#): Neutrophil extracellular traps in myocardial tissue drive cardiac dysfunction and adverse outcomes in patients with heart failure with dilated cardiomyopathy. *Circ Heart Fail* 17: e011057, 2024
542. Yamada S, Kaneshiro T, Nodera M, Amami K, Nehashi T, Oikawa M, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): Associations of the fibrosis-4 index with left atrial low-voltage areas and arrhythmia recurrence after catheter ablation: Cardio-hepatic interaction in patients with atrial fibrillation. *J Arrhythm* 40: 585-593, 2024
543. Yokokawa T, Nishiura K, Katahira M, Sato Y, Miura S, Sato A, Shimizu T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Yoshihisa A, Sugimoto K, Fukushima K, Nakazato K, [Takeishi Y](#): Collagen triple helix repeat-containing protein 1 is a novel biomarker of right ventricular involvement in pulmonary hypertension. *Can J Cardiol* 40: 2281-2288, 2024
544. Shimizu T, Sakuma Y, Muto Y, Anzai F, Kimishima Y, Sato Y, Sato A, Yokokawa T, Misaka T, Oikawa M, Yoshihisa A, Yamaki T, Nakazato K, Ishida T, [Takeishi Y](#): Impact of cardio-ankle vascular index on future cancer in patients with coronary artery disease. *Circ Rep* 6: 372-380, 2024
545. Isomatsu D, Yamaki T, Ikeda A, Oikawa M, Hisa S, [Takeishi Y](#): Intracardiac thrombus associated with heparin-induced thrombocytopenia in a patient with patent foramen ovale. *Circ J* 88: 1501, 2024
546. Sato Y, Yoshihisa A, Sugawara Y, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, [Takeishi Y](#): Malnutrition stratified by marasmus and kwashiorkor in adult patients with heart failure. *Sci Rep* 14: 19722, 2024
547. Tomita Y, Misaka T, Sugawara Y, Ichijo Y, Anzai F, Sato Y, Kimishima Y, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Yoshihisa A, [Takeishi Y](#): Reduced fetuin-A levels are associated with exercise intolerance and predict the risk of adverse outcomes in patients with heart failure: The role of cardiac-hepatic-peripheral interaction. *J Am Heart Assoc* 13: e035139, 2024
548. Suenaga H, Fukushima K, Ishii S, Hasegawa O, Muto Y, Yamakuni R, Sugawara S, Sekino H,

- Sato A, Oikawa M, [Takeishi Y](#), Ito H: Global and regional reduction of myocardial perfusion in patients with transthyretin type of cardiac amyloidosis: A Dual SPECT Study using ^{99m}Tc Pyrophosphate and ²⁰¹Thallium. *Ann Nucl Cardiol* 10: 16-22, 2024
549. Hara J, Ishii S, Kobiyama H, Fukushima K, Kawamoto N, Yamakuni R, Suenaga H, Muto Y, Sugawara S, Sato A, Oikawa M, [Takeishi Y](#), Ito H: A quantitative diagnostic method using ^{99m}Tc-pyrophosphate lateral planar images to distinguish between transthyretin amyloid cardiomyopathy and false-positive images due to blood pools. *Ann Nucl Cardiol* 10: 23-28, 2024
550. Isomatsu D, Oikawa M, Muto Y, Kunii H, Takase S, [Takeishi Y](#): Successful implantation of balloon-expandable transcatheter aortic valve against quadricuspid aortic valve stenosis. *Oxf Med Case Reports* 2024: 485-486, 2024
551. Kuroda J, Oikawa M, Tokuda E, Tachibana K, Sasaki E, Ohtake T, [Takeishi Y](#), Saji S: Development of cancer therapy-related cardiac dysfunction in anthracycline-treated breast cancer patients: a retrospective study. *Support Care Cancer* 33: 8, 2024
552. Kaneshiro T, Murota S, Nehashi T, Nodera M, Yamada S, Ikeda M, [Takeishi Y](#): Achieving reduced radiation exposure with maintained fluoroscopy effectiveness using ultralow-dose settings in cryoballoon ablation. *J Arrhythm* 40: 1400-1407, 2024
553. Misaka T, Sato Y, Sugawara Y, Ogawara R, Ichimura S, Tomita Y, Anzai F, Yokokawa T, Sato A, Shimizu T, Sato T, Oikawa M, Kobayashi A, Yoshihisa A, [Takeishi Y](#): Elevated blood bicarbonate levels and long-term adverse outcomes in patients with chronic heart failure. *ESC Heart Fail* 11: 4420-4426, 2024
554. Yamada S, Kaneshiro T, Nodera M, Murota S, [Takeishi Y](#): Critical ablation targets of ventricular tachycardia revealed by activation mapping with both last deflection and peak frequency annotations in a patient of cardiac sarcoidosis. *J Arrhythm* 40: 1510-1513, 2024
555. Asano T, Yoshida S, Matsuoka N, Ishikawa M, Sato A, Ogawa S, Saito K, Sumichika Y, Matsumoto H, Temmoku J, Fujita Y, Sato S, [Takeishi Y](#), Yamamoto T, Migita K: Efficacy of secukinumab in Takayasu arteritis with myocardial infarction complicated with generalized pustular psoriasis. *Medicine* 103: e40994, 2024
556. Katahira M, Fukushima K, Endo K, Kawakubo M, Ukon N, Yamakuni R, Kiko T, Shimizu T,

- Ishii S, Yamaki T, Nagao M, Ito H, Takeishi Y: Feasibility of position emission tomography derived endocardial wall strain: direct comparison with magnetic resonance using hybrid ¹³N ammonia PETMR system. *Ann Nucl Med* 39: 285–294, 2025
557. Tani T, Oikawa M, Ohara H, Yaegashi D, Sato Y, Yokokawa T, Miura S, Misaka T, Yoshihisa A, Ishida T, Takeishi Y: Subclinical B-type natriuretic peptide elevation 24 months after anthracycline- containing chemotherapy. *Int Heart J* 66: 279-284, 2025
558. Sato Y, Yoshihisa A, Ohashi N, Takeishi R, Sekine T, Nishiura K, Ogawara R, Ichimura S, Kimishima Y, Yokokawa T, Miura S, Misaka T, Sato T, Oikawa M, Kobayashi A, Yamaki T, Nakazato K, Takeishi Y: Association of nighttime very short-term blood pressure variability determined by pulse transit time with adverse prognosis in patients with heart failure. *Hypertens Res* 48: 1305-1314, 2025
559. Kaneshiro T, Murota S, Nodera M, Yamada S, Oikawa M, Takeishi Y: Feasibility of a 90-watt, 3-second radiofrequency application for superior vena cava isolation during atrial fibrillation ablation. *Europace* 27: euaf056, 2025
560. Muto Y, Isomatsu D, Sato Y, Sato A, Shimizu T, Misaka T, Oikawa M, Kobayashi A, Yoshihisa A, Nakazato K, Ishida T, Sekino H, Fukushima K, Ito H, Takeishi Y: The relationship between chronic expansion of self-expandable valves and paravalvular leakage in transcatheter aortic valve implantation. *Cardiovasc Intervent Ther* 40: 669-678, 2025
561. Endo K, Fukushima K, Katahira M, Kiko T, Yamakuni R, Ukon N, Shimizu T, Ishii S, Oikawa M, Ito H, Takeishi Y: Left ventricular diastolic inflow and myocardial flow reserve in patients with coronary artery disease: Simultaneous analysis of 4D-flow and myocardial perfusion using hybrid PETMR. *Int J Cardiovasc Imaging* 41: 1075-1083, 2025
562. Ohashi N, Sato Y, Yoshihisa A, Takeishi R, Misaka T, Yokokawa T, Sato T, Oikawa M, Kobayashi A, Nakazato K, Takeishi Y: Nighttime systolic blood pressure determined by pulse transit time predicts cardiac events in patients with heart failure. *J Am Heart Assoc* 14: e039917, 2025
563. Nodera M, Kaneshiro T, Murota S, Yamada S, Oikawa M, Takeishi Y: Impact of the distance from the cavotricuspid isthmus to the right coronary artery on first-pass conduction block during cryoablation for atrial flutter. *J Arrhythm* 41: e70159, 2025

564. Horikoshi Y, Hirata RS, Suzuki N, Inomata Y, Oikawa M, Kotani T, Watanabe T, Takahashi E, Okazaki K, Hoshi M, Endo Y, Nakanowatari T, Abe H, Kusumoto Y, Yokozuka M, Shiba Y, Tanaka Y, Asao A, Kurasawa S, [Takeishi Y](#), Yoshihisa A: Associations between obesity and arterial stiffness assessed by cardio-ankle vascular index in healthy children and adolescents. *Front Cardiovasc Med* 12: 1633849, 2025
565. Miura S, Misaka T, Sekine T, Ogawara R, Ichimura S, Tomita Y, Yokokawa T, Oikawa M, Ishida T, [Takeishi Y](#): Detyrosinated α -tubulin mediates mitochondrial dysfunction and diastolic impairment in heart failure with preserved ejection fraction. *Febs Lett* 599: 2474-2490, 2025
566. Sakuma M, Suzuki S, Hirota N, Motogi J, Umemoto T, Nakai H, Matsuzawa W, Takayanagi T, Hyodo A, Satoh K, Arita T, Yagi N, Kishi M, Semba H, Kano H, Matsuno S, Kato Y, Otsuka T, Yajima J, [Takeishi Y](#), Uejima T, Oikawa Y, Yamashita T: Utility of convolutional neural network-enhanced electrocardiogram to diagnose and predict mitral regurgitation in patients with chronic atrial fibrillation. *Heart Vessels* 40: 883-894, 2025
567. Sakuma M, Kato Y, Hirota N, Arita T, Yagi N, Kishi M, Kano H, Matsuno S, Suzuki S, Otsuka T, Yajima J, Yamashita T, [Takeishi Y](#), Uejima T, Oikawa Y: Association between left ventricular hypertrophy and hemoglobin A1c levels. *J Cardiol* 86: 420-421, 2025
568. Oikawa M, Haga F, Tani T, Yokokawa T, Miura S, Misaka T, Kaneshiro T, Yoshihisa A, Ishida T, [Takeishi Y](#): Clinical significance of cardiac troponin I elevation in detecting immune checkpoint inhibitor-induced myocarditis. *Circ Rep* 10: 948-955, 2025
569. Suzuki Y, Misaka T, Sato Y, Okochi S, Ogawara R, Ichimura S, Yokokawa T, Sato A, Shimizu T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yoshihisa A, [Takeishi Y](#): Association between serum potassium variability during hospitalization and clinical outcomes in patients with heart failure. *Eur J Intern Med* 141: 106408, 2025
570. Katahira M, Fukushima K, Endo K, Kawakubo M, Ukon N, Yamakuni R, Kiko T, Shimizu T, Ishii S, Oikawa M, Nagao M, Ito H, [Takeishi Y](#): Validation of in vivo myocardial strain with PET derived feature tracking: direct comparison with tagging-cine magnetic resonance. *Ann Nucl Cardiol* 11: 26-32, 2025
571. Tamura Y, Tamura Y, Takemura R, Taniguchi Y, Tsujino I, Inami T, Matsubara H, Shigeta A, Hatano M, Adachi S, Tahara N, Sakurai K, Horimoto K, Yaoita N, Abe K, Dohi Y, Kimura K,

Kubota K, Kikuchi N, Yasuoka H, Baba Y, Shinke T, Amino M, Yamaguchi N, Ikeda S, Sato T, Ishida M, Sera F, Nakanishi N, Konishi H, Kinugawa K, Kashimura T, Dohi K, Nakamura K, Usui S, Tanaka S, Kubota S, Ikeda N, Yoshikawa M, Odagiri K, Tasaka S, Takeishi Y, Sugano T, Sugimura K, Tatsumi K, Kuwana M, on behalf of the Japan Pulmonary Hypertension Registry Network: Immunosuppressive therapy for pulmonary arterial hypertension associated with connective tissue diseases: Insights from Japanese Registry. *Adv Ther* 42: 6103-6117, 2025

572. Ikeda A, Fukushima K, Katahira M, Ukon N, Yamakuni R, Akama J, Shimizu T, Kiko T, Ishii S, Oikawa M, Ito H, Takeishi Y: Simultaneous measurement of coronary sinus flow and myocardial flow reserve using hybrid ¹³N-ammonia PETMR in patients with ischemic heart disease. *Int J Cardiovasc Imaging* 41: 2373-2381, 2025

573. Anzai F, Isomatsu D, Misaka T, Sato Y, Muto Y, Sato Y, Sato A, Yokokawa T, Shimizu T, Oikawa M, Kobayashi A, Yoshihisa A, Takeishi Y: Clinical impact of circulating calciprotein particles in patients with degenerative aortic valve stenosis undergoing transcatheter aortic valve implantation. *Eur J Prev Cardiol* 32: 1806-1808, 2025

574. Nodera M, Kaneshiro T, Murota S, Yamada S, Oikawa M, Takeishi Y: Posterior offset of inferior caval vein and its impact on cavotricuspid conduction block difficulty during cryoablation for common-type atrial flutter. *Heart Rhythm* (in press)

575. Endo K, Fukushima K, Katahira M, Kiko T, Ukon N, Yamakuni R, Shimizu T, Ishii S, Oikawa M, Ito H, Takeishi Y: Kinetic energy of left ventricular blood flow under pharmacological stress: analysis of 4D-flow and myocardial perfusion using hybrid PET/MR. *Journal of Computer Assisted Tomography* (in press)

576. Yamada S, Kaneshiro T, Nodera M, Amami K, Murota S, Oikawa M, Ishida T, Takeishi Y: Atrial to brain natriuretic peptide ratio as a marker of atrial remodeling severity and post-ablation recurrence risk in atrial fibrillation patients with left atrial enlargement. *J Interv Card Electrophysiol* (in press)

577. Yokokawa T, Nishiura K, Akama J, Sato Y, Miura S, Sato A, Shimizu T, Misaka T, Sato T, Oikawa, Yoshihisa A, Sugimoto K, Nakazato K, Takeishi Y: Significance of 14-3-3 epsilon for right ventricular failure associated with pulmonary hypertension. *Intern Med* (in press)

578. Ogawara R, Misaka T, Ohashi N, Ichimura S, Tomita Y, Tani T, Anzai F, Sato Y, Yokokawa T,

- Sato A, Shimizu T, Sato T, Oikawa M, Kobayashi A, Yoshihisa A, Takeishi Y: Very short-term blood pressure variability by pulse transit time-based measurements during night-time predicts future cardiovascular events in patients with ischemic heart disease. *Clin Res Cardiol* (in press)
579. Nishiura K, Yokokawa T, Ichimura S, Miura S, Sato A, Shimizu T, Misaka T, Oikawa M, Yoshihisa A, Sugimoto K, Muto S, Suzuki H, Ueda K, Ikeda K, Nakazato K, Ishida T, Takeishi Y: Targeting CSF1R attenuates the development of pulmonary arterial hypertension through CCL2. *Am J Respir Cell Mol Biol* (in press)
580. Ikeda A, Fukushima K, Ishii S, Endo K, Katahira M, Ukon N, Yamakuni R, Kiko T, Shimizu T, Ishii S, Oikawa M, Ito H, Takeishi Y: Assessment of left ventricular mechanical synchrony and intraventricular blood flow energy in ischemic heart disease using a hybrid positron emission tomography—magnetic resonance system. *Int J Cardiol* (in press)
581. Murota S, Nodera M, Ohashi N, Ogawara R, Sato Y, Yokokawa T, Misaka T, Yamada S, Kaneshiro T, Oikawa M, Yoshihisa A, Takeishi Y: Higher very short-term blood pressure variability is associated with lower atrial fibrillation recurrence after catheter ablation. *Front Cardiovasc Med* (in press)
582. Sato Y, Sato A, Sakamoto K, Muto Y, Sato Y, Yokokawa T, Shimizu T, Misaka T, Oikawa M, Kobayashi A, Yoshihisa A, Takeishi Y: Prognostic impact of residual renal congestion at discharge after transcatheter aortic valve implantation. *CJC Open* (in press)
583. Nodera M, Kaneshiro T, Murota S, Yamada S, Oikawa M, Takeishi Y: Complex signal identification as a marker of left atrial remodeling and early recurrence after atrial fibrillation ablation. *Heart Rhythm O2* (in press)