

英文論文 2024 年度

No	論文名	著者名	雑誌名	発行年及び掲載頁
1	Abnormal Temporal Window of Integration in Auditory Sensory Memory in Schizophrenia	Asai R, Yabe H, Hiruma T, Matsuoka T, Asai H, Hara E, Mori Y, Suzutani K, Hoshino H, Shiga T, Miura I, Hirata K, Kaneko S	Clin. EEG Neurosci	56 (1) : 100–105, 2025.
2	Association Between Shopping Assistance and Functional Decline in Older Residents with Support Levels Under the Long-Term Care Insurance System in Japan: A Retrospective, Cross-Sectional Study	Asao A, Sone T, Fujita T, Hayashi H, Kurasawa S, Sumigawa K, Ishikawa Y, Kawamata H, Mitsuhashi Y, Tanaka Y, Kimura N, Iokawa K	Geriatrics	9 (6) : 162, 2024.
3	Examining the content validity of the Comprehensive Assessment of Functioning for Mental Illness Subjective Version (CAMI-S) with reference to the framework of the International Classification of Functioning, Disability, and Health (ICF)	Amagasa T, Inagaki A, Suzuki W, Suzukamo Y, Nagai K, Sawada K, Inadomi H, Mukaiyachi I, Anzai N, Ikebuchi E, Niwa SI	Psychiatry Clin. Neurosci. Rep.	3 : 232, 2024.
4	Risto Näätänen (1939–2023)	Alho K, Escera C, Kujala T, Schröger E, Tervaniemi M, Winkler I, Yabe H	Psychophysiology.	61 (5) : 14504, 2024.
5	Reduced dopamine transporter availability in drug-naïve adult attention-deficit/hyperactivity disorder	Itagaki S, Ohnishi T, Toda W, Sato A, Matsumoto J, Ito H, Ishii S, Yamakuni R, Miura I, Yabe H	PCN Rep.	3 (1) : 177, 2024.

6	Multiple relocation cases in disaster-related deaths after the Fukushima nuclear accident	Ito N, Sawano T, Uchi Y, Kawashima M, Kitazawa K, Moriyama N, Amir I, Yoshimura H, Nonaka S, Saito H, Ozaki A, Yamamoto C, Abe T, Murakami M, Sato M, Matsumoto C, Yamamura M, Zhao T, Sakakibara M, Yagiuchi K, Otsuki M, Oikawa T, Niwa SI, Tsubokura M	Front. Disaster Emerg. Med	2 : 1434375, 2024.
7	Features of causes of indirect certified disaster-related death in areas affected by the Fukushima Daiichi nuclear power plant accident: an observational study	Uchi Y, Nonaka S, Sawano T, Kawashima M, Yoshimura H, Kitazawa K, Sakakibara M, Sudo M, Yagiuchi K, Otsuki M, Hori A, Ozaki A, Yamamoto C, Zhao T, Oikawa T, Niwa SI, Tsubokura M	BMJ Open	14 (11) : 084009, 2024.
8	Association between the duration of mothers' digital media use while with their children and twoyear-old children's development from the Japan Environment and Children's Study	Ogata Y, Matsumoto T, Suzuki Y, et al	Sci Rep	15 : 10137, 2025.
9	Case Report: Methylphenidate and venlafaxine improved abdominal nociplastic pain in an adult patient with attention deficit hyperactivity disorder, autism spectrum disorder, and comorbid major depression	Kasahara S, Takahashi M, Takahashi K, Morita T, Matsudaira K, Sato N, Momose T, Niwa SI, Uchida K	Frontiers in Pain Research	5 : 1394131, 2024
10	Innovative therapeutic strategies using ADHD medications tailored to the behavioral characteristics of patients with chronic pain	Kasahara S, Takahashi M, Suto T, Morita T, Obata H, Niwa SI	Front. Pharmacol.	16 : 1500313, 2025.
12	Correlation between attention deficit/hyperactivity disorder and chronic pain: a survey of adults in Japan	Kasahara S, Yoshimoto T, Oka H, Sato N, Morita T, Niwa SI, Uchida K, Matsudaira K	Scientific Reports	15 (1) : 13165, 2025.

13	Comparison of attitudes toward schizophrenia among medical students and health professionals in Japan and their associated factors among medical students: a cross-sectional study	Kataoka M, Ohira T, Tsuboi S, Miura I, Yabe H	Fukushima J Med Sci.	70 (4) : 219–228, 2024.
14	Practice Guidelines for Bipolar Disorder by the JSMD (Japanese Society of Mood Disorders) .	Kato T, Ogasawara K, Motomura K, Kato M, Tanaka T, Takaesu Y, Nio S, Kishi T, So M, Nemoto K, Suzuki E, Watanabe K, Matsuo K, JSMD Bipolar Disorder Guidelines Revision Working Group; JSMD Bipolar Disorder Committee; JSMD Guidelines Committee	Psychiatry Clin Neurosci.	78 (11) : 633–645, 2024.
15	Response to “Difficulties in diagnosing phenocconversion to dementia in psychiatric-onset prodromal dementia with Lewy bodies”	Kobayashi R, Morioka D, Kawakatsu S, Sakamoto K, Suzuki A	Psychogeriatrics.	24 (3) : 727–728, 2024.
16	Application of Suggestive Biomarkers in Dementia with Lewy bodies with masking of typical clinical symptoms by Alzheimer disease-type pathology	Kobayashi R, Morioka D, Kawakatsu S, Sakamoto K, Suzuki A	Alzheimer Dis Assoc Disord.	38 (1) : 95–97, 2024.
17	Micrographia after midbrain infarction alleviated by Japanese calligraphy-style writing: A case report	Sakamoto K, Kim K, Kobayashi R, Yokoi K, Morioka D, Kawakatsu S, Suzuki A, Hirayama K	Clin Park Relat Disord.	10 : 100257, 2024.
18	Duration Mismatch Negativity in Adults With Autism Spectrum Disorder Versus Healthy Controls	Sato A, Itagaki S, Ohnishi T, Osakabe Y, Hoshino H, Kanno K, Suzutani K, Wada T, Miura I, Yabe H	Neuropsychiatric Disease and Treatment	21 : 503–510, 2025.
19	Body weight and eating attitudes influence improvement of depressive symptoms in	Suzuki Y, Nagamitsu S, Eshima N, Inoue T, Otani R, Sakuta R, Iguchi T, Ishii R, Uchida S,	BMC Pediatr.	24 (1) : 551, 2024

	children and pre-adolescents with eating disorders: a prospective multicenter cohort study	Okada A, Kitayama S, Koyanagi K, Suzuki Y, Sumi Y, Takamiya S, Fujii C, Fukai Y		
20	Comparison of metabolic parameters between oral and total parenteral nutrition in children with severe eating disorders	Suzuki Y, Itagaki S, Nodera M, Suyama K, Yabe H, Hosoya M	Fukushima J Med Sci.	38522893, 2024.
21	Pre-disaster family visits and post-evacuation return to Fukushima among psychiatric inpatients evacuated to out-of-area hospitals after the nuclear accident	Suzuki Y, Terui T, Kunii Y, Kakamu T, Hidaka T, Gotoh D, Anzai N, Niwa SI, Yabe H	Int J Soc Psychiatry	71 (3) : 609–611, 2025.
22	Factors associated with cognitive dysfunction in treatment-responsive and -resistant schizophrenia: A pilot cross-sectional study	Suzuki Y, Watanabe K, Kanno-Nozaki K, Horikoshi S, Ichinose M, Hirata Y, Kobayashi Y, Takeuchi S, Osonoe K, Hoshino S, Miura I	J Psychiatr Res.	. 178 : 228–235, 2024.
23	Precuneal hyperperfusion in patients with attention-deficit/hyperactivity disorder comorbid nociplastic pain	Takahashi M, Kasahara S, Soma T, Morita T, Sato N, Matsudaira K, Niwa SI, Momose T	Front. Pharmacol.	15 : 1480546, 2024.
24	Tau filaments with the chronic traumatic encephalopathy fold in a case of vacuolar tauopathy with VCP mutation D395G	Qi C, Kobayashi R, Kawakatsu S, Kametani F, Scheres SHW, Goedert M, Hasegawa M	Qi C, Kobayashi R, Kawakatsu S, Kametani F, Scheres SHW, Goedert M, Hasegawa M	147 (1) : 86, 2024.
25	Association Between Radiation Risk Perception Related to the Fukushima Nuclear Disaster and Traumatic Stress Symptoms Induced by Media Reports of the Russian Invasion of Ukraine	Terui T, Kunii Y, Kawasaki Y, Kakamu T, Hidaka T, Yabe H, Miura I	Disaster Med Public Health Prep	18 : 238, 2024.

26	Post-Disaster Community Transition of Psychiatric Inpatients: Lessons from the Fukushima Nuclear Accident	Terui T, Kunii Y, Hoshino H, Kakamu T, Hidaka T, Fukushima T, Anzai N, Gotoh D, Miura I, Yabe H	Community Ment Health J.	60 (4) : 764–771, 2024.
27	Association between evacuation and becoming overweight after the Great East Japan Earthquake: a 7-year follow-up of the Fukushima Health Management Survey	Nagao M, Okazaki K, Ohira T, Nakano H, Hayashi F, Shimabukuro M, Sakai A, Hosoya M, Kazama JJ, Takahashi A, Maeda M, Yabe H, Ohto H, Kamiya K, Yasumura S	Public Health.	232 : 170–177, 2024.
28	Copy number variations in RNF216 and postsynaptic membrane-associated genes are associated with bipolar disorder: a case-control study in the Japanese population	Nakatochi M, Kushima I, Aleksic B, Kimura H, Kato H, Inada T, Torii Y, Takahashi N, Yamamoto M, Iwamoto K, Nawa Y, Iritani S, Iwata N, Saito T, Ninomiya K, Okochi T, Hashimoto R, Yamamori H, Yasuda Y, Fujimoto M, Miura K, Ohi K, Shioiri T, Kitaichi K, Itokawa M, Arai M, Miyashita M, Toriumi K, Takahashi T, Suzuki M, Kato TA, Kanba S, Horikawa H, Kasai K, Ikegame T, Jinde S, Kato T, Kakiuchi C, Yamagata B, Nio S, Kunii Y, Yabe H, Okamura Y, Tadaka S, Fumihiko U, Obara T, Yamamoto Y, Arioka Y, Mori D, Ikeda M, Ozaki N	Psychiatry Clin Neurosci.	79 (1) : 12–20, 2025.
29	Prediction of Co-Occurrence of Lewy Body Disease with Alzheimer's Disease	Hashiguchi K, Kobayashi R, Morioka D, Kawakatsu S, Sakamoto K, Matsuda H, Suzuki A	J Alzheimers Dis Rep.	8 (1) : 609–614, 2024.
30	Effects of computerized cognitive training on biomarker responses in older adults with mild cognitive impairment: A scoping review	Hayashi H, Sone T, Iokawa K, Sumigawa K, Fujita T, Kawamata H, Asao A, Kawasaki I, Ogasawara M, Kawakatsu S	Health science reports	7 (6) : 2175, 2024.

31	Social networks and posttraumatic stress symptoms five to ten years after the Fukushima nuclear power plant disaster	Fukasawa M, Umeda Taniguchi M, Akiyama T, Horikoshi N, Yasumura S, Yabe H, Suzuki Y, Bromet EJ, Kawakami N	Social Science & Medicine	357 : 117189, 2024.
32	Efficacy of trauma-focused therapies for post-traumatic stress disorder in disaster-affected regions: insights from Minamisoma, Japan	Hori A, Tsubokura M	Radiat Prot Dosimetry.	200 (16–18) : 1532–1536, 2024.
33	Feasibility of Schema Therapy for Recurrent Depression in a Disaster Relief Worker with Prior Post-Traumatic Stress Disorder Treatment Using Prolonged Exposure Therapy	Hori A, Murakami M, Oshima F, van der Wijngaart R.	Behav Sci.	14 (12) : 1156, 2024.
34	Real-world Effectiveness and Tolerability of Lurasidone in Outpatients with Bipolar Disorder II - A 24 week retrospective study (RETLO-BDII study)	Horikoshi S, Suzuki Y, Kobayashi Y, Hirata Y, Ichinose M, Hoshino H, Kanno-Nozaki K, Watanabe K, Miura I	Journal of Affective Disorders	379 : 266–272, 2025.
35	Effect of Lurasidone on Life Engagement in Schizophrenia: Post-Hoc Analysis of the JEWEL Study	Maruyama H, Sano F, Sakaguchi R, Okamoto K, Miura I	Neuropsychiatr Dis Treat.	20 : 1453–1463, 2024.
36	Abnormal motor cortical plasticity as a useful neurophysiological biomarker for Alzheimer's disease pathology	Murakami T, Abe M, Tiksnadi A, Nemoto A, Futamura M, Yamakuni R, Kubo H, Kobayashi N, Ito H, Hanajima R, Hashimoto Y, Ugawa Y	Clin Neurophysiol.	158 : 170–179, 2024.
37	Transient changes in mismatch negativity after two sessions of electroconvulsive therapy for atypical psychosis: A case report.	Mori Y, Kanno K, Hoshino H, Takahashi Y, Suzuki Y, Miura I	PCN reports	3 (3) : 233, 2024.

38	Long-term outcomes of schizophrenia in relation to course of social recovery and prescribed antipsychotics: A 10-year follow-up study at a single university hospital in Japan	Mori Y, Shishido R, Hino M, Sato A, Nagaoka A, Hoshino H, Hatano M, Hosogai Y, Miura I, Kunii Y	Psychiatry and clinical neurosciences	79 (4) : 205–207, 2025.
39	Response to [Reevaluating Antipsychotic Polypharmacy in Schizophrenia: A Broader Perspective on Social Recovery]	Mori Y, Shishido R, Hino M, Sato A, Nagaoka A, Hoshino H, Hatano M, Hosogai Y, Miura I, Kunii Y	Psychiatry and clinical neurosciences	(In press) : 2025.
40	Clozapine-Associated Myocarditis in a Patient With Schizophrenia Taking Lemborexant: A Case Report	Mori Y, Watanabe K, Suzuki Y, Ono H, Tojo M, Kawasaki Y, Kanno-Nozaki K, Nozaki M, Miura I	J Clin Psychopharmacol.	44 (2) : 193–195, 2024.
41	Longitudinal changes in clinical symptoms and proposed biomarkers for prodromal dementia with Lewy bodies in an older patient with depression	Morioka D, Kobayashi R, Kawakatsu S, Sakamoto K, Suzuki A	Psychogeriatrics.	24 (3) : 719–721, 2024.
42	Comparison of visual interpretation of [I-123] FP-CIT SPECT scans versus reference-based quantitative analysis utilizing a Japanese normal database	Yamakuni R, Ishii S, Fukushima K, Kakamu T, Yusa M, Kikori K, Yamao T, Takahashi N, Sekino H, Itagaki S, Miura I, Ito H	Nuclear Medicine Communications	46 (6) : 523–532, 2025.
43	Association between food intake frequency and psychological distress following the Great East Japan Earthquake: the Fukushima Health Management Survey FY 2012	Yoshida J, Eguchi E, Hayashi F, Maeda M, Yabe H, Yasumura S, Ohira T	BMC Nutr	11 (1) : 88, 2025.