

1 原 著

1-1 欧 文 原 著

- (1) Momose-Sato, Y. and Sato, K. Prenatal exposure to nicotine disrupts synaptic network formation by inhibiting spontaneous correlated wave activity. *IBRO Reports* 9, 14-23, 2020.
- (2) Momose-Sato, Y. and Sato, K. Voltage-sensitive dye recording of glossopharyngeal nerve-related synaptic networks in the embryonic mouse brainstem. *IBRO Reports* 6, 176-184, 2019.
- (3) Momose-Sato, Y. and Sato, K. Optical analysis of functional development of the facial motor nucleus in the embryonic rat brainstem. *European Journal of Neuroscience* 48, 3273-3287, 2018.
- (4) Momose-Sato, Y. and Sato, K. Developmental roles of the spontaneous depolarization wave in synaptic network formation in the embryonic brainstem. *Neuroscience* 365, 33-47, 2017.
- (5) Sato, K., Hayashi, S., Inaji, M. and Momose-Sato, Y. Oscillations in the embryonic chick olfactory bulb: initial expression and development revealed by optical imaging with a voltage-sensitive dye. *European Journal of Neuroscience* 43, 1111-1121, 2016.
- (6) Momose-Sato, Y. and Sato, K. Development of synaptic networks in the mouse vagal pathway revealed by optical mapping with a voltage-sensitive dye. *European Journal of Neuroscience* 44, 1906-1918, 2016.
- (7) Nakamori, T., Sato, K., Kinoshita, M., Kanamatsu, T., Sakagami, H., Tanaka, K. and Ohki-Hamazaki, H. Positive feedback in activation of NR2B-containing NMDA receptors is the initial step of visual imprinting, a model for juvenile learning. *Journal of Neurochemistry* 132, 110-123, 2015.
- (8) Momose-Sato, Y. and Sato, K. Maintenance of the large-scale depolarization wave in the embryonic chick brain against deprivation of the rhythm generator. *Neuroscience*, 266, 186-196, 2014.
- (9) Momose-Sato, Y. and Sato, K. Optical survey of initial expression of synaptic function in the embryonic chick trigeminal sensory nucleus. *Neuroscience Letters* 570, 92-96, 2014.
- (10) Momose-Sato, Y., Nakamori, T., Mullah, S. H.-E.-R. and Sato, K. Optical survey of vagus nerve-related neuronal circuits in the embryonic rat brainstem. *Neuroscience Letters* 535, 140-145, 2013.
- (11) Mullah, S. H.-E.-R., Komuro, R., Yan, P., Hayashi, S., Inaji, M., Momose-Sato, Y., Loew, L. M. and Sato, K. Evaluation of voltage-sensitive fluorescence dyes for monitoring neuronal activity in the embryonic central nervous system. *Journal of Membrane Biology* 246, 679-688, 2013.
- (12) Mullah, S. H.-E.-R., Inaji, M., Nariai, T., Momose-Sato, Y., Sato, K. and Ohno, K. Optical analysis of developmental changes in synaptic potentiation in the neonatal rat corticostriatal projection. *Neuroscience* 201, 338-348, 2012.
- (13) Momose-Sato, Y., Nakamori, T. and Sato, K. Spontaneous depolarization wave in the mouse embryo: origin and large-scale propagation over the CNS identified with voltage-sensitive dye imaging. *European Journal of Neuroscience* 35, 1230-1241, 2012.
- (14) Momose-Sato, Y., Nakamori, T. and Sato, K. Pharmacological mechanisms underlying the switching from the large-scale depolarization wave to segregated activity in the mouse CNS. *European Journal of Neuroscience* 35, 1242-1252, 2012.
- (15) Inaji, M., Sato, K., Momose-Sato, Y. and Ohno, K. Voltage-sensitive dye imaging analysis of

functional development of the neonatal rat corticostriatal projection. *NeuroImage* 54, 1831-1839, 2011.

- (16) Momose-Sato, Y., Nakamori, T. and Sato, K. Functional development of the vagal and glossopharyngeal nerve-related nuclei in the embryonic rat brainstem: Optical mapping with a voltage-sensitive dye. *Neuroscience* 192, 781-792, 2011.
- (17) Nakamori, T., Sato, K., Atoji, Y., Kanamatsu T., Tanaka, K. and Ohki-Hamazaki, H. Demonstration of a neural circuit critical for imprinting behavior in chicks. *Journal of Neuroscience* 30, 4467-4480,
- (18) Mochida, H., Sato, K. and Momose-Sato, Y. Switching of the transmitters that mediate hindbrain correlated activity in the chick embryo. *European Journal of Neuroscience* 29, 14-30, 2009.
- (19) Wang, S., Sato, K., Giurfa, M. and Zhang, S. Processing of sting pheromone and its components in the antennal lobe of the worker honeybee. *Journal of Insect physiology* 54, 833-841, 2008.
- (20) Momose-Sato, Y., Kinoshita, M. and Sato, K. GABA-induced intracellular Ca^{2+} elevation in the embryonic chick brainstem slice. *Neuroscience Letters* 411, 42-46, 2007.
- (21) Sato, K., Kinoshita, M. and Momose-Sato, Y. Optical mapping of spatiotemporal emergence of functional synaptic connections in the embryonic chick olfactory pathway. *Neuroscience* 144, 1334-1346, 2007.
- (22) Momose-Sato, Y., Sato, K. and Kinoshita, M. Spontaneous depolarization waves of multiple origins in the embryonic rat CNS. *European Journal of Neuroscience* 25, 929-944, 2007.
- (23) Sasaki, T., Nariai, T., Maehara, T., Sato, K., Oda, K. and Ishii, K. A comparative study of bioradiography in human brain slices and preoperative PET imaging. *Brain Research* 1142, 19-27, 2007.
- (24) Momose-Sato, Y., Kinoshita, M. and Sato, K. Development of vagal afferent projections circumflex to the obex in the embryonic chick brainstem visualized with voltage-sensitive dye recording. *Neuroscience* 148, 140-150, 2007.
- (25) Momose-Sato, Y., Kinoshita, M. and Sato, K. Embryogenetic expression of glossopharyngeal and vagal excitability in the chick brainstem as revealed by voltage-sensitive dye recording. *Neuroscience Letters* 423, 138-142, 2007.
- (26) Maekawa, F., Komine, O., Sato, K., Kanamatsu, T., Uchimura, M., Tanaka, K. and Ohki-Hamazaki, H. Imprinting modulates processing of visual information in the visual wulst of chicks. *BMC Neuroscience* 7, 75, 2006.
- (27) Momose-Sato, Y., Glover, J. C. and Sato, K. Development of functional synaptic connections in the auditory system visualized with optical recording: Afferent-evoked activity is present from early stages. *Journal of Neurophysiology* 96, 1949-1962, 2006.
- (28) Ren, J., Momose-Sato, Y., Sato, K. and Greer, J. J. Rhythmic neuronal discharge in the medulla and spinal cord of fetal rats in the absence of synaptic transmission. *Journal of Neurophysiology* 95, 527-534, 2006.
- (29) Sato, K., Nariai, T., Tanaka, Y., Maehara, T., Miyakawa, N., Sasaki, S., Momose-Sato, Y. and Ohno, K. Functional representation of the finger and face in the human somatosensory cortex: Intraoperative intrinsic optical imaging. *NeuroImage* 25, 1292-1301, 2005.
- (30) Momose-Sato, Y., Honda, Y., Sasaki, H. and Sato, K. Optical imaging of large-scale correlated wave activity in the developing rat CNS. *Journal of Neurophysiology* 94, 1606-1622, 2005.
- (31) Nariai, T., Sato, K., Hirakawa, K., Ohta, Y., Tanaka, Y., Ishiwata, K., Ishii, K., Kamino, K. and Ohno, K. Visualization of somatotopic representation of sensory cortex with intrinsic optical signals as guides for

- brain tumor surgery. *Journal of Neurosurgery* 103, 414-423, 2005.
- (32) Wang, S., Zhang, S., Sato, K. and Srinivasan, M. V. Maturation of odor representation in the honeybee antennal lobe. *Journal of Insect Physiology* 51, 1244-1254, 2005.
 - (33) Momose-Sato, Y. and Sato, K. Primary vagal projection to the contralateral non-NTS region in the embryonic chick brainstem revealed by optical recording. *Journal of Membrane Biology* 208, 183-191, 2005.
 - (34) Sato, K. and Momose-Sato, Y. Optical detection of convergent projections in the embryonic chick NTS. *Neuroscience Letters* 371, 97-101, 2004.
 - (35) Sato, K. and Momose-Sato, Y. Optical mapping reveals developmental dynamics of Mg^{2+} -APV-sensitive components of glossopharyngeal glutamatergic EPSPs in the embryonic chick NTS. *Journal of Neurophysiology* 92, 2538-2547, 2004.
 - (36) Sato, K., Miyakawa N. and Momose-Sato, Y. Optical survey of neural circuit formation in the embryonic chick vagal pathway. *European Journal of Neuroscience* 19, 1217-1225, 2004.
 - (37) Miyakawa, N., Sato, K. and Momose-Sato, Y. Optical detection of neural function in the chick visual pathway in the early stages of embryogenesis. *European Journal of Neuroscience* 20, 1133-1144, 2004.
 - (38) Momose-Sato, Y., Honda, Y., Sasaki, H. and Sato, K. Optical mapping of the functional organization of the rat trigeminal nucleus: Spatial and temporal dynamics of sensory information transfer during embryogenesis. *Journal of Neuroscience* 24, 1366-1376, 2004.
 - (39) Miyakawa, N., Yazawa, I., Sasaki, S., Momose-Sato, Y. and Sato, K. Optical analysis of acute spontaneous epileptiform discharges in the *in vivo* rat cerebral cortex. *NeuroImage* 18, 622-632, 2003.
 - (40) Sato, K. and Momose-Sato, Y. Optical detection of developmental origin of synaptic function in the embryonic chick vestibulocochlear nuclei. *Journal of Neurophysiology* 89, 2315-2324, 2003.
 - (41) Sasaki, S., Sato, K., Shinomiya, K. and Momose-Sato, Y. Postnatal changes in intrinsic optical responses to peripheral nerve stimulation in the *in vivo* rat spinal cord. *NeuroImage* 20, 2126-2134, 2003.
 - (42) Momose-Sato, Y., Mochida, H., Sasaki, S. and Sato, K. Depolarization waves in the embryonic CNS triggered by multiple sensory inputs and spontaneous activity: optical imaging with a voltage-sensitive dye. *Neuroscience* 116, 407-423, 2003.
 - (43) Momose-Sato, Y., Miyakawa, N., Mochida, H., Sasaki, S. and Sato, K. Optical analysis of large-scale depolarization waves in the embryonic brain: a dual network of gap junctions and chemical synapses. *Journal of Neurophysiology* 89, 600-614, 2003.
 - (44) Sasaki, S., Yazawa, I., Miyakawa, N., Mochida, H., Shinomiya, K., Kamino, K., Momose-Sato, Y. and Sato, K. Optical imaging of intrinsic signals induced by peripheral nerve stimulation in the *in vivo* rat spinal cord. *NeuroImage* 17, 1240-1255, 2002.
 - (45) Sato, K., Nariai, T., Sasaki, S., Yazawa, I., Mochida, H., Miyakawa, N., Momose-Sato, Y., Kamino, K., Ohta, Y., Hirakawa, K. and Ohno, K. Intraoperative intrinsic optical imaging of neuronal activity from subdivisions of the human primary somatosensory cortex. *Cerebral Cortex* 12, 269-280, 2002.
 - (46) Sato, K., Mochida, H., Yazawa, I., Sasaki, S. and Momose-Sato, Y. Optical approaches to functional organization of glossopharyngeal and vagal motor nuclei in the embryonic chick hindbrain. *Journal of Neurophysiology* 88, 383-393, 2002.
 - (47) Sato, K., Mochida, H., Sasaki, S. and Momose-Sato, Y. Developmental organization of the glossopharyngeal nucleus in the embryonic chick brainstem slice as revealed by optical sectioning recording. *Neuroscience Letters* 327, 157-160, 2002.

- (48) Kinoshita, M., Ueda, R., Kojima, S., Sato, K., Watanabe, M., Urano, A. and Ito, E. Multiple-site optical recording for characterization of functional synaptic organization of the optic tectum of rainbow trout. *European Journal of Neuroscience* 16, 868-876, 2002.
- (49) Yazawa, I., Sasaki, S., Mochida, H., Kamino, K., Momose-Sato, Y. and Sato, K. Developmental changes in trial-to-trial variations in whisker barrel responses studied using intrinsic optical imaging: Comparison between normal and *de-whiskered* rats. *Journal of Neurophysiology* 86, 392-401, 2001.
- (50) Sato, K., Mochida, H., Sasaki, S., Yazawa, I., Kamino, K. and Momose-Sato, Y. Optical responses to micro-application of GABA agonists in the embryonic chick brain stem. *NeuroReport* 12, 95-98, 2001.
- (51) Mochida, H., Sato, K., Arai, Y., Sasaki, S., Kamino, K. and Momose-Sato, Y. Optical imaging of spreading depolarization waves triggered by spinal nerve stimulation in the chick embryo: Possible mechanisms for large-scale coactivation of the CNS. *European Journal of Neuroscience* 14, 809-820, 2001.
- (52) Momose-Sato, Y., Sato, K., Mochida, H., Yazawa, I., Sasaki, S. and Kamino, K. Spreading depolarization waves triggered by vagal stimulation in the embryonic chick brain: optical evidence for intercellular communication in the developing CNS. *Neuroscience* 102, 245-262, 2001.
- (53) Mochida, H., Sato, K., Sasaki, S., Yazawa, I., Kamino, K. and Momose-Sato, Y. Effects of anisomycin on LTP in the hippocampal CA1: Long-term analysis using optical recording. *NeuroReport* 12, 987-991, 2001.
- (54) Mochida, H., Sato, K., Arai, Y., Sasaki, S., Yazawa, I., Kamino, K. and Momose-Sato, Y. Multiple-site optical recording reveals embryonic organization of synaptic networks in the chick spinal cord. *European Journal of Neuroscience* 13, 1547-1558, 2001.
- (55) Sato, K., Yazawa, I., Mochida, H., Sasaki, S., Kamino, K. and Momose-Sato, Y. Optical detection of embryogenetic expression of vagal excitability in the rat brain stem. *NeuroReport* 11, 3759-3763, 2000.
- (56) Tanaka, T., Yazawa, I., Sato, K., Momose-Sato, Y. and Kamino, K. Physiological consistency in trial-to-trial variation in intrinsic-optical responses to single-whisker movement in the rat D1-barrel cortex. *Neuroscience Research* 36, 193-207, 2000.
- (57) Sato, K., Momose-Sato, Y., Mochida, H., Arai, Y., Yazawa, I. and Kamino, K. Optical mapping reveals the functional organization of the trigeminal nuclei in the chick embryo. *Neuroscience* 93, 687-702, 1999.
- (54) Momose-Sato, Y., Sato, K., Arai, Y., Yazawa, I., Mochida, H. and Kamino, K. Evaluation of voltage-sensitive dyes for monitoring for long-term recording of neural activity in the hippocampus. *Journal of Membrane Biology* 172, 145-157, 1999.
- (58) Arai, Y., Momose-Sato, Y., Sato, K. and Kamino, K. Optical mapping of neural network activity in the chick spinal cord at an intermediate stage of embryonic development. *Journal of Neurophysiology* 81, 1889-1902, 1999.
- (59) Momose-Sato, Y., Komuro, H., Hirota, A., Sakai, T., Sato, K. and Kamino, K. Optical imaging of spatiotemporal patterning of neural responses in the embryonic chick superior cervical ganglion. *Neuroscience* 90, 1069-1083, 1999.
- (60) Momose-Sato, Y., Sato, K. and Kamino, K. Optical identification of calcium-dependent action potentials transiently expressed in the embryonic rat brainstem. *Neuroscience* 90, 1293-1310, 1999.

- (61) Sato, K., Momose-Sato, Y., Hirota, A., Sakai, T. and Kamino, K. Optical mapping of neural responses in the embryonic rat brainstem with reference to the early functional organization of vagal nuclei. *Journal of Neuroscience* 18, 1345-1362, 1998.
- (62) Sakai, T., Hirota, A., Momose-Sato, Y., Sato, K. and Kamino, K. Optical monitoring of synaptic transmission in bullfrog sympathetic ganglia using a voltage-sensitive dye. *Neuroscience Letters* 242, 1-4, 1998.
- (63) Momose-Sato, Y., Sato, K., Hirota, A. and Kamino, K. GABA-induced intrinsic light-scattering changes associated with voltage-sensitive dye signals in embryonic brainstem slices: coupling of depolarization and cell shrinkage. *Journal of Neurophysiology* 79, 2208-2217, 1998.
- (64) Sato, K., Momose-Sato, Y., Arai, Y., Hirota, A. and Kamino, K. Optical illustration of glutamate-induced cell swelling coupled with membrane depolarization in embryonic brain stem slices. *NeuroReport* 8, 3559-3563, 1997.
- (65) Sakai, T., Hirota, A., Momose-Sato, Y., Sato, K. and Kamino, K. Optical mapping of conduction patterns of normal and tachycardia-like excitations in the rat atrium. *Japanese Journal of Physiology* 47, 179-188, 1997.
- (66) Momose-Sato, Y., Sato, K., Hirota, A., Sakai, T. and Kamino, K. Optical characterization of GABA responses involving a possible novel component in early developing embryonic chick brainstems. *Neuroscience* 80, 203-219, 1997.
- (67) Sato, K., Momose-Sato, Y., Hirota, A., Sakai, T. and Kamino, K. Optical studies of the biphasic modulatory effects of glycine on epp's in the chick brainstem and their embryogenesis. *Neuroscience* 72, 833-846, 1996.
- (68) Sato, K., Momose-Sato, Y., Sakai, T., Hirota, A. and Kamino, K. Responses to glossopharyngeal stimulus in the early embryonic chick brainstem: Spatiotemporal patterns in three dimensions from repeated multiple-site optical recording of electrical activity. *Journal of Neuroscience* 15, 2123-2140, 1995.
- (69) Momose-Sato, Y., Sato, K., Sakai, T., Hirota, A., Matsutani, K. and Kamino, K. Evaluation of optimal voltage-sensitive dyes for optical monitoring of embryonic neural activity. *Journal of Membrane Biology* 144, 167-176, 1995.
- (70) Momose-Sato, Y., Sato, K., Sakai, T., Hirota, A. and Kamino, K. A novel γ -aminobutyric acid response in the embryonic brainstem as revealed by voltage sensitive dye recording. *Neuroscience Letters* 191, 193-196, 1995.
- (71) Hirota, A., Sato, K., Momose-Sato, Y., Sakai, T. and Kamino, K. A new simultaneous 1020-site optical recording system for monitoring neural activity using voltage-sensitive dyes. *Journal of Neuroscience Methods* 56, 187-194, 1995.
- (72) Sato, K., Kamata, T., Nakayama, T., Kotera, M. and Akabane, H. Acute bacterial myositis due to *Staphylococcus aureus* septicemia. *Neurology* 45, 390-391, 1995.
- (73) Momose-Sato, Y., Sakai, T., Hirota, A., Sato, K. and Kamino, K. Optical mapping of early embryonic expression of Mg^{2+} -APV-sensitive components of vagal glutaminergic EPSPs in the chick brainstem. *Journal of Neuroscience* 14, 7572-7584, 1994.
- (74) Sato, K., Momose-Sato, Y., Sakai, T., Hirota, A., Komuro, H. and Kamino, K. Optical assessment of spatial patterning of strength-duration relationship for vagal responses in the early embryonic chick brainstem. *Japanese Journal of Physiology* 43, 521-539, 1993.
- (75) Momose-Sato, Y., Sakai, T., Hirota, A., Sato, K. and Kamino, K. Optical monitoring of glutaminergic

excitatory postsynaptic potentials from the early developing embryonic chick brain stem slice. *Annals of the New York Academy of sciences* 707, 454-457, 1993.

- (76) Kamino, K., Komuro, H., Sakai, T. and Sato, K. Optical assessment of spatially ordered patterns of neural response to vagal stimulation in the early embryonic chick brainstem. *Neuroscience Research* 8, 255-271, 1990.
- (77) Kamino, K., Katoh, Y., Komuro, H. and Sato, K. Multiple-site optical monitoring of neural activity evoked by vagus nerve stimulation in the embryonic chick brain stem. *Journal of Physiology (London)* 409, 263-283, 1989.

1-2 和文原著

- (1) 佐々木真一、小森博達、四宮謙一、佐藤勝重、矢澤格、持田啓、宮川尚久、佐藤容子 In vivo ラット脊髄における末梢神経応答パターンの生後変化 - 内因性光学イメージング法による解析- 脊髄電気診断学 24, 34-39, 2002.
- (2) 佐藤容子、佐藤勝重、神野耕太郎 自律神経系の機能的解析における光学的計測法の適用 自律神経 38, 270-278, 2001
- (3) 佐々木真一、小森博達、四宮謙一、佐藤勝重、矢澤格、持田啓、佐藤容子、神野耕太郎 末梢神経刺激により脊髄に誘発されたニューロン応答の内因性光学イメージング 脊髄電気診断学 23, 38-42, 2001.
- (4) 佐藤勝重 細胞電気活動の光学的計測法-いかにして真のシグナルとノイズを見分けるか- 日本生理学雑誌 62, 275-278, 2000.
- (5) 佐々木真一、佐藤勝重、矢澤格、持田啓、佐藤容子、神野耕太郎、新井嘉容、小森博達、四宮謙一 内因性光学イメージングを用いた in vivo ラット脊髄神経活動のモニタリング 脊髄電気診断学 22, 32-35, 2000.
- (6) 神野耕太郎、佐藤容子、佐藤勝重、持田啓 膜電位感受性色素をもちいた計測と解析法 日本生理学雑誌 61, 95-134, 1999.
- (7) 神野耕太郎、佐藤容子、佐藤勝重 膜電位活動の光学的計測 日本レーザー医学会誌 20, 391-403, 1999.
- (8) 新井嘉容、佐藤容子、佐藤勝重、四宮謙一、神野耕太郎 鶏胚脊髄スライス神経回路網の光学的マッピング 脊髄電気診断学 21, 5-8, 1999.
- (9) 新井嘉容、佐藤容子、佐藤勝重、四宮謙一、神野耕太郎 焦点/基礎研究最前線 光学的計測法による脊髄神経回路形成の解析 脊椎・脊髄ジャーナル 12, 1017-1022, 1999.
- (10) 新井嘉容、佐藤容子、佐藤勝重、四宮謙一、神野耕太郎 光学的多チャンネル計測法による脊髄神経回路形成の探索 脊髄電気診断学 20, 5-8, 1998.
- (11) 神野耕太郎、佐藤勝重、佐藤容子 ニューロン電位活動の光学的計測研究の進歩 膜 23, 186-195, 1998.
- (12) 新井嘉容、佐藤容子、佐藤勝重、四宮謙一、神野耕太郎 脊髄神経活動の光学的計測 脊髄電気診断学 19, 33-36, 1997.
- (13) 神野耕太郎、佐藤勝重、佐藤容子 ニューロサイエンスの新しい研究方法 膜電位の光学的測定法 Clinical Neuroscience 14, 728-729, 1996.
- (14) 土谷邦秋、中山貴裕、佐藤勝重、小寺実、赤羽久昌、柳下三郎 限局性小脳皮質病変を示した失調性クロイツフェルト-ヤコブ病 (C-JD) の1剖検例- 特に失調型 C-JD の小脳症状と小脳皮質病変分布との臨床病理学的相関について- Dementia 9, 82-91, 1995.
- (15) 中山貴裕、佐藤勝重、小寺実、石合純夫、杉下守弘 地誌的失見当の1例 - 視覚性記憶障害の関与について- 臨床神経学 34, 336-340, 1994.
- (16) 下川雅丈、佐藤勝重、道川誠、内原俊記、塚越廣 副腎生検にて診断し得た angiotropic lymphoma の1例。 臨床神経学 32, 747-751, 1992.
- (17) 佐藤勝重、中村清一、小関隆、山内富美子、馬場美智子、三上正志、小林龍一郎、藤川晃成、長岡滋 多発性脳神経麻痺と急性呼吸不全を合併した Ramsey Hunt 症候群の1例。 日本胸部疾患学会雑誌 29, 1037-1041, 1991.

2 著書

2-1 欧文著書

- (1) Momose-Sato, Y., Sato, K. and Kamino, K. Monitoring population membrane potential signals during development of the vertebrate nervous system. In: Membrane Potential Imaging in the Nervous System

- and Heart. Eds. Canepari, M., Zecevic, D and Bernus, O. Springer, New York, 213-242, 2015.
- (2) Momose-Sato, Y., Sato, K. and Kamino, K. Monitoring population membrane potential signals during functional development of neuronal circuits in vertebrate embryos. In: Membrane Potential Imaging in the Nervous System: Methods and Applications. Eds. Canepari, M. and Zecevic, D. Springer, New York, 83-96, 2010.
 - (3) Maekawa, F., Sato, K. and Ohki-Hamazaki, H. Approaches to the visualization of neural pathways in chick imprinting. In: Neural Pathways Research. Ed. Pichler, F. L. Nova Science Publishers Inc., Hauppauge, 95-113, 2008.
 - (4) Sato, K., Momose-Sato, Y. and Kamino, K. Light-scattering signals related to neural functions. In: Recent Research Developments in Membrane Biology vol. 2. Eds. Fagan, J., Davidson, J., N. & Shimizu, N. Research Signpost, Kerala, 21-45, 2004.
 - (5) Sato, K., Momose-Sato, Y., Arai, Y. and Kamino, K. Optical mapping of neural responses in the embryonic rat brainstem: early functional organization of vagal nuclei. In: Keio University International Symposia for Life Sciences and Medicine Vol. 2, Neural Development. Eds. Uyemura, K., Kawamura, K. & Yazaki, T. Springer-Verlag, Tokyo, 404-409, 1999.
 - (6) Miyakawa, N., Sato, K., Mochida, H., Sasaki, S. and Momose-Sato, Y. Functional mapping of neural activity in the embryonic avian visual system: optical recording with a voltage-sensitive dye. In: Keio University International Symposia for Life Sciences and Medicine Vol. 11, The Neural Basis of Early Vision. Ed. Kaneko, A. Springer-Verlag, Tokyo, 194-198, 2003.
 - (7) Momose-Sato, Y., Sato, K. and Kamino, K. Application of voltage-sensitive dyes to the embryonic

- central nervous system. In: Recent Research Developments in Membrane Biology vol. 1. Eds. Fagan, J., Davidson, J., N. & Shimizu, N. Research Signpost, Kerala, 159-181, 2002.
- (8) Nariai, T., Ohta, Y., Hirakawa, K., Sato, K., Yazawa, I., Sasaki, S., Kamino, K., Ohno, K. Intrinsic Optical recording of somatosensory responses in the human cerebral cortex during brain tumor surgery. In: Brain Activation and CBF Control. Eds. Tomita, M., Kanno, I. and Hamel, E. Elsevier Science, Amsterdam, 243-248, 2002.
 - (9) Sato, K., Momose-Sato, Y., Arai, Y. and Kamino, K. Optical mapping of neural responses in the embryonic rat brainstem: early functional organization of vagal nuclei. In: Keio University International Symposia for Life Sciences and Medicine Vol. 2, Neural Development. Eds. Uyemura, K., Kawamura, K. and Yazaki, T. Springer-Verlag, Tokyo, 404-409, 1999.
 - (10) Momose-Sato, Y., Sato, K., Sakai, T., Hirota, A. and Kamino, K. A novel GABA response identified optically in the nucleus of the tractus solitarius of the chick embryo. In: GABA: Receptors, Transporters and Metabolism (Advances in Pharmacological Sciences). Eds. Tanaka, C. & Bowery N. G. Birkhauser Publishing Ltd., Basel, 255-258, 1996.
 - (11) Kamino, K., Sakai, T., Momose-Sato, Y., Komuro, H., Hirota, A. and Sato, K. Optical monitoring of postsynaptic potential in the early embryonic avian brain stem using a voltage-sensitive dye. In: Fluorescence Spectroscopy. Ed. Wolfbeis, O.S. Springer-Verlag, Berlin, 289-301, 1992.

2-2 和文著書

- (1) 佐藤勝重 孤束核ニューロン活動パターンの光学的解析 ブレインサイエンス・レビュー2001 (伊藤正男、川合述史編)、142-156、2001。
- (2) 大野喜久郎、成相直、平川公義、佐藤勝重、神野耕太郎 内因性光学的イメージングによる脳皮質

モニタリング 先端医療シリーズ6・脳神経外科 脳神経外科の最前線 NO.2 21世紀の新領域と
ニューテクノロジー (高倉公朋監修)、先端医療技術研究所、東京、355-359、2000。

- (3) 佐藤勝重、佐藤容子 膜電位の光学的計測 ザ・プロトコールシリーズ non-RI 分子生物学実験プロトコール - 蛍光ラベリング・化学発光の原理から実際まで (栗原靖之、武内恒成、松田洋一編)、羊土社、東京、171-181、1999.
- (4) 神野耕太郎、佐藤容子、佐藤勝重 脳の機能発生/形成を光学的イメージングでとらえる 脳機能のイメージング - 基礎から臨床まで (「脳の科学」編集委員会編)、星和書店、東京、59-65、1998。
- (5) 神野耕太郎、佐藤勝重 膜電位感受性色素による解析 実験医学別冊 脳・神経プロトコール -細胞培養から機能解析へ (御子柴克彦、清水孝雄編)、羊土社、東京、125-132、1995。

3 総 説

3-1 欧 文 総 説

- (1) Sato, K. and Momose-Sato, Y. Functiogenesis of the embryonic central nervous system revealed by optical recording with a voltage-sensitive dye. *Journal of Physiological Sciences* 67, 107-119, 2017.
- (2) Sato, K., Nariai, T., Momose-Sato, Y. and Kamino, K. Intraoperative intrinsic optical imaging of human somatosensory cortex during neurosurgical operations. *Neurophotonics* 4, 031205, 2017
- (3) Momose-Sato, Y. and Sato, K. Development of spontaneous activity in the avian hindbrain. *Frontiers in Neural Circuits Research* 10, Article 63, 2016.
- (4) Momose-Sato, Y. and Sato, K. Voltage-sensitive dye imaging during functional development of the embryonic nervous system: A brief review with special thanks to Prof. Larry Cohen. *Neurophotonics* 2, 021009, 2015.
- (5) Momose-Sato, Y. and Sato, K. Optical imaging of the spontaneous depolarization wave in the mouse embryo: Origins and pharmacological natures. *Annals of the New York Academy of Sciences* 1279, 60-70, 2013.
- (6) Momose-Sato, Y. and Sato, K. Large-scale synchronized activity in the embryonic brainstem and spinal cord. *Frontiers in Cellular Neuroscience* 7, Article 36, 2013.
- (7) Nakamori, T., Maekawa, F., Sato, K., Tanaka, K. and Ohki-Hamazaki, H. Neural basis of imprinting behavior in chicks. *Development Growth and Differentiation* 55, 198-206, 2013.
- (8) Momose-Sato, Y. and Sato, K. The embryonic brain and development of vagal pathways. *Respiratory Physiology and Neurobiology* 178, 163-173, 2011.
- (9) Sato, K. and Momose-Sato, Y. Optical analysis of neural circuit formation in the embryonic brain. *Clinical and Experimental Pharmacology and Physiology* 35, 706-713, 2008.
- (10) Glover, J. C., Sato, K. and Momose-Sato, Y. Using voltage-sensitive dye recording to image the functional development of neuronal circuits in vertebrate embryos. *Developmental Neurobiology* 68, 804-816, 2008.
- (11) Momose-Sato, Y. and Sato, K. Optical recording of vagal pathway formation in the embryonic brainstem. *Autonomic Neuroscience: Basic and Clinical* 126-127, 39-49, 2006.
- (12) Momose-Sato, Y., Sato, K. and Kamino, K. Optical approaches to embryonic development of neural function in the brainstem. *Progress in Neurobiology* 63, 151-197, 2001.
- (13) Kamino, K., Sakai, T., Momose-Sato, Y., Hirota, A. and Sato, K. Optical indications of early appearance of postsynaptic potentials in the early embryonic chick brainstem. *Japanese Journal of Physiology* 43, suppl. 1, 43-51, 1993.

3-2 和 文 総 説

- (1) 佐藤容子、佐藤勝重、神野耕太郎 自律神経系の機能的解析における光学的計測法の適用 自律神経 38, 270-278, 2001.
- (2) 佐藤勝重 細胞電気活動の光学的計測法 - いかにして真のシグナルとノイズを見分けるか- 日本生理学雑誌 62, 275-278, 2000.
- (3) 神野耕太郎、佐藤容子、佐藤勝重、持田啓 膜電位感受性色素をもちいた計測と解析法 日本生理学雑誌 61, 95-134, 1999.
- (4) 神野耕太郎、佐藤容子、佐藤勝重 膜電位活動の光学的計測 日本レーザー医学会誌 20, 391-403, 1999.
- (5) 神野耕太郎、佐藤勝重、佐藤容子 ニューロン電位活動の光学的計測研究の進歩 膜 23, 186-195,

1998.

- (6) 神野耕太郎、佐藤勝重、佐藤容子 ニューロサイエンスの新しい研究方法 膜電位の光学的測定法 Clinical Neuroscience 14、728-729、1996.
- (7) 佐藤勝重 膜電位の光学的測定法による脳幹における第 IX/X 脳神経核機能の発生と形成に関する研究 お茶の水医学雑誌 42、57-109、1994.

4 特 許

該当無し

5 学会発表（自演の発表のみ記す）

4-1 国 際 学 会

特別講演、シンポジウム

- (1) Sato, K. and Momose-Sato, Y., Functiogenesis of the embryonic CNS revealed by voltage-sensitive dye recording, Merocyanine 540; 45+1th Anniversary Celebration, Woods Hole, USA, 2018.
- (2) Sato, K. and Momose-Sato, Y., Voltage-sensitive dye imaging of the spontaneous depolarization wave in the embryonic mouse CNS: Origins and pharmacological natures, Cellular and Network Functions in the Spinal Cord, Wisconsin-Madison, 2012.
- (3) Sato, K. and Momose-Sato, Y., Spontaneous depolarization wave revealed by voltage-sensitive dye imaging, 3rd Viktor Hamburger Symposium on Motor System Development “Development of Motor Circuits: At the Crossroads of Genes and Activity”, Chicago, 2009.
- (4) Sato, K. and Momose-Sato, Y., Optical imaging of neuronal activities: From embryos to human brain, The 4th Asian and Pacific Rim symposium on biophotonics, Jeju island, 2009.
- (5) Sato, K., Optical analysis of neural circuit formation in the embryonic brain, Experimental Biology, Washington DC, 2007.
- (6) Sato, K., Kinoshita M. and Momose-Sato, Y., Spontaneous depolarization waves of multiple origins in the embryonic rat CNS, Cellular and Network Functions in the Spinal Cord, Wisconsin-Madison, 2007.
- (7) Sato, K. and Momose-Sato, Y., Spontaneous depolarization wave in the embryonic in the embryonic brain, Imaging Activity Merocyanine 540; 35th Anniversary Celebration, Woods Hole, 2007.
- (8) Sato, K. and Momose-Sato, Y., Optical recording of vagal pathway formation in the embryonic brainstem, ISAN 2005, 4th Congress of the International Society for Autonomic Neuroscience, Marseille, 2005.
- (9) Sato, K. and Momose-Sato, Y., Voltage-sensitive dye imaging of depolarization waves in the embryonic CNS, Mechanisms of network function in the spinal cord-brainstem, Wisconsin-Madison, 2005.
- (10) Sato, K., Momose-Sato, Y., Kamino, K. and Glover, J. C., Functional visualization of emerging brainstem neural circuits using voltage-sensitive dye imaging, Riken International Workshop -Frontiers in Cellular Neuroimaging-, Wako, 2005.
- (11) Sato, K., Application of voltage-sensitive dye imaging to the embryonic CNS, Université Claude Bernard Lyon 1 Seminar, Lyon, France, 2005.

- (12) Sato, K., Application of voltage-sensitive dyes to the embryonic brain, CVS Seminar, Canberra, 2004.
- (13) Sato, K., Momose-Sato, Y. and Kamino, K., Developmental organization of synaptic networks revealed by optical recording, Shanghai International Conference on Physiological Biophysics, Shanghai, 2004.
- (14) Sato, K., Momose-Sato, Y. and Kamino, K., Application of voltage-sensitive dyes to the embryonic nervous system, Optical monitoring of activity in the brain and heart; A celebration of Merocyanine-540, Woods Hole, 2002.

一般質問

- (1) Sato, K. and Momose-Sato, Y., Voltage-sensitive dye recording of glossopharyngeal nerve-related synaptic networks in the embryonic mouse brainstem., Society for Neuroscience 49th Annual Meeting, Chicago, USA.
- (2) Sato, K. and Momose-Sato, Y., Spontaneous depolarization wave in the embryonic CNS analyzed with voltage-sensitive dye recording, The 19th HFSP Awardees Meeting, Tsukuba, Japan.
- (3) Sato, K. and Momose-Sato, Y., Spontaneous network activity in the embryonic CNS analyzed with voltage-sensitive dye recording, 9th Federation of the Asian and Oceanian Physiological Societies (FAOPS 2019), Kobe, Japan.
- (4) Sato, K. and Momose-Sato, Y., Optical analysis of functional development of the facial motor nucleus in the embryonic rat brainstem, Society for Neuroscience 48th Annual Meeting, 2018, San Diego, USA.
- (5) Sato, K. and Momose-Sato, Y., Functional mapping of neuronal activity in the facial nucleus of the rat embryo: optical recording with a voltage-sensitive dye, Society for Neuroscience 47th Annual Meeting, Washington DC, 2017.
- (6) Sato, K. and Momose-Sato, Y., Optical imaging of widely-spreading wave activity in the embryonic chick forebrain induced by olfactory nerve stimulation, Society for Neuroscience 46th Annual Meeting, San Diego, 2016.
- (7) Sato, K. and Momose-Sato, Y., Optical analysis of developmental changes in oscillatory activity in the embryonic chick olfactory bulb, Society for Neuroscience 45th Annual Meeting, Chicago, 2015.
- (8) Sato, K. and Momose-Sato, Y., Optical survey of initial expression of synaptic function in the embryonic chick trigeminal sensory nucleus, Society for Neuroscience 44th Annual Meeting, Washington DC, 2014.
- (9) Sato, K. and Momose-Sato, Y., Large-scale correlated wave in the embryonic mouse CNS: Development, origins and pharmacological natures, XXXVII International Congress of Physiological Sciences (IUPS 2013), Birmingham, 2013.
- (10) Sato, K., Glover, J. C. and Momose-Sato, Y., Functional development of auditory and vestibular neural circuits in the embryonic chick brainstem revealed by voltage-sensitive dye imaging, XXXVI International Congress of Physiological Sciences, Kyoto, 2009.
- (11) Sato, K. and Momose-Sato, Y., Functional organization of the glossopharyngeal and vagus nerve-related nuclei in the embryonic rat brainstem: Optical mapping with voltage-sensitive dyes, Society for Neuroscience 38th Annual Meeting, Washington DC, 2008.
- (12) Sato, K., Kinoshita, M. and Momose-Sato, Y., Development of vagal afferent projections circumflex to the obex in the embryonic chick brainstem visualized with voltage-sensitive dye recording, Society for Neuroscience 37th Annual Meeting, San Diego, 2007.
- (13) Sato, K. and Momose-Sato, Y., Optical monitoring of spontaneous depolarization waves in the embryonic rat CNS; possible primordial form of respiratory activity?, Symposium on Evolutionary Physiology of Respiration: From Amphibian to Human, Tokyo, 2007.

- (14) Sato, K., Glover, J. C. and Momose-Sato, Y., Development of functional synaptic connections in the auditory system visualized with optical recording: Afferent-evoked activity is present from early stages, Society for Neuroscience 36th Annual Meeting, Atlanta, 2006.
- (15) Sato, K. and Momose-Sato, Y., Optical survey of neural circuit formation in the embryonic chick olfactory pathway, Society for Neuroscience 35th Annual Meeting, Washington DC, 2005.
- (16) Sato, K., Honda, Y., Sasaki, H. and Momose-Sato, Y., Chemical synapses and gap junctions as possible mediators of the depolarization wave in the embryonic rat brain: optical analysis and morphological investigation, Society for Neuroscience 34th Annual Meeting, San Diego, 2004.
- (17) Sato, K., Honda, Y., Sasaki, H. and Momose-Sato, Y., Optical mapping of the functional organization of the rat trigeminal nucleus: Initial expression and spatio-temporal dynamics of sensory information transfer during embryogenesis, 15th Biennial Meeting of the International Society for Developmental Neuroscience, Edinburgh, 2004.
- (18) Sato, K., Miyakawa, N. and Momose-Sato, Y., Optical survey of neural circuit formation in the embryonic chick vagal pathway, Society for Neuroscience 33rd Annual Meeting, New Orleans, 2003.
- (19) Sato, K., Mochida, H., Yazawa, I., Sasaki, S. and Momose-Sato, Y., Functional organization of glossopharyngeal and vagal motor nuclei in the embryonic avian hindbrain: optical recording with a voltage-sensitive dye, Society for Neuroscience 32nd Annual Meeting, Orlando, 2002.
- (20) Sato, K., Nariai, T., Sasaki, S., Yazawa, I., Mochida, H., Miyakawa, N., Momose-Sato, Y., Kamino, K., Ohta, Y., Hirakawa, K. and Ohno, K., Intraoperative intrinsic optical imaging of neuronal activity from Brodmann's subdivisions of the human primary somatosensory cortex, The 8th International Conference on Functional Mapping of the Human Brain, Sendai, 2002.
- (21) Sato, K., Mochida, H., Yazawa, I., Sasaki, S. and Momose-Sato, Y., Large-scale depolarization waves in the embryonic chick brain mediated by dual networks of chemical synapses and gap junctions: optical imaging with a fast voltage-sensitive dye, Society for Neuroscience 31st Annual Meeting, San Diego, 2001.
- (22) Sato, K., Mochida, H., Yazawa, I., Sasaki, S. and Momose-Sato, Y., Optical recording of large-scale depolarization waves detected from the whole-brain preparation of the chick embryo, 14th International Congress of Developmental Biology, Kyoto, 2001.
- (23) Sato, K., Momose-Sato, Y., Mochida, H., Yazawa, I., Sasaki, S. and Kamino, K., A novel type of spreading depolarization waves triggered by vagal stimulation in the embryonic chick brain: optical evidence for intercellular communication in the developing CNS, Society for Neuroscience 30th Annual Meeting, New Orleans, 2000.
- (24) Sato, K., Momose-Sato, Y., Mochida, H., Yazawa, I. and Kamino, K., Optical evidence for calcium-dependent action potentials transiently appeared in the embryonic rat brainstem, Society for Neuroscience 29th Annual Meeting, Miami Beach, 1999.
- (25) Sato, K., Momose-Sato, Y., Arai, Y. and Kamino, K., Optical mapping of neural responses in the embryonic rat brainstem: early functional organization of vagal nuclei, Keio University International Symposia for Life Sciences and Medicine 1997 Symposium, Neuroscience: Frontiers of Neural Development, Tokyo, 1997.
- (26) Sato, K., Momose-Sato, Y., Arai, Y., Sakai, T., Hirota, A. and Kamino, K., Optical mapping of vagal responses in the embryonic rat brainstem slice preparation, Society for Neuroscience 27th Annual Meeting, New Orleans, 1997.
- (27) Sato, K., Momose-Sato, Y., Sakai, T., Hirota, A. and Kamino, K., Optical recording using a voltage-sensitive dye provides evidence for a novel type of GABA responses in the early embryonic chick brainstem, Society for Neuroscience 25th Annual Meeting, San Diego, 1995.

- (28) Sato, K., Momose-Sato, Y., Hirota, A., Sakai, T. and Kamino, K., Optical survey of extensive neural pathways involved in the response to vagal stimulus in the early embryonic avian brainstem, 4th IBRO World Congress of Neuroscience, Kyoto, 1995.

4-2 国内学会

- (1) 佐藤勝重、佐藤容子：膜電位感受性色素を用いた光学測定による発生期中枢神経系の機能構築過程の解析，第 92 回日本生理学会，神戸，2015（シンポジウム）
- (2) 佐藤勝重、佐藤容子：胎生期中枢神経系における神経活動の光学的イメージング，第 91 回日本生理学会，鹿児島，2014（シンポジウム）
- (3) 佐藤勝重、佐藤容子：胎生期中枢神経回路に発現する広範囲律動性脱分極波，第 87 回日本生理学会，盛岡，2010（シンポジウム）
- (4) 佐藤勝重：初期胚脳幹における機能的神経回路網形成に対する光学的アプローチ，第 85 回日本生理学会，東京，2008（シンポジウム）
- (5) 佐藤勝重：細胞膜電位変化の光学的イメージング法の基礎と応用：神経系の機能発生の研究経験から，第 2 回 GPCR 研究会，東京，2005（特別講演）
- (6) 佐藤勝重：Depolarization wave による中枢神経系の機能発達制御機構，生理研研究会「大脳皮質の神経回路」，岡崎，2004（シンポジウム）
- (7) 佐藤勝重：ラット barrel 応答の生後発達：内因性光学イメージングによる解析，第 26 回日本神経科学学会，名古屋，2003（シンポジウム）
- (8) 佐藤勝重：光学的計測法による初期胚脳幹における神経機能構築過程の追跡，第 1 回生理学若手サマースクール 脳神経活動の最新画像計測技術 Cellular Imaging & Brain Mapping - 基礎から応用まで-，東京，2001（シンポジウム）
- (9) 佐藤勝重：発生期中枢神経系に出現する Spreading depolarization wave の発見と光学的解析，「生体電気信号」特別記念シンポジウム，東京，2000（シンポジウム）
- (10) 佐藤勝重、成相直：内因性光学イメージング法を応用したヒト脳外科手術中における神経活動のモニタリング，第 23 回日本神経科学大会，横浜，2000（シンポジウム）
- (11) 佐藤勝重：ニューロン活動の光学的計測法の基礎と応用，公開学術シンポジウム「微小脳研究の新たな展開を目指して」，松山，1999（シンポジウム）

6 その他

該当無し