

(様式2)

業 績 目 錄

氏名 庄司 敏

1 原著

1-1 欧文原著

1. Shimokawa K, Mogushi K, Shoji S, Hiraishi A, Ido K, Mizushima H, Tanaka H. iCOD: an integrated clinical omics database based on the systems-pathology view of disease. BMC Genomics. 2010 Dec 2;11 Suppl 4:S19. doi: 10.1186/1471-2164-11-S4-S19.
2. Yoshida T, Kobayashi T, Itoda M, Muto T, Miyaguchi K, Mogushi K, Shoji S, Shimokawa K, Iida S, Uetake H, Ishikawa T, Sugihara K, Mizushima H, Tanaka H. Clinical omics analysis of colorectal cancer incorporating copy number aberrations and gene expression data. Cancer Inform. 2010 Jul 29;9:147-61.
3. Sadakata T, Washida M, Iwayama Y, Shoji S, Sato Y, Ohkura T, Katoh-Semba R, Nakajima M, Sekine Y, Tanaka M, Nakamura K, Iwata Y, Tsuchiya KJ, Mori N, Detera-Wadleigh SD, Ichikawa H, Itohara S, Yoshikawa T, Furuichi T. Autistic-like phenotypes in Cadps2-knockout mice and aberrant CADPS2 splicing in autistic patients. J Clin Invest. 2007 Apr;117(4):931-43. Epub 2007 Mar 22.
4. Kawano S, Otsu K, Kuruma A, Shoji S, Yanagida E, Muto Y, Yoshikawa F, Hirayama Y, Mikoshiba K, Furuichi T. ATP autocrine/paracrine signaling induces calcium oscillations and NFAT activation in human mesenchymal stem cells. Cell Calcium. 39(4):313-24, 2006.
5. Otsu K, Kuruma A, Yanagida E, Shoji S, Inoue T, Hirayama Y, Uematsu H, Hara Y, Kawano S. Na⁺/K⁺ ATPase and its functional coupling with Na⁺/Ca²⁺ exchanger in mouse embryonic stem cells during differentiation into cardiomyocytes. Cell Calcium. 37(2):137-51, 2005.
6. Shoji S, Yanagida E, Hirayama Y, Yoshikawa F, Otsu K, Uematsu H, Hiraoka M, Furuichi T, Kawano S. Functional expression of Ca²⁺ signaling pathways in mouse embryonic stem cells. Cell Calcium. 36(2):135-46, 2004.

7. Tagami M, Ichinose S, Yamagata K, Fujino H, Shoji S, Hiraoka M, Kawano S. Genetic and ultrastructural demonstration of strong reversibility in human mesenchymal stem cell. Cell Tissue Res. 312(1):31-40, 2003
8. Kawano S, Otsu K, Shoji S, Yamagata K, Hiraoka M. Ca(2+) oscillations regulated by Na(+)-Ca(2+) exchanger and plasma membrane Ca(2+) pump induce fluctuations of membrane currents and potentials in human mesenchymal stem cells. Cell Calcium. 34(2):145-56, 2003.
9. Kawano S, Shoji S, Ichinose S, Yamagata K, Tagami M, Hiraoka M. Characterization of Ca(2+) signaling pathways in human mesenchymal stem cells. Cell Calcium. 32(4):165-74, 2002.
10. Shoji S, Adaniya H, Numano F, Hiraoka M. Factors determining clockwise and counterclockwise conduction patterns in atrial reentrant tachycardias: a rabbit model of atrial flutter. J Cardiovasc Electrophysiol. 11(3):311-23, 2000.

1-2 和文原著

1. 沢登徹、安谷屋均、庄司敏、平岡昌和
家兔右房標本を用いた各種抗不整脈薬に伴う催不整脈作用の検討
臨床薬理 30巻 (1999) 1号 p. 339-340

2 著 書

2-1 欧文著書

2-2 和文著書

3 総 説

3-1 欧文総説

3-2 和文総説

1. 佐藤明、庄司敏、古市貞一.
小脳神経回路形成と遺伝子発現 蛋白質核酸酵素 Vol. 49, No. 3, pp337-344. (共立出版) (2004)

4 学会発表

【国際学会】

1. Shoii S, Sato Y, and Furuichi T.
Effects of Homer/CPD mutants on glutamate mediated Ca²⁺ responses in cerebellar granule cells. 13th Neuropharmacology Conf.: Post Translational Modification of Protein Structure and Synaptic Function, New Orleans, USA, Nov. (2003).
2. Shoii S, Muto Y, Sato Y, Furuichi T.
Molecular Involvements of Homer 2/Cupidin in postsynaptic regulations. 35th Ann. Meet. Soc. for Neuroscience, Washington DC, USA, Nov. (2005).

【国内学会】

1. Shoii S, Mizutani A, Shiraishi-Yamaguchi Y, Furuichi T.
Molecular Involvements of Homer 2/Cupidin in postsynaptic regulations. 第28回日本神経科学大会. (2005) (シンポジウム)

5 その他