

1-1 欧文原著

1. Koshiba T, Ishida A, Hayashi M, Shishido Y.

Patients who can not receive hemodialysis in neighborhood dialysis facilities : Report from the area near the Fukushima nuclear power plants. **J Clin Exp Nephrol** ;2(4) :46-56. 2017

2. Nafady-Hego H, Li Y, Ohe H, Elgendy H, Zhao X, Sakaguchi S, Bishop GA, Koshiba T.

Utility of CD127 combined with FOXP3 for identification of operational tolerance after liver transplantation. **Transpl Immunol**;36:1-8. 2016

3. Ceulemans LJ, Braza F, Monbaliu D, Jochmans I, De Hertogh G, Du Plessis J, Emonds MP, Kitade H, Kawai M, Li Y, Xiangdong Z, Koshiba T, Sprangers B, Brouard S, Waer M, Pirenne J. The Leuven immunomodulatory protocol promotes T-regulatory cells and substantially prolongs survival after first intestinal transplantation. **Am J Transplant**;16 (10): 2973-2985. 2016

4. Koshiba T, Nishiuchi T, Akaiha H, Haga N, Kojima Y, Kubo H, Kasahara M, Hayashi M. Evaluating the imbalance between increasing hemodialysis patients and medical staff shortage after the Great East Japan Earthquake: Report from a hemodialysis center near the Fukushima nuclear power plants. **Ther Apher Dial**;20(2):127-134. 2016

5. Zhao X, Li Y, Ohe H, Nafady-Hego H, Uemoto S, Bishop GA, Koshiba T.

Intra-graft V δ 1 $\gamma\delta$ T cells with a unique T-cell receptor are closely associated with pediatric semiallogeneic liver transplant tolerance. **Transplantation**;95(1):192-202. 2013

6. Ohe H, Waki K, Yoshitomi M, Morimoto T, Nafady Hego H, Satoda N, Li Y, Zhao X, Sakaguchi S, Uemoto S, Bishop GA, Koshiba T. Factors affecting operational tolerance after pediatric living-donor liver transplantation: Impact of early post-transplant events and HLA match. **Transplant International**;25(1):97-106. 2012

7. Ohe H, Li Y, Nafady-Hego H, Kayo W, Sakaguchi S, Wood K, Calne R, Koshiba T. Minimal but essential doses of immunosuppression : A more realistic approach to improve long-term outcomes for pediatric living donor-liver transplantation. **Transplantation**;91(7):808-810. 2011

8. Nafady-Hego H, Li Y, Ohe H, Zhao X, Satoda N, Sakaguchi S, Wood K, Uemoto S, Koshiba T. The Generation of Donor-Specific CD4⁺CD25⁺CD45RA⁺ Naive Regulatory T Cells in Operationally Tolerant Patients After Pediatric Living-Donor Liver Transplantation. **Transplantation**;90(12):1547-55. 2010

9. Kawai M, Kitade H, Koshiba T, Waer M, Pirenne J. Intestinal ischemia reperfusion and lipopolysaccharide transform a tolerogenic signal into a sensitizing signal and trigger rejection. **Transplantation**;87(10):1464-7. 2009

- 10.Soma T, Lerut E, Billiau A, Waer M, Goebels J, Koshiba T, Uemoto S, Pirenne J. An easy and reproducible model of kidney transplantation in rats. **Transplant Proc.** 2009 ;41(8):3422-4.

- 11.Yoshitomi M, Koshiba T, Haga H, Li Y, Zhao X, Cheng D, Miyagawa A, Sakashita H, Tsuruyama T, Ohe H, Ueda M, Okamoto S, Egawa H, Wood K, Sakaguchi S, Manabe T, Tanaka K, Uemoto S. Requirement of protocol biopsy before and after complete cessation of immunosuppression after liver transplantation. **Transplantation.**;87(4):606-14. 2009.

- 12.Satoda N, Shoji T, Wu Y, Fujinaga T, Chen F, Aoyama A, Zhang JT, Takahashi A, Okamoto T, Matsumoto I, Sakai H, Li Y, Zhao X, Manabe T, Kobayashi E, Sakaguchi S, Wada H, S Uemoto, Tottori J, Bando T, Date H , Koshiba T. Value of FOXP3 expression in peripheral blood as rejection marker after miniature swine lung transplantation. **J Heart Lung Transplant.** ;27(12):1293-301. 2008

- 13.Li Y, Zhao X, Cheng D, Haga H, Tsuruyama T, Wood K, Sakaguchi S, Tanaka K, Uemoto S, Koshiba T The presence of Foxp3 expressing T cells within grafts of tolerant human liver transplant recipients. **Transplantation.**;86(12):1837-43. 2008

14. Zhao X, Koshiba T, Nakamura T, Tsuruyama T, Li Y, Bando T, Wada H, Tanaka K. ET-Kyoto Solution Plus Dibutylrly Cyclic Adenosine Monophosphate Is Superior to University of Wisconsin Solution in Rat Liver Preservation. **Cell Transplantation**;17(1-2):99-109. 2008

15. Intestinal transplantation: from the laboratory to the clinics. Pirenne J, Kawai M, Kitade H, Koshiba T, Takahashi K, Aerts R, Monbaliu D, Coosemans W, Waer M. **Acta Chir Belg.**;108(1):52-7. 2008

- 16.Pirenne J, Takahashi K, Kawai M, Kitade H, Geboes K, Mathieu C, Li Y, Koshiba T, Waer M. Translation into the clinic of an experimentally proven pro-regulatory immunomodulatory protocol for intestinal transplantation. Long-term results. **Transplant Int.**;20:17-18. 2007

- 17.Kawasaki M, Iwasaki M, Koshiba T, Fujino M, Hara Y, Kitazawa Y, Kimura H, Uemoto S, Li XK, Tanaka K. Gene expression profile analysis of the peripheral blood mononuclear cells from tolerant living-donor liver transplant recipients. **Int Surg.** ;92(5):276-86. 2007

18. Koshiba T, Li Y, Takemura M, Wu Y, Sakaguchi S, Minato N, Wood KJ, Haga H, Ueda M, Uemoto S. Clinical, immunological, and pathological aspects of operational tolerance after pediatric living-donor liver transplantation. **Transplant Immunol**;17: 94-7. 2007

- 19.Yoshizawa A, Takada Y, Fujimoto Y, Koshiba T, Haga H, Nabeshima S, Uemoto S. Liver transplantation from an identical twin without immunosuppression, with early recurrence. **Am J Transplant**;6: 2812-16. 2006

20. Zhao X, Koshiba T, Fujimoto Y, Pirenne J, Yoshizawa A, Ito T, Kamei H, Jobara K, Ogawa K, Uryuhara K, Takada Y, Tanaka K. Proinflammatory and antiinflammatory cytokine production during ischemia-reperfusion injury in a case of identical twin living donor liver transplantation using no immunosuppression. **Transplant Proc**;37: 392-4. 2005
21. Yoshizawa A, Ito A, Li Y, Koshiba T, Sakaguchi S, Wood KJ, Tanaka K. The roles of CD25+CD4+ regulatory T cells in operational tolerance after living donor liver transplantation. **Transplant Proc**, , 37: 37-9. 2005
22. Kitade H, Kawai M, Koshiba T, Giulietti A, Overbergh L, Rutgeerts O, Valckx D, Waer M, Mathieu C, Pirenne J. Early accumulation of interferon-gamma in grafts tolerized by donor-specific blood transfusion: friend or enemy? **Transplantation**;78: 1747-55. 2004
23. Li, Y., Koshiba T, Yoshizawa, A., Yonekawa, Y., Masuda, K., Ito, A., Mori, T., Kawamoto, H., Tanaka, Y., Sakaguchi, S., Minato, N., Wood, K. J., and Tanaka, K. Analysis of peripheral blood mononuclear cells in operational tolerance after living donor liver transplantation. **Am.J.Transplant**,;4: 2118-25. 2004
24. Koshiba T, Giulietti A, Overbergh L, Rutgeerts O, Mathieu C, Waer M, Pirenne J. Regulatory cell mediated tolerance does not protect the accepted graft against chronic rejection. **Transplantation**;76: 588-596. 2003
25. Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Tanaka K, Waer M, Pirenne J. FTY720-An immunosuppressor that alters lymphocyte trafficking-completely abrogates chronic rejection in combination with cyclosporine. **Transplantation**;75: 945-952.. 2003
26. Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Schetz M, Verhaegen M, Lauwers P, Fevery J, Nevens F. Steroid-free immunosuppression during and after liver transplantation-a 3-yr follow-up report. **Liver Transplantation**;17: 177-182. 2003
27. Koshiba T, Giulietti A, Overbergh L, Rutgeerts O, Mathieu C, Waer M, Pirenne J. Paradoxical early upregulation of intra-graft Th1 cytokines is associated to graft acceptance following donor-specific blood transfusion. **Transplant Int** ;16:179-185. 2003.

28.Koshiba T, Van Damme B, Ji P , Sefrioui H, Rutgeerts O, Waer M, Pirenne J. The effect of FTY720 on engraftment in a model of spontaneous allograft acceptance.

Transplant Int ;16:383-390. 2003

29.Pirenne J, Koshiba T, Geboes K, Emonds MP, Ferdinande P, Hiele M, Nevens F, Waer M. Complete freedom from rejection after intestinal transplantation using a new tolerogenic protocol combined with low immunosuppression.**Transplantation;73: 966-968. 2002**

30.Koshiba T Van Damme B, Kitade H, Rutgeerts O, Tanaka K, Waer M, Pirenne J. Induction of tolerance by donor-specific blood transfusion in a model of intestinal transplantation. Technical and Immunological aspects.

Transplant Proc.;34:1033-1039. 2002

31.Pirenne J, Coosemans W, Aerts R, Monbaliu D, Van Steenberg W, Koshiba T. Transplant pancreatitis after liver bowel transplantation.

Transplant Proc;34: 1033-1039. 2002,

32.Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Overbergh L, Tanaka K, Waer M, Mathieu C, Pirenne J. Combined use of FTY720 and Cyclosporine A (CsA) prevents chronic allograft vasculopathy (CAV).

Transplant Proc ,34:748-749.. 2002

33. Koshiba T, Van Damme B, Ji P, Lu Y, Sefrioui H, Rutgeerts O, Overbergh L, Tanaka K, Mathieu C, Waer M, Pirenne J. Intestinal allografts delay rejection and prolong survival of combined donor-specific and third party solid organ transplant.

Transplant Proc ;33: 1550-1552. 2001

34.Koshiba T, Ji P, Lu Y, Waer M, Pirenne J. The technical aspects of combined intestinal and heart transplantation in rats.**Transplant Proc.;33: 532-534. 2001**

35.Koshiba T, Van Damme B, Ji P, Lu Y, Sefrioui H, Overbergh H, Tanaka K, Mathieu C, Waer M, Pirenne J. Addition of steroids blocks the tolerogenic potential of donor-specific blood transfusion (DSBT).**Transplant Proc;33: 375-376. 2001,**

36.Pirenne J, Van Gelder F, Coosemans W, Aerts R, Gunson B, Koshiba T, Fourneau I, Mirza

D, Van Steenberghe W, Fevery J, Nevens F, McMaster P. Type of donor aortic preservation solution and not cold ischemia time is a major determinant of biliary strictures after liver transplantation. **Liver Transplantation**;7: 540-545. 2001.

37. Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Nevens F, Fevery J. Standard cyclosporine A-based versus completely steroid-free FK506-based immunosuppression after liver transplantation. **Transplant Proc**33: 1505. ,2001.

38. Pirenne J, Aerts R, Yoong K, Gunson B, Koshiba T, Fourneau I, Mayer D, Buckels J, Mirza D, Roskams T, Elias E, Nevens F, Fevery J, McMaster P. Surgical strategy in liver transplantation for polycystic liver disease. **Transplant Proc**33: 1364-1365. 2001

39. Pirenne J, Koshiba T, Coosemans W, Herman J, Lombaerts R. Recent advances and future prospects in intestinal and multi-visceral transplantation. **Pediatr Transplantation**;5: 452-456. 2001.

40. Pirenne J, Aerts R, Yoong K, Gunson B, Koshiba T, Fourneau I, Mayer D, Buckels J, Mirza D, Roskams T, Elias E, Nevens F, Fevery J, McMaster P. Liver transplantation for polycystic liver disease. **Liver Transplant**;7: 238-245. 2001.

41. Itterbeek P, Vandenberghe P, Nevens F, Fevery J, Aerts R, Yap SH, Demuyneck H, Fourneau I, Koshiba T, Emonds MP, Roskams T, Boogaerts M, Pirenne J. Aplastic anemia after transplantation for non-A, non-B, non-C fulminant hepatic failure. **Transpl Int**;15:117-123. 2001.

42. Koshiba T, Ji P, Tanaka K, McMaster P, Van Damme B, Waer M, Pirenne J. Tolerance induction with FTY720 and donor-specific blood transfusion: discrepancy between heart transplantation and intestinal transplantation. **Transplant Proc** ;32: 1255-1257.2000.

43. Pirenne J, Koshiba T. Present status and future prospects in liver transplantation. **Int Surg**;84: 297-304.1999.

44. Fujimoto Y, Uemoto S, Inomata Y, Kurokawa T, Koshiba T, Takatsuki M, Hino H, Tanaka K. Living-related small bowel transplant: management of rejection and infection. **Transplant**

45. Uemoto S, Inomata Y, Sannomiya A, Koshihara T, Kurokawa T, Takatsuki M, Hino H, Yokoi A, Tanaka K. Posttransplant hepatitis B infection in liver transplantation with hepatitis B core antibody-positive donors. **Transplant Proc** ;30(1):134-135.1998.

46. Living-related donor small bowel transplantation: first case in Japan. Fujimoto Y, Koshihara T, Ogura Y, Uryuhara K, Kasahara M, Kaibori M, Egawa H, Uemoto S, Inomata Y, Tanaka K. **Transplant Proc**. 1998 ;30(7):3441-3442.

2 和文原著

1. 二瓶 大、永井 有、石田 亜希、平沼 聡史、宍戸 洋、小柴 貴明. : 鎖骨下静脈の閉鎖後人工血管での cephalic to external jugular vein bypass で AVF を温存した経験. 腎と透析 89 別冊 アクセス 2020 :215-216, 2020

2. 小柴 貴明、林 正幸、石田 亜希、平沼 聡史、宍戸 洋. : 東日本大震災の勃発を機に大きな変動を遂げたわが国の透析医療の災害対策. 宮城県腎不全研究会会誌 第四十八回(2019) : 39-40, 2019

3. 小柴 貴明、兼本 大輔、二瓶 大、石田 亜希、平沼 聡史、宍戸 洋. : 震災後、医療需要の増した原発近くの基幹病院でバスキュラーアクセス外来を開設することの意義. 腎と透析 87 別冊 アクセス 2019 : 244-245, 2019

4. 石田 亜希、平沼 聡史、小柴 貴明、宍戸 洋. : 標準的内シャント本幹非血栓性閉塞の治療の工夫. 腎と透析 87 別冊 アクセス 2019 : 23-24, 2019

5. 小柴 貴明、林 正幸、石田 亜希、平沼 聡史、宍戸 洋. : 日本各地の透析医療における災害対策 -震災後、福島県相双地区の透析患者を受け入れた施設での経験の基づく考察-. 宮城県腎不全研究会会誌 第四十七回(2018) : 20-21, 2019

6. 小柴 貴明、佐藤 信子、前田 賀奈子、石田 友美子、荒 幸恵、秋山 光子、金澤 美千代. : 福島県相双地区の 1 透析施設においてバスキュラーアクセス関連の手技を開始したこと of 社会的意義. 腎と透析 85 別冊 アクセス 2018 : 108-109, 2018

7. 小柴 貴明、石田 亜希、宍戸 洋. : 近隣施設で血液透析をうけることのできない福島県相双地区～仙南の施設へ受け入れられた患者の実態-第 1 報. 宮城県腎不全研究会会誌 第四十五回(2016) : 132-136, 2017

8. 小柴 貴明、石田 亜希、林 正幸、宍戸 洋. : 東日本大震災と福島第一原発近隣の透析医療. 日透医誌 32(2) :229-238, 2017

9. 李 穎、坂口志文、上本伸二、小柴貴明. 特集 制御性T細胞の基礎と病態における役割 X. 臓器移植免疫寛容における制御性T細胞 アレルギー・免疫 Vol. 16. No5 84(700)-91(707). 2009 医薬ジャーナル社

10. 小柴貴明 臓器移植後の免疫寛容における制御性 T 細胞の役割 Biotherapy Vol. 21 No. 5 354-355. 2007

11. 小柴貴明 肝移植における免疫寛容—制御性 T 細胞における免疫寛容の誘導を目指し

てー

移植 41(2):88-94 2006

12. 小柴貴明 ヒトの臓器移植後の免疫寛容とグラフト内における免疫制御機構 Organ Biology 13(3):308 2006

13. 小柴貴明 CLINICAL TOPICS 生体肝移植と免疫寛容 Bioclinica 2003 臨時増刊号

14. 小柴貴明、増田智先、吉澤淳、米川幸秀、木内哲也、田中紘一. 臓器移植と遺伝子多型. Surgery Frontier Vol.10 No.1 2003

2総説

2-1 英文総説

1. Demetris AJ, Bellamy C, Hübscher SG, O'Leary J, Randhawa PS, Feng S, Neil D, Colvin RB, McCaughan G, Fung JJ, Del Bello A, Reinholt FP, Haga H, Adeyi O, Czaja AJ, Schiano T, Fiel MI, Smith ML, Sebach M, Tanigawa RY, Yilmaz F, Alexander G, Baiocchi L, Balasubramanian M, Batal I, Bhan AK, Bucuvalas J, Cerski CT, Charlotte F, de Vera ME, ElMonayeri M, Fontes P, Furth EE, Gouw AS, Hafezi-Bakhtiari S, Hart J, Honsova E, Ismail W, Itoh T, Jhala NC, Khettry U, Klintmalm GB, Knechtle S, Koshiba T, Kozlowski T, Lassman CR, Lerut J, Levitsky J, Licini L, Liotta R, Mazariegos G, Minervini MI, Misdraji J, Mohanakumar T, Mölne J, Nasser I, Neuberger J, O'Neil M, Pappo O, Petrovic L, Ruiz P, Sağol Ö, Sanchez Fueyo A, Sasatomi E, Shaked A, Shiller M, Shimizu T, Sis B, Sonzogni A, Stevenson HL, Thung SN, Tisone G, Tsamandas AC, Wernerson A, Wu T, Zeevi A, Zen Y. 2016 Comprehensive Update of the Banff Working Group on Liver Allograft Pathology: Introduction of Antibody-Mediated Rejection. **Am J Transplant.** 2016 Jun 7. doi: 10.1111/ajt.13909. PMID:27273869

2. Banff Working Group on Liver Allograft Pathology (one of co-author). Importance of liver biopsy findings in immunosuppression management: biopsy monitoring and working criteria for patients with operational tolerance. **Liver transpl**:18(10):1154-1170. 2012 Review

3. Pirenne J, Kitade H, Kawai M, Koshiba T, Van Damme B, Mathieu C, Waer M. Regulatory cells, TH1/TH2 unbalance, and antibody-induced chronic rejection in operational tolerance induced by donor-specific blood transfusion. **Transplantation**:79: S25-7.2005. Review.

2-1 和文総説

1. 小柴貴明、大江 秀典. 肝移植後、免疫寛容のバイオマーカー 今日の移植 日本医学館 27(6):469-485. 2014 総説

2. 小柴貴明、大江 秀典. 肝移植後における免疫抑制剤の減量・中止の指針と免疫寛容 (=operational tolerance) の病理に関する世界基準—The Banff Working Group on Liver Allograft Pathology のコンセンサスに基づいて 今日の移植 日本医学館 26(1):89-97. 2013 総説

3. 小柴 貴明、脇 嘉代、嶋田甚五郎、菅原寧彦. HIV 感染症と臓器移植—Non-AIDS defining morbidity and mortality への挑戦— 今日の移植 日本医学館 24(6):551-563. 2011 総説

4. 小柴 貴明、坂口 志文. 制御性 T 細胞と臓器移植免疫寛容. 今日の移植 日本医学館 23(6):667-679. 2010 総説

5. 小柴貴明 制御性T細胞による拒絶反応抑制—免疫寛容からの解放 アスペルガー症候群—病因と臨床研究—日本臨床 Vol. 65. No. 3 557-568. 2007 総説

3 著 書

2-1 英文

1. Koshiba T, Li Y, Zhao X, Ohe H, Nafady-Hego H, Bishop GA. Implication of V δ 1 γ δ T cells in operational tolerance after human liver transplantation. In: Advance in Medicine and Biology Vol83 (Leon V. Berhardt eds). Nova Science Publishers. Inc. Hauppauge New York, USA, 2015 Chapter 6 pp.113-128.
2. Koshiba T, Ohe H, Bishop GA. Chapter 64 - Biomarkers of Operational Tolerance in Liver Transplantation. In: Regenerative Medicine Applications in Organ Transplantation (Giuseppe Orlando, eds). Academic Press, London, UK, 2014 ; Chapter 64 pp. 897-910.
3. Koshiba T, Yoshizawa A. tolerance after liver transplantation. In : Living donor liver transplantation (Koichi Tanaka eds.).2006

3-2 和文

1. 小柴貴明, 李 穎, 吳 艶玲, 湊 長博, 坂口 志文, 上本伸二, ジャック・ピレンネ, 臨床臓器移植, 免疫寛容のメカニズムに迫る—制御性 T 細胞, γ δ T 細胞, PD-1—実験医学 増刊 Vol. 26 No5;199(807)-203(811). 2008 再生医療へ進む 最先端の幹細胞研究 山中伸弥監修
2. 尾池文隆, 小柴貴明, 小倉靖弘, 木内哲也, 田中紘一 大動物移植実験マニュアル 日本医学館

4. 学会発表

4-1 国際学会

Moriyasu S, Nagaoka K, Nanazawa E, Koshiba T. Reduction of HbA1c level and cardio-ankle vascular index after periodontal therapy in individuals exhibiting normal or relatively high HbA1c. **ICDM 2013 & 5th AASD Scientific Meeting. November 6, 2013. Seoul, Korea**

Koshiba T, Zhao, X, Li Y, Bishop A. Modification of immune system by chronic HCV infection and unique predictors of early acute rejection after HCV liver transplantation versus Non HCV liver transplantation. **16th ESOT Congress Vienna. September 8-11, 2013. Vienna. Austria**

Li Y, Nafady-Hego H, Ohe H, Waki K, Uemoto S, Bishop A, Koshiba T. Expansion of V δ 1 γ δ T cells and their skewed TCR repertoires within accepted grafts after pediatric semi-allogeneic liver transplantation. **American Transplant Congress 2012. June 2-6, 2012. Boston, MA. USA**

Best abstract

Zhao X, Li Y, Ohe H, Nafady-Hego H, Uemoto S, Bishop A, Koshiba T. Propagation of V δ 1 γ δ T cells and their skewed T cell receptor within accepted grafts after pediatric semi-allogeneic liver transplantation. **The XXIV International Congress of the Transplantation Society. July 15-20, 2012. Berlin, Germany.**

Nafady-Hego H, Li Y, Ohe H, Zhao X, Elgendy H, Uemoto S, Sakaguchi S, Koshiba T. Significance of CD127 versus FOXP3 to define regulatory T cells after pediatric living-donor

liver transplantation. **The XXIV International Congress of the Transplantation Society. July 15-20, 2012. Berlin, Germany.**

Nafady-Hego H, Li Y, Ohe H, Elgendy H, Sakaguchi S, Uemoto S, Koshiba T, Significance of CD127 versus FOXP3 to define regulatory T cells in tolerance recipients after pediatric living-donor liver transplantation. **15th congress of European Society for Organ Transplantation. September 4-7, 2011. Glasgow. UK**

Ohe H, Wak K, Yoshitomi M, Morimoto T, Nafady Hego H, Sakaguchi S, Uemoto S, Koshiba T. Impacts of donor-recipient HLA matching on operational tolerance following pediatric living donor liver transplantation. **15th congress of European Society for Organ Transplantation. September 4-7, 2011. Glasgow. UK**

Nafady-Hego H, Li Y, Ohe H, Waki K, Zhao X, Elgendy H, Satoda N, Wood KJ, Sakaguchi S, Uemoto S, Koshiba T. Upregulation of FOXP3 expression of donor specific CD4⁺CD25⁺IL-7^{low} regulatory T cells in operationally tolerant recipients after pediatric living-donor liver transplantation. **American Transplant Congress 2011, April 30 - May 4, 2011. Philadelphia, PA, USA**

Ohe H, Waki K, Yoshitomi M, Morimoto T, Uemoto S, Wood KJ, Sakaguchi S, Koshiba T. Impacts on donor-recipient HLA matching on operational tolerance following pediatric living-donor liver transplantation. **American Transplant Congress 2011, April 30 - May 4, 2011. Philadelphia, PA, USA**

Nafady Hego H, Li Y, Sakaguchi S, Uemoto S, Koshiba T. Up regulation of FOXP3 expression in CD4⁺CD25⁺ IL-7R α low regulatory T cells in operational tolerance after pediatric living donor liver transplantation. **the XXIII International Congress of The Transplantation Society, August 15-19, 2010, Vancouver, Canada**

Nafady-Hego H, Li Y, Sakaguchi S, Wood K, Uemoto S, Koshiba T. Critical role of naive regulatory T cells in operational tolerance after pediatric living-donor liver transplantation. **the XXIII International Congress of The Transplantation Society, August 15-19, 2010, Vancouver, Canada** Top ranked abstracts

Ohe H, Koshiba T, Li Y, Sakaguchi S, Wood K, Calne R, Uemoto S. Proper Tolerance : A more realistic approach to improve long-term outcomes for pediatric living-donor liver transplantation. **the XXIII International Congress of The Transplantation Society, August 15-19, 2010, Vancouver, Canada**

Satoda N, Li Y, Sakaguchi S, Date H, Uemoto S, Koshiba T. Adoptive Transfer of *Ex vivo* Donor Alloantigen-stimulated Regulatory T Cells Combined with Low Dose Tacrolimus Ameliorates Rejection of Lung Transplantation Between Fully Mismatched Miniature Swines. **American Transplant Congress 2010, May 2-5, 2010, San Diego, USA**

Nafady-Hego H, Li Y, Sakaguchi S, Wood K, Uemoto S, Koshiba T. Critical role of naive regulatory T cells in operational tolerance after pediatric living-donor liver transplantation. **American Transplant Congress 2010, May 2-5, 2010, San Diego, USA**

Ohe H, Egawa H, Uemoto S, Koshiba T. Proper Tolerance : A More Realistic Approach to Improve Long-Term Outcomes For Pediatric Living-Donor Liver Transplantation. **American Transplant Congress 2010, May 2-5, 2010, San Diego, USA** Top 10% abstracts

Nafady-Hego H, Li Y, Sakaguchi S, Wood K, Uemoto S, Koshiba T. Critical role of newly identified CD4⁺CD25⁺CD45RA⁺ Naïve regulatory T cells in operational tolerance after pediatric living-donor liver transplantation. **the 14th Congress of the European Society for Organ Transplantation, August 30-September 2, 2009, Paris, France** Top 100 abstracts

Satoda H, Li Y, Shoji T, Zhao X, Kanazawa H, Ohe H, Bando T, Tottori J, Sakaguchi S, Kobayashi E, Uemoto S, Wada H, Date H, Koshiba T. Adoptive transfer of ex vivo donor alloantigen stimulated CD4⁺CD25⁺ regulatory T cells ameliorates rejection of lung transplantation between fully mismatched miniature swines. **the 14th Congress of the European Society for Organ Transplantation, August 30-September 2, 2009, Paris, France**

Graft fibrosis in operationally tolerant patients after liver transplantation; antigen-dependent or independent ? Ohe H, Egawa H, Miyagawa A, Haga H, Okamoto S, Uemoto S, Koshiba T. **the 14th Congress of the European Society for Organ Transplantation, August 30-September 2, 2009, Paris, France**

Koshiba T. Clinical, immunological and pathological observations in tolerant liver allograft recipients. **The tenth Banff Conference on Allograft Pathology, August 9-14, 2009, Banff Alberta, Canada**

Ohe H, Egawa H, Miyagawa A, Haga H, Okamoto S, Uemoto S, Koshiba T. Graft fibrosis in operationally tolerant patients after liver transplantation ; Antigen-dependent or independent ? **Transplant Congress 2009, May 30-June 3, 2009, Boston, USA**
International Young Investigator Award

Li Y, Zhao X, Haga H, Tsutuyama T, Wood K, Sakaguchi S, Uemoto S, Koshiba T. Recruitment of FOXP3 expressing regulatory T cells into tolerant graft of human liver transplant. **the XXII International Congress of The Transplantation Society, August 10-14, 2008, Sydney, Australia** Top ranked abstracts

Ohe H, Yoshitomi M, Koshiba T, Uemoto S. Development of “operational tolerance” after pediatric liver transplantation is associated with the absence of early rejection and the presence of HLA-B mismatch between donors and recipients. **the XXII International Congress of The Transplantation Society, August 10-14, 2008, Sydney, Australia**

Satoda N, Shoji T, Wu Y, Fijinaga T, Chen F, Bando T, Date H, Kobayashi E, Uemoto S, Koshiba T. Value of FOXP3 mRNA in peripheral blood as rejection marker after miniature swine lung transplantation. **the XXII International Congress of The Transplantation Society, August**

10-14, 2008, Sydney, Australia

Li Y, Tanaka Y, Pirenne J, Minato N, Koshiba T. Propagation of a unique V delta 1 bearing T cells clone within graft infiltrates of human liver transplantation tolerance-immunoprivileged liver specific? **the XXII International Congress of The Transplantation Society, August 10-14, 2008, Sydney, Australia**

Satoda N, Shoji T, Wu Y, Fujinaga T, Chen F, Aoyama A, Zhang JT, Takahashi A, Okamoto T, Matsumoto I, Sakai H, Li Y, Zhao X, Manabe T, Kobayashi E, Sakaguchi S, Wada H, S Uemoto, Tottori J, Bando T, Date H, Koshiba T. Paradoxical up-regulation of FOXP3 mRNA in the peripheral blood after miniature swine lung transplant. **American Transplant Congress 2008, May 31-June 4, 2008, Toronto, Ontario, Canada**

Yoshitomi M, Koshiba T, Uemoto S. Development of “operational tolerance” after pediatric liver transplantation is associated with the absence of early rejection and the presence of HLA-B mismatch between donors and recipients. **American Transplant Congress 2008, May 31-June 4, 2008, Toronto, Ontario, Canada** International Young Investigator Award

Li Y, Zhao X, Haga H, Tsutuyama T, Wood K, Sakaguchi S, Uemoto S, Koshiba T. Recruitment of FOXP3 expressing regulatory T cells into tolerant graft of human liver transplant. **American Transplant Congress 2008, May 31-June 4, 2008, Toronto, Ontario, Canada**

Cheng D, Koshiba T, Li Y, Zhao X, Yoshitomi M, Sakashita H, Haga H, Ueda M, Uemoto S. IS graft fibrosis in operationally tolerant patients after pediatric living-donor liver transplantation antigen-dependent? **American Transplant Congress 2008, May 31-June 4, 2008, Toronto, Ontario, Canada** International Young Investigator Award

Satoda N, Shoji T, Wu Y, Fujinaga T, Chen F, Aoyama A, Zhang JT, Takahashi A, Okamoto T, Matsumoto I, Sakai H, Li Y, Zhao X, Manabe T, Kobayashi E, Sakaguchi S, Wada H, S Uemoto, Tottori J, Bando T, Date H, Koshiba T. Value of FOXP3 expression in peripheral blood as rejection marker after miniature swine lung transplantation. Paradoxical up-regulation of FOXP3 mRNA in the peripheral blood after miniature swine lung transplant. **the 28th annual meeting of international Society for Heart and Lung Transplantation (ISHLT). April 28, 2008, Boston, USA** A nominee for the Philip K. Caves Award

Wu Y, Li Y, Okazaki T, Honjo T, Minato N, Sakaguchi S, Pirenne J, Koshiba T. Intragraft immunoregulation-differential mechanisms of tolerance between human liver and intestinal transplantation. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Pirenne J, Takahashi K, Kawai M, Kitade H, Geboes K, Mathieu S, Li Y, Koshiba T, Waer M. Translation into the clinic of an experimentally proven pro-regulatory immunomodulatory protocol for intestinal transplantation. Long-term results. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Li Y, Zhao X, Haga H, Wood K, Sakaguchi S, Koshiba T. Post-transcriptional enhancement of

FOXP3 protein plays a key role in tolerance after human liver transplantation. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Satoda N, Shoji T, Wu Y, Fujinaga T, Chen F, Aoyama A, Zhang JT, Takahashi A, Okamoto T, Matsumoto I, Sakai H, Li Y, Zhao X, Manabe T, Kobayashi E, Sakaguchi S, Wada H, S Uemoto, Tottori J, Bando T, Date H , Koshiba T. Value of FOXP3 expression in peripheral blood as rejection marker after miniature swine pulmonary transplantation. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Wu Y, Kobayashi E, Sakaguchi S, Koshiba T. CD4+CD25+high+ regulatory T cells in miniature swine. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Takemura M, Koshiba T, Ueda M, Uemoto S. Complete cessation of immunosuppression after pediatric living-donor liver transplantation its safety and feasibility. **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Li Y, Tanaka Y, Pirenne J, Minato N, Koshiba T. Propagation of a unique V delta 1 bearing T cells clone within graft infiltrates of human liver transplantation tolerance-immunoprivileged liver specific? **13th Congress of the European Society for Transplantation. September 29-October 3, 2007, Prague, Czech, Republic**

Koshiba T. Histopathology, immunological and clinical aspects of tolerant pediatric liver allograft removed from all immunosuppression. **The ninth Banff Conference on Allograft Pathology. June 23-29, 2007, La Coruna, Spain**

Li Y, Zhao X, Haga H, Pirenne J, Wood K, Sakaguchi S, Koshiba T. Post-transcriptional enhancement of FOXP3 protein plays a key role in tolerance after human liver transplantation. **American Transplant Congress 2007, May 5-9, 2007, San Francisco, California, USA**

Li Y, Tanaka Y, Pirenne J, Minato N, Koshiba T. Propagation of a unique V δ 1-bearing $\gamma\delta$ T cells clone within graft infiltrates of human liver transplantation tolerance-immunoprivileged liver specific?
American Transplant Congress 2007, May 5-9, 2007, San Francisco, California, USA

Takemura M, Koshiba T, Ueda M, Uemoto S. Complete cessation of immunosuppression after pediatric living-donor liver transplantation its safety and feasibility. Complete cessation of immunosuppression after pediatric living-donor liver transplantation-its safety and feasibility. **American Transplant Congress 2007, May 5-9, 2007, San Francisco, California, USA.**
International Young Investigator Award

Yoshitomi M, Koshiba T, Sakashita H, Haga H, Tanaka K, Li Y, Ueda M. Requirement of protocol biopsy before and after complete cessation of immunosuppression following living-donor liver transplantation.

World Transplant Congress. July 22-27, 2006, Boston, USA

International Young Investigator Award

Li Y, Koshiba T, Zhao X, Kawamoto H, Tanaka Y, Minato N, Sakaguchi S, Tanaka K. Differential roles of CD3⁺Vα24⁺Vβ11⁺ NKT cells in rejection of liver transplantation between HCV and non-HCV patients.

World Transplant Congress. July 22-27, 2006, Boston, USA

Zhao X, Koshiba T, Nakamura T, Tsuruyama T, Li Y, Wada H, Tanaka K. ET-Kyoto solution plus dibutyryl cAMP is superior to University of Wisconsin solution in rat liver preservation.

World Transplant Congress. July 22-27, 2006, Boston, USA

Ito A, Narumoto M, Yoshizawa A, Li Y, Eguchi H, Yoshitomi M, Sakaguchi S, Tanaka K, Koshiba T. FOXP3⁺CD45RA⁺CD25⁺CD45⁺ T cells in human peripheral blood as precursor regulatory T cells.

World Transplant Congress. July 22-27, 2006, Boston, USA

Li Y, Wu Y, Sakaguchi S, Wood KJ, Pirenne J, Koshiba T. Presence of regulatory T cells within tolerant graft of human liver and intestinal transplantation.

World Transplant Congress. July 22-27, 2006, Boston, USA

Kawai M, Kitade H, Koshiba T, Mathieu C, Waer M, Pirenne J. Donor-specific blood transfusion-induced tolerance: Can it be applied to transplantation with cadaveric organs?

American Transplant Congress. May 21-25, 2005, Seattle, Washington, USA

Ito A, Koshiba T, Mori T, Egawa H, Sakaguchi S, Tanaka K. Development of a novel method of expanding FOXP3⁺CD25⁺CD4⁺regulatory T cells isolated from pediatric living donor liver transplantation recipients.

American Transplant Congress. May 21-25, 2005, Seattle, Washington, USA

Pirenne J, Kawai M, Kitade H, Koshiba T, Geboes K, Mathieu C, Waer M. Long-term “prope” tolerance after intestinal transplantation.

American Transplant Congress. May 21-25, 2005, Seattle, Washington, USA

Ito A, Koshiba T, Mori T, Egawa H, Sakaguchi S, Tanaka K. Functional (tolerogenic) characterization of CD45RA⁺CD25^{HIGH}CD4⁺human regulatory T cells over a prolonged period of culture in the presence of alloantigen.

American Transplant Congress. May 21-25, 2005, Seattle, Washington, USA

Ueda M, Koshiba T, Li Y, Pirenne J, Inazawa Y, Egawa H, Tanaka K. Requirement of protocol biopsy before and after complete cessation of immunosuppression following

living-donor liver transplantation.

American Transplant Congress. May 21-25, 2005, Seattle, Washington, USA

Narumoto M, Ito A, Mori T, Tanaka K, Sakaguchi S, Koshiba T.

Human "CD45RA+"CD25+CD4+ T cells acquire tolerogenic character following culture in the presence of alloantigen.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Koshiba T, Eguchi H, Kano T, Mori T.

Analysis of peripheral blood mononuclear cells in pregnancy-induced tolerance.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Li Y, Koshiba T, Zhao X, Ito A, Kawamoto H, Tanaka Y, Minato N, Sakaguchi S, Tanaka K.

The impact of preoperative TCR $\gamma \delta$ T cell subsets on rejection after living-donor liver transplantation (LDLT) for HCV patients.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Li Y, Koshiba T, Zhao X, Kawamoto H, Tanaka Y, Minato N, Sakaguchi S, Tanaka K.

Preoperative immunological risk factors in peripheral blood mononuclear cells (PBMC) of early acute rejection after living-donor liver transplantation (LDLT) for hepatitis C patients.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Yoshitomi M, Koshiba T, Pirenne J, Maekawa T, Tanaka K.

Tolerogenic effect of intra-operative donor-specific blood transfusion in pediatric living-related liver transplantation.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Zhao X, Koshiba T, Nakamura T, Tsuruyama T, Li Y, Wada H, Tanaka K.

ET-Kyoto solution plus dibutyryl cAMP is superior to university of Wisconsin solution in rat liver transplantation.

12th Congress of the European Society for Transplantation. October 15-19, 2005, Geveva, Switzerland

Zhao X, Fujimoto Y, Koshiba T, Pirenne J, Yoshizawa A, Ito T, Kamei H, Jobara K, Ogawa K,

Uryuhara K, Takada Y, Takana K. Pro- and anti-inflammatory cytokine production during

ischemia reperfusion injury in a case of identical twin living donor liver transplantation using no immunosuppression.

American Transplant Congress. May 15-19, 2004, Boston, Massachusetts, USA

Li Y, Koshiba T, Yoshizawa A, Ito A, Egawa H, Sakaguchi S, Minato N, Wood KJ, Tanaka K.
Analysis of peripheral blood mononuclear cells in operational tolerance after living-donor liver transplantation (LDLT).

American Transplant Congress. May 15-19, 2004, Boston, Massachusetts, USA

International Young Investigator Award

Zhao X, Hayashi M, Kaihara S, Kaido T, Koshiba T, Li Y, Tsuruyama T, Arii S, Egawa H, Tanaka K.

Hepatocyte growth factor improves survival after transplantation of cold-preserved steatotic liver in rats.

American Transplant Congress. May 15-19, 2004, Boston, Massachusetts, USA

Yoshizawa A, Itoh A, Koshiba T, Li Y, Wood KJ, Sakaguchi S, Tanaka K. The role of CD4+CD25+ regulatory T cells in operational tolerance after living donor liver transplantation.

XX international congress of the transplantation society September 5-10, 2004, Vienna, Austria

Li Y, Koshiba T, Yoshizawa A, Ito A, Egawa H, Sakaguchi S, Minato N, Wood K, Tanaka K.
Analysis of peripheral blood mononuclear cells in operational tolerance after pediatric living donor liver transplantation (LDLT).

XX international congress of the transplantation society September 5-10, 2004, Vienna, Austria

Zhao X, Fujimoto Y, Koshiba T, Pirenne J, Yoshizawa A, Ito T, Kamei H, Jobara K, Ogawa K, Uryuhara K, Takada Y, Takana K. Pro- and anti-inflammatory cytokine production during ischemia reperfusion injury in a case of identical twin living donor liver transplantation using no immunosuppression.

XX international congress of the transplantation society September 5-10, 2004, Vienna, Austria

Zhao X, Hayashi M, Kaihara S, Kaido T, Koshiba T, Li Y, Tsuruyama T, Arii S, Egawa H, Tanaka K.

Hepatocyte growth factor improves survival after transplantation of cold-preserved steatotic liver in rats.

XX international congress of the transplantation society September 5-10, 2004, Vienna, Austria

Yoshizawa A, Fujimoto Y, Takada Y, Koshiba T, Nabeshima M, Haga H, Ogura Y, Ogawa K, Uryuhara K, Kasahara M, Ueda M, Egawa H, Tanaka K.

Living donor liver transplantation between identical twins for identical twins for HCV liver cirrhosis: 2 cases report

XX international congress of the transplantation society September 5-10, 2004, Vienna, Austria

Pirenne J, Kawai M, Kitade H, Koshiba T, Mathieu C, Waer M.

Prope tolerance after intestinal transplantaion in man.

XX international congress of the transplantaion society September 5-10, 2004, Vienna, Austria

Fujimoto Y, Koshiba T, Tsuruyama T, Haga H, Nakase H, Takada Y, Pirenne J, Tanaka K.

Acute humoral rejection (AHR) after living-donor intestinal transplantaion(ITx)?- How do we manage this type of rejection?

XX international congress of the transplantaion society September 5-10, 2004, Vienna, Austria

Kitade H, Kawai M, Koshiba T,Overbergh L, A Giulietti, Wear M,Mathieu C,Pirenne J. Generation and expansion of regulatory cells:requirements, compartment involved and timing.**American Transplant Congress. May 30-June 4,2003,Washington,DC,USA**

Kitade H, Kawai M, Koshiba T,Overbergh L, Giulietti A, Waer M, Mathieu C, Pirenne J. Nature,generation and expansion of regulatory cells: requirements,compartment involved and timing. **11th Congress of the European Society for Organ Transplantation. September 20-24, 2003 Venice, Italy.**

Kitade H, Koshiba T,Overbergh L, Van Damme B, Wear M, Mathieu C, Pirenne J. Significance of early IFN- γ up-regulation in allografts of rats rendered tolerant by donor-specific blood transfusion.**11th Congress of the European Society for Organ Transplantation. September 20-24, 2003 Venice, Italy.**

Pirenne J, Waer M, Ferdinande P, Hiele M, Geboes K, Nevens F, Emonds MP, Koshiba T, Kitade H. Operational tolerance after intestinal transplantaion
11th Congress of the European Society for Organ Transplantation. September 20-24, 2003 Venice, Italy.

Koshiba T, Kitabe H, Waer M, Mathieu C, Van Damme B, Pirenne J.

Break of tolerance by high doses of steroids : a differential effect after intestinal and heart transplantaion

XIX International Congress of the Transplantaion Society. August 25 -30, 2002, Miami, USA. __
Travel award

Pirenne J, Giuletti A, Koshiba T, Kitabe H, Mathieu C, Waer M, Van Damme B, Latinne D. Regulatory cell-mediated tolerance does not protect against chronic rejection.

XIX International Congress of the Transplantaion Society. August 25 -30, 2002, Miami, USA.

Overbergh L, Koshiba T, Kitabe H, Waer M, Mathieu C, Van Damme B, Pirenne J. Early Th1 cytokine upregulation is not necessarily associated with activation-induced cell death in

tolerance induction.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Pirenne J, Van Geldwer F, Verleden G, Kuypers D, Waer M, Kitabe H, Koshiba T. The liver protects extra-hepatic organs and extra-hepatic organs protect the liver from both acute and chronic rejection.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Pirenne J, Koshiba T, Kitabe H, Van Damme B, Ji P, Waer M. Multivisceral transplants including the intestine delay rejection compared with isolated transplants.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Kitabe H, Waer M, Geboes K, Emonds M.P, Ferdinande P, Koshiba T, Pirenne J. Complete freedom from rejection, infection and drug toxicity after intestinal transplantation using a new tolerogenic protocol combined with low immunosuppression.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Kitabe H, Koshiba T, Overbergh L, Mathieu C, Waer M, Van Damme B, Pirenne J. The donor-specific blood transfusion effect: influence of timing and road of administration.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Pirenne J, Coosemans W, Aerts R, Kitabe H, Fevery J, Nevens F, Koshiba T.

En bloc cluster liver-pancreas transplantation: new non-malignant indications for an operation described a decade ago.

XIX International Congress of the Transplantation Society. August 25 -30, 2002, Miami, USA.

Koshiba T, Giuliotti A, Rutgeerts O, Overbergh L, Mathieu C, Waer M, Pirenne J. La tolérance vis-à-vis d'un allotransplant est associée à une augmentation précoce et paradoxale de la production de cytokines Th1 au sein de cet allotransplant.

Congrès commun de la Société Francophone de Transplantation et la Société Française d'Immunologie, November 21-23, 2001, Paris, France.

Pirenne J, Aerts R, Koshiba T, Roskams T, Van Steenberg W, Verslype C, Yap P, Fevery J, Nevens F. Liver transplantation with no steroids; a two year follow-up.

The 2nd International Congress on Immunosuppression, December 6-8, 2001, San Diego, California, USA.

Pirenne J, Aerts R, Koshiba T, Benedetti E, Fevery J, Nevens F, Roskams T. Steroids do not ameliorate ischemia/reperfusion injury after liver transplantation.

The 2nd International Congress on Immunosuppression, December 6-8, 2001, San Diego, California, USA.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Schetz M, Lauwers P, Van Steenberghe W, Verslype C, Yap P, Fevery J, Nevens F. Tacrolimus-based Steroid-free Immunosuppression after Liver Transplantation. Long-term Follow-up.

Transplant Immunosuppression 2001: The Compleat Care of the Transplant Recipients, October 24-27, 2001, Minneapolis, Minnesota, USA.

Koshiba T, Kim I, Tsuruyama T, Higashiyama S, Egawa H, Van Damme B, Waer M, Pirenne J. Heparin-binding epidermal growth factor-like growth factor is involved in the development of chronic allograft vasculopathy.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal.

Pirenne J, Coosemans W, Aerts R, Koshiba T, Mathieu C, Maes B, Kuypers D, Messiaen T, Verhaegen M, Hiele M, Schetz M, Ferdinande P, Fevery J, Vanrenterghem Y, Nevens F. Multiorgan transplantation including the liver.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal.

Roskams T, Van Gelder F, Koshiba T, Aerts R, Kimpen S, Benedetti E, Schetz M, Vandermeersch E, Verhaegen M, Lauwers P, Fevery J, Nevens F, Pirenne J. High-dose steroids are not needed during liver transplantation.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal.

Giulietti A, Koshiba T, Overbergh L, Rutgeerts O, Mathieu C, Waer M, Pirenne J. Paradoxical early upregulation of intra-graft Th1 cytokines is associated to graft acceptance following donor-specific blood transfusion.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal.

Van Gelder F, Aerts R, Coosemans W, Kimpen S, Van Hees D, Koshiba T, Roels L, Van Steenberghe W, Yap P, Fevery J, Nevens F, Pirenne J. Pressurization of UW and addition of Epoprostenol reduces the incidence of biliary stricture after liver transplantation.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal.

Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Overbergh L, Mathieu C, Waer M, Pirenne J. FTY720 - an immunosuppressor that alters lymphocyte trafficking - completely abrogates chronic rejection in combination with CsA.

10th Congress of the European Society for Organ Transplantation, October 6-11, 2001, Lisboa, Portugal. Biotest-ESOT-Research-Award

Pirenne J, Waer M, Geboes K, Emonds MP, Ferdinande P, Hiele M, Nevens F, Koshiba T. Complete freedom from rejection after intestinal transplantation using a new tolerogenic protocol combined with low immunosuppression.

VII International Small Bowel Transplant Symposium, Sep 12-15, 2001, Stockholm, Sweden

Koshiba T, Van Damme B, Kitade H, Waer M, Pirenne J.

Multivisceral transplants including the intestine delays rejection compared with isolated transplants.

VII International Small Bowel Transplant Symposium, Sep 12-15, 2001, Stockholm, Sweden

Pirenne J, Nevens F, Koshiba T, Aerts R, Kuypers D, Mathieu C, Fevery J and Coosemans W. Combined liver-pancreas transplantation for primary sclerosing cholangitis and type I diabetes.

8th Congress International Pancreas and Islet Transplant Association, June 12-15, 2001, Innsbruck, Austria.

Pirenne J, Koshiba T, Giulietti A, Rutgeerts O, Overbergh L, Mathieu C, Waer M. Paradoxical early upregulation of intra-graft th1 cytokines is associated to graft acceptance.

VII European Congress of the International Society of Blood Transfusion, July 15-18, 2001, Paris, France.

Pirenne J, Van Gelder F, Koshiba T, Aerts R, Kimpen S, Benedetti E, Schetz M, Vandermeersch E, Verhaegen M, Lauwers P, Fevery J, Nevens F, Roskams T.

Influence of intraoperative high-dose steroids on ischemia/reperfusion injury (IRI) after liver transplantation.

XIIIth Belgian Week of Gastroenterology, Knokke, March 8-10, 2001.

Koshiba T, Kim I, Tsuruyama T, Higashiyama S, Tanaka K, Van Damme B, Waer M, Pirenne J. Heparin-binding epidermal growth factor-like growth factor is involved in the pathogenesis of chronic allograft vasculopathy.

Annual Meeting of the Belgian Transplantation Society, Brussels, March 17, 2001.

Coosemans W, Aerts R, Koshiba T, Van Gelder F, Van Hees D, Mathieu C, Maes B, Kuypers D, Messiaen T, Verhaegen M, Vandermeersch E, Hiele M, Van Assche G, Schetz M, Lauwers P, Ferdinande P, Fevery J, Vanrenterghem Y, Nevens F, Pirenne J. Abdominal multiorgan transplantation including the liver.

Annual Meeting of the Belgian Transplantation Society, Brussels, March 17, 2001.

Pirenne J, Van Gelder F, Koshiba T, Aerts R, Kimpen S, Benedetti E, Schetz M, Vandermeersch E, Verhaegen M, Lauwers P, Fevery J, Nevens F, Roskams T. Influence of intraoperative steroids on ischemia/reperfusion injury after liver transplantation.

Annual Meeting of the Belgian Transplantation Society, Brussels, March 17, 2001.

Van Gelder F, Aerts R, Coosemans W, Kimpen S, Van Hees D, Koshiba T, Roskams T, Van Steenberghe W, Yap P, Fevery J, Nevens F, Pirenne J. Addition of epoprostenol into the pressurized UW reduces the incidence of biliary stricture after liver transplantation.

Annual Meeting of the Belgian Transplantation Society, Brussels, March 17, 2001.

Best young abstract

Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Overbergh L, Mathieu C, Waer M, Pirenne J. FTY720 - an immunosuppressor that alters lymphocyte trafficking - completely abrogates chronic rejection in combination with CsA.

Annual Meeting of the Belgian Transplantation Society, Brussels, March 17, 2001.

Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Overbergh L, Mathieu C, Waer M, Pirenne J. FTY720 (FTY) - an immunosuppressor that alters lymphocyte trafficking - completely abrogates chronic rejection (CR) in combination with CsA.

Transplant 2001, the Joint American Transplant Meeting, May 12-16, 2001, Chicago, Illinois.

Koshiba T, Kim I, Tsuruyama T, Higashiyama S, Tanaka K, Van Damme B, Waer M, Pirenne J. Heparin-binding epidermal growth factor-like growth factor (HB-EGF) is involved in the pathogenesis of chronic allograft vasculopathy.

Transplant 2001, the Joint American Transplant Meeting, May 12-16, 2001, Chicago, Illinois.

Pirenne J, Van Gelder F, Aerts R, Coosemans W, Kimpen S, Van Hees D, Koshiba T, Roskams T, Van Steenberghe W, Yap P, Fevery J, Nevens F. Addition of epoprostenol (EPO) into the pressurized UW reduces the incidence of biliary stricture (BS) after liver transplantation (LTx).

Transplant 2001, the Joint American Transplant Meeting, May 12-16, 2001, Chicago, Illinois.

Pirenne J, Van Gelder F, Koshiba T, Aerts R, Kimpen S, Benedetti E, Schetz M, Vandermeersch E, Verhaegen M, Lauwers P, Fevery J, Nevens F, Roskams T. Influence of intraoperative steroids on ischemia/reperfusion injury (IRI) after liver transplantation (LTx).

Transplant 2001, the Joint American Transplant Meeting, May 12-16, 2001, Chicago, Illinois.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Verhaegen M, Vandermeersch E, Roskams T, Schetz M, Lauwers P, Fevery J, Nevens F. Completely steroid-free immunosuppression after liver transplantation.

XIIth Belgian Week of Gastroenterology, Knokke, February 24-25, 2000.

Koshiba T, Van Damme B, Sefrioui H, Rutgeerts O, Ji P, Tanaka K, Waer M, Pirenne J. Peripheral tolerance through donor-specific blood transfusion does not protect against chronic rejection.

Annual Meeting of the Belgian Transplantation Society, Liège, April 1, 2000.

Koshiba T, Van Damme B, Ji P, Sefrioui H, Rutgeerts O, Tanaka K, McMaster P, Waer M, Pirenne J. The effect of FTY720 on donor-specific blood transfusion induced tolerance: discrepancy between heart transplantation and intestinal transplantation.

Annual Meeting of the Belgian Transplantation Society, Liège, April 1, 2000.

Koshiba T, Van Damme B, Ji P, Tanaka K, Waer M, Pirenne J. Steroids exposure triggers acute rejection in an otherwise allotransplant tolerance model.

Annual Meeting of the Belgian Transplantation Society, Liège, April 1, 2000.

Koshiba T, Van Damme B, Ji P, Tanaka K, Waer M, Pirenne J. Steroids exposure triggers acute rejection in an otherwise allotransplant tolerance model.

Transplant 2000 Joint Scientific Meeting of the American Society of Transplant Surgery (ASTS) and the American Society of Transplantation (AST). May 13-17, 2000, Chicago, Illinois, USA.

Koshiba T, Van Damme B, Sefrioui H, Rutgeerts O, Ji P, Tanaka K, Waer M, Pirenne J. Peripheral tolerance through donor-specific blood transfusion (DSBT) does not protect against chronic rejection.

Transplant 2000 Joint Scientific Meeting of the American Society of Transplant Surgery (ASTS) and the American Society of Transplantation (AST). May 13-17, 2000, Chicago, Illinois, USA.

Koshiba T, Van Damme B, Ji P, Sefrioui H, Rutgeerts O, Tanaka K, McMaster P, Waer M, Pirenne J. The effect of FTY720 (FTY) on donor-specific blood transfusion (DSBT) induced tolerance; discrepancy between heart transplantation (HTx) and intestinal transplantation (ITx).

Transplant 2000 Joint Scientific Meeting of the American Society of Transplant Surgery (ASTS) and the American Society of Transplantation (AST). May 13-17, 2000, Chicago, Illinois, USA.

Ji P, Koshiba T, Waer M, Pirenne J. Ongoing rejection of intestinal allografts delays rejection and prolongs survival of combined donor-specific and third party solid organ transplant.

XVIII International Congress of the Transplantation Society. August 27 - September 1, 2000, Rome, Italy.

Van Damme B, Koshiba T, Ji P, Sefrioui H, Rutgeerts O, Tanaka K, McMaster P, Waer M, Pirenne J. Differential effect of FTY720 on tolerance induction after heart and intestinal transplantation.

XVIII International Congress of the Transplantation Society. August 27 - September 1, 2000, Rome, Italy.

Koshiba T, Van Damme B, Ji P, Tanaka K, Waer M, Pirenne J. Adjunction of steroids blocks the tolerogenic potential of donor-specific blood transfusion (DSBT).

XVIII International Congress of the Transplantation Society. August 27 - September 1, 2000, Rome, Italy.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Nevens F, Fevery J. Comparing standard cyclosporine A-based versus completely steroid-free FK506-based immunosuppression after liver transplantation.

XVIII International Congress of the Transplantation Society. August 27 - September 1, 2000, Rome, Italy.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Nevens F, Fevery J. Comparing standard cyclosporine A-based versus completely steroid-free FK506-based immunosuppression after liver transplantation.

The First European Transplant Fellow Workshop. September 20-22, 2000, Groningen, The Netherlands.

Koshiba T, Van Damme B, Ji P, Tanaka K, Waer M, Pirenne J. Adjunction of steroids blocks the tolerogenic potential of donor-specific blood transfusion (DSBT).

The First European Transplant Fellow Workshop. September 20-22, 2000, Groningen, The

Netherlands.

Pirenne J, Koshiba T, Aerts R, Fevery J, Nevens F. Les stéroïdes ne sont pas nécessaires dans plus de 50% des transplantations.

3^e Congrès de la Société Francophone de Recherche clinique et biologique en Transplantation, December 14-16, 2000, Geneva, Switzerland.

Koshiba T, Van Damme B, Lu Y, Yan Y, Rutgeerts O, Overbergh L, Waer M, Pirenne J. FTY720 (FTY), un nouvel agent immunosuppresseur utilisé en combinaison avec la Cyclosporine A (CsA), prévient complètement le développement du rejet chronique.

3^e Congrès de la Société Francophone de Recherche clinique et biologique en Transplantation, December 14-16, 2000, Geneva, Switzerland.

Pirenne J, Aerts R, Koshiba T, et al. Liver transplantation without steroids.
Belgian Transplantation Society, Leuven, March 13, 1999.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Schetz M, Lauwers P, Fevery J, Nevens F. Liver transplantation (LTx) without steroids.

Najaarsvergadering Nederlandse Vereniging voor Hepatologie. October 7-8, 1999, Veldhoven, Nederland.

Koshiba T, Ji P, Tanaka K, McMaster P, Waer M, Pirenne J. Tolerance induction with FTY 720 (FTY) and donor specific blood transfusion (DSBT): discrepancy between heart transplantation (HTx) and intestinal transplantation (ITx).

VI International Small Bowel Transplant Symposium. October 6-8, 1999, Omaha, Nebraska, USA.

Pirenne J, Aerts R, Koshiba T, Van Gelder F, Roskams T, Schetz M, Lauwers P, Fevery J, Nevens F. Liver Transplantation without Steroids.

Posttransplant Immunosuppression: New Paradigms. October 20-23, 1999, Minneapolis, Minnesota, USA.

4-2 国内学会・研究会

二瓶 大、坪井 栄俊、渡邊 良太、鶴岡 一茂、狩谷 涼汰、澤田 憲一、坂本 千仁、笠原 悟、入江 嘉仁、小柴 貴明。:

新型肺炎の影響でアクセス医療にトリアージが必要な場合の近隣施設との柔軟な協力体制

第24回 日本アクセス研究会学術集会・総会 2020年11月27-28日 大阪府大阪市

坪井 栄俊、二瓶 大、兼本 大輔、石田 亜希、平沼 聡史、宍戸 洋、小柴 貴明。:

内シャント作製に併発した吻合部の動脈解離に対して生検鉗子を活用した超音波下のVAIVTが奏功した一例。

第24回 日本アクセス研究会学術集会・総会 2020年11月27-28日 大阪府大阪市

小柴 貴明、二瓶 大、永井 有、石田 亜希、平沼 聡史、宍戸 洋。:鎖骨下静脈の閉塞後 人工血管でのバイパスでAVFを温存した経験。

第101回福島腎不全研究会 2019年12月8日 福島県郡山市

小柴 貴明、石田 亜希、林 正幸、宍戸 洋。:

東日本大震災の勃発を機に大きな変動を遂げたわが国の透析医療の災害対策。

第48回 宮城腎不全研究会 2019年12月1日 宮城県仙台市

小柴 貴明、二瓶 大、永井 有、石田 亜希、平沼 聡史、宍戸 洋。:

鎖骨下静脈の閉塞後人工血管での cephalic to external jugular vein bypass でAVF を温存した経験。

第 23 回 日本アクセス研究会学術集会・総会 2019 年 9 月 28-29 日 神奈川県横浜市

小柴 貴明、石田 亜希、宍戸 洋：

血液透析の差控えと家族の心理的負担 ―医療者の取るべき態度は?―

第 30 回 日本サイコネフロロジー研究会 2019 年 7 月 6-7 日 長崎市長崎県

小柴 貴明、石田 亜希、林 正幸、宍戸 洋：

日本各地の透析医療における災害対策―東日本大震災が透析に与えた影響を念頭に―

第 64 回 日本透析医学会学術集会・総会 2019 年 6 月 28-30 日 神奈川県横浜市

小柴 貴明、兼本 大輔、二瓶 大、石田 亜希、平沼 聡史、宍戸 洋：

透析の需要の多い原発近くの中核都市でのバスキュラー アクセス外来の開設

第 64 回 日本透析医学会学術集会・総会 2019 年 6 月 28-30 日 神奈川県横浜市

小柴 貴明、石田 亜希、林 正幸、宍戸 洋：

日本各地の透析医療における災害対策―震災後、福島県相双地区の透析患者を受け入れた施設での経験に基づく考察―

第 100 回福島腎不全研究会 2019 年 6 月 2 日 福島県郡山市

小柴 貴明、兼本 大輔、二瓶 大、林 正幸、石田 亜希、平沼 聡史、宍戸 洋：

震災後、医療需要の増した原発近くの基幹病院でバスキュラーアクセス外来を開設することの意義

第 24 回透析バスキュラーアクセスインターベンション治療研究会 2019 年 3 月 2 日 東京都

小柴 貴明、石田 亜希、宍戸 洋：

震災後、福島原発近隣の施設で血液透析を受けることができない患者と家族の支援

第 29 回 日本サイコネフロロジー研究会 2019 年 7 月 7 日 東京都

小柴 貴明、兼本 大輔、石田 亜希、平沼 聡史、宍戸 洋：

エコー第 23 回透析バスキュラーアクセスインターベンション治療研究会 2019 年 3 月 3 日 東京都

小柴 貴明、林 正幸、石田 亜希、平沼 聡史、宍戸 洋

日本各地の透析医療における災害対策―震災後、福島県相双地区の透析患者を受け入れた施設での経験に基づく考察―

第 47 回宮城腎不全研究会 2018 年 12 月 2 日 宮城県仙台市

小柴 貴明、兼本 大輔、二瓶 大、石田 亜希、平沼 聡史、宍戸 洋：

震災後、医療需要の増した原発近くの基幹病院でバスキュラーアクセス外来を開設することの意義

第 22 回 日本アクセス研究会学術集会・総会 2018 年 10 月 13-14 日 広島県広島市

小柴 貴明、石田 亜希、林 正幸、宍戸 洋

近隣施設で血液透析を受けることのできない相双地区の患者の実態 ― 第三報 ―

第 97 回福島腎不全研究会 福島県郡山市 2017 年 12 月 10 日

小柴 貴明、石田 亜希、林 正幸、宍戸 洋

内シヤントの非血栓性閉塞の診断と治療に対するエコーの有用性

第 97 回福島腎不全研究会 福島県郡山市 2017 年 12 月 10 日

小柴 貴明、佐藤 信子、前田 賀奈子、石田 友美子、荒 幸恵、秋山 光子、金澤 美千代：

福島県相双地区の 1 透析施設においてバスキュラーアクセス関連の手技を開始したこと

の社会的意義

第 21 回 日本アクセス研究会学術集会・総会 2017 年 10 月 21-22 日 岐阜県岐阜市

小柴 貴明、林 正幸、石田 亜希、宍戸 洋.:
東日本大震災後、福島原発近隣の施設で血液透析を受けることのできない患者と家族の負担
第28回 日本サイコネフロロジー研究会 2017年7月7日 東京都札幌市

小柴 貴明、兼本 大輔、石田 亜希、平沼 聡史、宍戸 洋.:
超音波ガイド下血栓内ウロキナーゼ局注溶解療法と一期的 VAIVT で、内シャントの血栓性閉塞を治療できた1例
第96回福島腎不全研究会 福島県 郡山市 2016年6月4日

小柴 貴明、林 正幸
HIV 陽性患者の血液透析を実施する施設でのスタッフに対する感染リスクと予防に関する啓蒙のポイント
第95回福島腎不全研究会 福島県 郡山市 2016年12月11日

小柴 貴明、石田 亜希、林 正幸、宍戸 洋
近隣施設で血液透析を受けることのできない相双地区の患者の実態 — 第二報 —
第95回福島腎不全研究会 福島県 郡山市 2016年12月11日

小柴 貴明、石田 亜希、宍戸 洋
近隣施設で血液透析を受けることのできない福島県相双地区
—仙南の施設へ受け入れられた患者の実態—
第45回宮城腎不全研究会 宮城県 仙台市 2016年11月20日

石田 亜希、平沼 聡史、小柴 貴明、宍戸 洋
非血栓性閉塞に対する VAIVT の治療適応と治療の工夫
第20回日本アクセス研究会 学術集会・総会 熊本県 熊本市 2016年11月12-13日

平沼 聡史、石田 亜希、小柴 貴明、宍戸 洋
エコーを用いた”Lyse & wait technique” による PTR 成功率向上の工夫
第20回日本アクセス研究会 学術集会・総会 熊本県 熊本市 2016年11月12-13日

小柴 貴明、西内 孝光
東日本大震災と血液透析患者の虚血性心疾患
第61回日本透析医学会学術集会・総会 大阪府 大阪市 2016年6月9日-12日

西内 孝光、小柴 貴明
血液透析患者の長期データの分析による腎性貧血治療の最適化
第61回日本透析医学会学術集会・総会 大阪府 大阪市 2016年6月9日-12日

小柴 貴明、林 正幸、宍戸 洋
近隣施設で血液透析を受けることのできない福島原発周辺の患者の実態
第61回日本透析医学会学術集会・総会 大阪府 大阪市 2016年6月9日-12日

小柴 貴明、西内 孝光、林 正幸
東日本大震災と当院の血液透析患者の虚血性心疾患
第94回福島腎不全研究会 福島県 郡山市 2016年5月22日

野原 英樹、佐藤 信子、平沼 聡史、石田 亜希、宍戸 洋、峯岸 淳、秦 淳也、石田 友美子、荒 幸恵、前田 賀奈子、秋山 光子、金澤 美千代、小柴 貴明
遠隔地医療とチーム医療により血栓性閉塞シャントに対して緊急血栓溶解術を実施した1例
第94回福島腎不全研究会 福島県 郡山市 2016年5月22日

西内 孝光、小柴 貴明、林 正幸

患者ごとに最適化された血液透析患者の腎性貧血治療
第94回福島腎不全研究会 福島県 郡山市 2016年5月22日

小柴 貴明、林 正幸、穴戸 洋
近隣施設で血液透析を受けることのできない相双地区の患者の実態
第94回福島腎不全研究会 福島県 郡山市 2016年5月22日

西内 孝光、小柴 貴明
当院の過去4年のデータが示す日本透析医学会 CKD-MBD 治療ガイドラインの改訂の成果
第93回福島腎不全研究会 福島県 郡山市 2015年12月13日

西内 孝光、馬目 雅彦、佐藤 敏光、今村 秀嗣、小柴 貴明
ミネラル補正薬の内服アドヒアランスに対する医療従事者の意識
第92回福島腎不全研究会 福島県 郡山市 2015年5月10日

西内 孝光、小柴 貴明
JSDT のCKD-MBD 治療ガイドライン改訂後のミネラル補正の改善
第60回日本透析医学会学術集会・総会 神奈川県 横浜市 2015年6月26日-28日

西内 孝光、小柴 貴明
Skype を用いた透析患者の管理～災害予見地でのシミュレーション～
第60回日本透析医学会学術集会・総会 神奈川県 横浜市 2015年6月26日-28日

小柴 貴明、西内 孝光
被災地病院の透析に従事するコメディカルの負担
第60回日本透析医学会学術集会・総会 神奈川県 横浜市 2015年6月26日-28日

小柴 貴明、西内 孝光
ミネラル補正のための内服アドヒアランスに関する医療従事者の意識
第60回日本透析医学会学術集会・総会 神奈川県 横浜市 2015年6月26日-28日

西内 孝光、小柴 貴明
入院をきっかけに高リン血症が改善できた独居透析患者
第59回日本透析医学会学術集会・総会 兵庫県 神戸市 2014年6月12日-15日

西内 孝光、赤井畑 秀則、久保 肇、小柴 貴明
当院における透析患者のミネラル補正～2012年7月のJSDT のCKD-MBD 治療に関するガイドライン改訂後の変化～
第91回福島腎不全研究会 福島県 郡山市 2014年12月14日

西内 孝光、赤井畑 秀則、斎藤 行世、小柴 貴明
入院をきっかけに高リン血症が改善できた独居透析患者
第90回福島腎不全研究会 福島県 郡山市 2014年6月10日

小柴 貴明
広島・福島共同で行われた先進医療－血液型不適合肝臓移植－に対する福島県立医科大学学生の意見
第2回福島災害医療研究会 福島県 福島市 2013年11月12日

小柴貴明
小児生体肝移植後の免疫寛容の成立に影響を与える臨床的因子
第22回日本組織適合性学会大会 福島県 福島市 2013年9月14-16日

西内孝光, 小柴貴明

「透析患者のミネラル補正と薬剤のアドヒアランス」～パラメディカルの積極的な介入の効果～
第58回日本透析医学会学術集会 福岡県 福岡市 2013年6月21-23日

小柴 貴明

相双地区の医療の充実に病院間連携は欠かせない

第1回 福島災害医療研究会 福島県 福島市 2012年11月8日

小柴 貴明, 趙 向東, 李 穎, 大江 秀典, 上本 伸二

グラフト内の gamma-delta T 細胞と、小児生体肝移植後の免疫寛容との関連

第15回 東北移植研究会 宮城県 仙台市 2012年10月20日

特別講演

小柴貴明 臓器移植と免疫寛容 第9回 東北移植研究会 2006年11月25日 仙台市

シンポジウム

小柴貴明 ブタを用いた調節性T細胞 自治医大ビッグセンターシンポジウム 2007年11月21日 自治医科大学

小柴貴明 生体肝移植と免疫寛容 京都大学平成17年度第二回COEセミナー 2006年2月21日 京都大学